

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE TWO YEARS
1950-1951

SUPPLEMENT ON
HOSPITAL IN-PATIENT STATISTICS

LONDON: HER MAJESTY'S STATIONERY OFFICE

1955

Hospital in-patient statistics by diagnosis can be useful, both in conjunction with other morbidity and mortality statistics in disclosing the pattern of ill-health in the community and also as an aid to planning hospital services so as to provide those facilities which are most needed. The Enquiry which provided the statistics presented in this Supplement and in the previous Supplement on this subject has until now been experimental. In the years 1949 to 1951 the summary form used was directed more to the first use mentioned above, viz. the provision of morbidity statistics of a general character, than to the production of the statistics more specifically needed in the administration of the hospital service. In 1953 and 1954, a modified form was used in which more emphasis was placed on the latter aspects. In 1955 the Enquiry is leaving its experimental phase, since sufficient experience has been obtained with the summary form and methods used and several regions expect to be able to secure the participation of all hospitals in the region other than specifically mental and mental deficiency hospitals.

Because of the experimental nature of the Enquiry and also of the lack of experience in presenting statistics of this kind, the preparation of the present volume has taken a considerable time. The pattern and problems of the hospital service have, however, not changed so much since 1951 that such lessons as can be drawn from the figures presented are not still relevant, both in the study of morbidity and in planning. It is hoped that their publication will stimulate others further to explore the uses of statistics of this kind. It has not been possible to publish more than a selection of the type of information which might be derived from the Enquiry and, quite deliberately, a different selection has been presented for each of the years 1949 (in the earlier Supplement), 1950 and 1951.

In addition to statistics derived from the In-patient Enquiry, the present volume includes an appendix giving the sex and age distribution of patients in hospital on Census night, 8th April, 1951, in each of the hospital regions in England and Wales, and rates per hundred thousand population living in those regions. These figures are derived from a special count made by the General Register Office for the Guillebaud Committee from the Census schedules completed by hospitals, and they provide new material on which comparisons between regions and forecasts of future trends may be based.

TABLE OF CONTENTS

	Page
Introduction	1
Definitions and notes on technical terms	3
The tables for the year 1950.....	5
Variations in average duration of stay:-	
by hospital group.....	5
by diagnosis.....	7
by sex.....	7
by age.....	8
by social class.....	8
Distribution of discharges by days between admission and discharge.....	9
Average duration of stay in each of the years 1949, 1950 and 1951 for certain diagnoses.....	10
The tables for the year 1951.....	11
Distribution by age, sex and diagnosis.....	12
Distribution by number of days in hospital and diagnosis.....	13
Single livebirths delivered during 1951 by weight at birth.....	13
Table 1. Thirty-one selected diagnoses: Variations in average stay by year, sex, age, social class and hospital group - 1950 and 1949.....	17
Table 2. Thirty-one selected diagnoses: distribution by days of in-patient care - 1950.....	25
Table 3. Fifty-eight selected diagnoses: social class distribution of discharges - 1950.....	29
Table 4. All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951.....	41
Table 5. All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951.....	85
Table 6. Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951.....	123

Appendix A: List of hospitals participating in the Enquiry during the period 1949-1951, indicating by an asterisk those included in the tables for each year, and showing the age distribution of discharges from individual hospitals included in the tables for 1949.....	131
---	-----

Appendix B: Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census Night, 8th April 1951, with rates per 100,000 Population.....	143
--	-----

INTRODUCTION

The present volume presents a further selection of tables prepared from summaries of in-patient case-records; it relates to patients discharged during 1950 and 1951 from hospitals participating in the Hospital In-patient Enquiry. Tables for discharges in 1949 were published in the Hospital Statistics Supplement to the Annual Review for 1949.⁽¹⁾

This enquiry began in 1949, and continued in its original form until 31st December, 1951. Its main purpose was to provide experience in collecting diagnostic information from hospitals with a view to undertaking a more representative enquiry later. A modified enquiry, on a sampling basis, was introduced towards the end of 1952 and this is being much extended in 1955. The changes introduced enable the principal diagnosis, and other factors, to be linked with the specialist department responsible for treatment. In this way the enquiry will in future be complementary to the in-patient hospital statistics by department published annually by the Ministry of Health.⁽²⁾ The aims and objects of such enquiries were briefly discussed in the Supplement for 1949; they are, broadly, to assist in hospital administration by supplementing the statistics by department in terms of the diseases treated and the characteristics of the patients who had these diseases and also to supplement information about the pattern of ill-health in the community derived from mortality and other morbidity statistics.

The original enquiry covered the majority of teaching hospitals in England and Wales, nearly all the hospitals in Leicester and Leicestershire, a substantial proportion of the acute and mainly acute non-teaching hospitals in Manchester, two large acute hospitals in Middlesex and one mainly acute hospital in Wales. These hospitals participated on a voluntary basis and completed a standard summary form for every in-patient discharged from 1st January, 1949, to 31st December, 1951. The main items of information recorded were sex, age, marital status and occupation of the patient, together with the final diagnosis at discharge. The only facts recorded about the hospital or its administrative arrangements for dealing with the patient comprised the hospital's name and whether the case had been transferred to or from another hospital. A copy of the summary form itself, and an extract from the accompanying instructions, were reproduced in the first report on the enquiry.⁽³⁾

Certain hospitals participated in full for the first time in 1950; certain others that participated in 1949 withdrew either in 1950 or 1951. Appendix A lists the participating hospitals whose summary forms contributed to the tabulations in each or any of the

-
- (1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.
 - (2) Ministry of Health: Hospital and Specialist Services, England and Wales: Statistics for the year ended 31st December, 1949 and each subsequent year. H.M.S.O. price 20s. net.
 - (3) General Register Office: Studies on Medical and Population Subjects, No.4. Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

years 1949, 1950 and 1951. The number of summaries from each hospital relating to 1949 - i.e. discharges in 1949 - and their age distributions are also shown. These, in several instances, fell short of the total in the hospitals' annual statistical returns to the Ministry of Health.

The discharges from all hospitals in the enquiry taken together in 1949 were 10% of the total from all hospitals in England and Wales. But, while the teaching hospitals account for only about 15 per cent of discharges from all hospitals in the National Health Service, they comprised about 75 per cent of discharges in the 1949-51 enquiry. The relative representation in 1950 and 1951 changed little from that in 1949, when the proportion of discharges from participating teaching and non-teaching hospitals to the national totals were about 50% and 3% respectively (livebirths in hospital being excluded in each case).

The distribution by diagnosis of all discharges from participating hospitals may therefore give an erroneous picture of relative frequencies due to considerable overweighting of certain conditions and certain specialties in favour of the teaching hospitals (e.g. congenital malformations). It is for this reason that discharges from teaching and non-teaching hospitals have been tabulated separately.

Attempts to estimate the number of discharges for a particular condition in the country as a whole can be made by 'weighting' the separate totals before combining them. For example, one can multiply the number discharged from participating non-teaching hospitals by 33 and add to the figure so obtained twice the teaching hospital discharges⁽¹⁾. This will give a better idea of the relative order of frequency for broad groups of diseases, but it is best frankly to recognise that the enquiry, at the stage covered by this Supplement, was not sufficiently representative to yield estimates of discharge frequencies on a national scale. The main reasons are that (a) specialist consultant departments in the participating hospitals were not represented in the same proportions as in the hospitals of the National Health Service as a whole, (b) there were no mental hospitals in the non-teaching group, (c) few chronic sick hospitals were included and (d) none of the hospitals involved had any general practice units. These deficiencies are likely to be removed in 1955.

The material relating to sex, age, duration of stay, etc., for individual diagnoses published in this and in preceding publications relating to the enquiry can be used with greater confidence, however, as the bias is mainly in the relative frequency one to another of different diseases and injuries, and not in the distribution of cases within each condition by sex, age, days of in-patient care, etc. The only serious limitations which must be kept in mind are that discharges at ages 65 and over, particularly those relating to the chronic or terminal illnesses of old age, may be under-represented and that the proportion of discharges under 15 to those

(1) $\frac{100}{3} \times \text{All 'non-teaching' discharges in 1949} + \frac{100}{50} \times \text{All 'teaching' discharges in 1949}.$

15 and over may be biased in certain circumstances. These limitations arise because, at the two extremes of the age span, a large proportion of the hospital load is dealt with in special hospitals (chronic hospitals and children's hospitals).

Definitions and comment regarding certain of the terms used were published in the 1949 Hospital Supplement; some of these are of particular importance in relation to the tables which follow, and are therefore repeated.

Definitions and Notes on technical terms

Discharges

A discharge signifies a completed period of in-patient care in the hospital concerned, whether the patient returned to his home, was transferred to another hospital or institution, or died. Discharges (and summary forms) therefore relate to the termination of periods of stay (spells of in-patient care) in particular hospitals. They do not specify the number of persons who received hospital care nor do they specify the number of illnesses for which in-patient care was given since they take no account of whether there were two or more successive periods in the same hospital, in different hospitals or in convalescent homes.

Bed-days; Average Duration of Stay

Bed-days for a single period of in-patient care are the number of days between admission and discharge, the days of admission and discharge together being counted as one. The *mean bed-days* (average duration of stay, or of spells of in-patient care) is obtained by dividing the total bed-days by the total number of discharges during the year.

The bed-days computed from the dates of admission and discharge will correspond, for patients suffering from short-term illnesses at least, to the number of times such patients were counted during the year in the daily midnight census of bed-occupation plus the numbers admitted and discharged the same day, i.e. who were not in the hospital at midnight.

Private patients

These were included only when their case histories were kept with the general hospital records. This was the practice in a number of the participating hospitals. The form itself does not provide any means of distinguishing such patients, but they represent only a small proportion of the cases assigned to social classes I and II.

Day patients

The memorandum on how to complete the summary form stated that a form was to be completed 'for every patient who is discharged from, or dies in, hospital after having passed one or more nights

in an in-patient bed. In-patients admitted and discharged the same day and who did not spend a night in the hospital were, however, usually included where their case-histories were kept with those of other in-patients. Each such admission was credited with one patient day, as if a night had been spent in the hospital.

Transfers to and from other hospitals

Where it was the practice for one in-patient record to cover the stay in a pre-convalescent unit or a convalescent home as well as the stay in the parent hospital, one summary form covered the whole period as a single spell of in-patient care. This procedure was followed by nearly two-thirds of the participating hospitals. Otherwise, the summary form from the parent hospital alone was received and was coded as 'transfer to another hospital'; the convalescent units concerned did not complete summary forms for these cases.

The proportion of discharges admitted as transfers from other hospitals was about 1% through the period, while transfers to other hospitals did not exceed 3% of the total discharges.

Table 1 in the preliminary report on the Enquiry (Studies on Medical and Population Subjects; No.4) shows how these proportions varied by diagnosis. As indicated above, transfers to convalescent units were not recorded as such, and in many cases were included in the one period of in-patient care.

Readmissions

No arrangement was made to identify the number of patients admitted twice or more in the year on account of the same condition. The proportion is known to vary considerably according to the disease and there is evidence that it was higher in some hospitals than in others.

Principal Cause of Admission

The method of diagnosis reporting used in the Enquiry during 1949-1951 followed the suggestions in the Medical Research Council's Classification of Diseases published in 1942. The form in which diagnoses were reported, and a discussion of the terms used and their definitions, will be found on pages 21-23 of the preliminary report.

The present series of tables is limited to analyses by the 'Principal Cause of Admission', which was generally interpreted by the hospitals as the final diagnosis of the specific or principal specific condition treated during the admission or found on investigation to be the underlying cause immediately responsible for the patient's symptoms.

The principal diagnosis was coded to one or other of the rubrics in the 6th Revision of the International Statistical Classification of Diseases and Injuries (1948), with due regard to the presence of any complications and accessory conditions where

the terms of the classification allow them to modify the coding of the primary condition.

Deaths in hospital

Deaths occurring in hospital among the discharges are distinguished in some of the tables. For each of these deaths a death certificate will have been completed giving the cause of death. In some cases the certified cause of death will not be the same as the disease or condition that led to admission to hospital. For example, a patient admitted to hospital because of gastric ulcer may die in hospital from, say, cerebral haemorrhage, this latter condition being unrelated to the ulcer or to treatment given on its account. In such circumstances the diagnosis on the hospital record would correctly be gastric ulcer, but the certified cause of death would be cerebral haemorrhage.

THE TABLES FOR THE YEAR 1950

The analyses of summary forms relating to 1950 are limited to selected diagnoses and diagnostic groups: 31 are shown in the case of Tables 1 and 2, and 58 in the case of Table 3. They include some of the commonest conditions admitted to in-patient care. Coding of diagnoses has been in accordance with the International Classification, but the order in which the diagnoses appear departs from the conventional ranking in the Classification in favour of an arrangement intended to bring together conditions commonly dealt with in the same specialist department of the hospital. It is necessary to emphasise that individual cases were not assigned to the department from which they were discharged; this was impossible, for the summary form in use during 1949-51 did not ask for the department or specialty. The assignment has been made according to what is believed to be customary practice for the disease or injury taken as a whole.

Table 1: Variations in average duration of stay by hospital group, diagnosis, sex, age and social class

Variations in average stay by hospital group

The average duration of stay recorded by different hospitals for each of the various specialties, e.g., general surgery, gynaecology, otolaryngeology, often differ considerably. The interpretation of these differences in terms of 'good' or 'bad' turnover may be difficult when the only figures available are total discharges classified by specialist department. The anomalies which result when the healthiness or unhealthiness of towns is judged solely by the numbers of their residents dying per thousand inhabitants (the crude mortality rates) are well known. These crude rates will be high where the proportion of old to young is high and comparisons should therefore be made only after the data have been suitably adjusted to allow for differences in the age-composition of the populations concerned.

Difficulties of the same sort arise when comparing the average durations of stay in various hospitals, or even in the same department at different hospitals. Previous tabulations for the In-patient Enquiry showed that

(a) the average period of hospital care varies with the disease⁽¹⁾ - e.g., 21 days for pneumonias, and 28 days or more for heart diseases; 25 days or more for "surgical" cancers such as those of the gastro-intestinal tract and the breast; 12-14 days for appendicitis and hernia; 21 days for peptic ulcer; 7-8 days for traumatic wounds.

(b) the relative frequency with which different diseases are admitted changes appreciably with age⁽²⁾.

(c) the proportion of males to females among the discharges differs considerably from one disease to another.⁽²⁾

Comparisons between departments are therefore valid only when they admit similar diseases in similar proportions. Evidence on this point is not yet available, but the present enquiry enables us to isolate discharges relating to the more important diseases and examine the average stay in different hospital groups for patients suffering from the same disease.

This is the purpose of Table 1 in the present volume. The differences in average stay between hospital groups for the same disease are often quite marked, and inspection of the figures suggests that where the mean stay for one condition in a particular hospital group is unusually long (or short) it also tends to be long (or short) for other conditions of a similar type (compare groups B, D, F, W, X and GG on the one hand with groups G, Q, T, U, and DD on the other). Even for one disease, however, variations between hospitals may arise, not only or exclusively from differences in medical or administrative policy with regard to length of stay, but from the inherently different needs of male and female patients, of younger and older patients, or possibly of patients coming from different socio-economic backgrounds.

Accordingly, it must be shown whether differences in average stay between patients classified with respect to these factors can be sufficiently large to account for the observed differences between hospital groups. It is reasonable to suppose that the general effects on length of hospitalisation which can be attributed to age, sex or social circumstances will tend to work in the same direction in each hospital, whether its overall length of stay is above or below the average. For the purpose of demonstrating the probable magnitude of the effect of these factors it will therefore be sufficient to consider data based on the combined experience of the participating hospitals.

(1) General Register Office: Registrar General's Statistical Review, 1949, Supplement on Hospital In-patient Statistics. H.M.S.O. price 15s. net.

(2) General Register Office: Studies on Medical and Population Subjects, No.4, Hospital Morbidity Statistics, by Donald MacKay, M.A., M.B. H.M.S.O. price 3s.6d. net.

From Table 1, variations in average duration of stay among individual hospital groups for each of the selected conditions can be compared with the variations in mean stay, based on the pooled experience of all the hospitals, between - (a) the two sexes; (b) three different social class groups (social classes I-II, III, IV-V); (c) children, younger and older working adults, and the elderly (ages 0-14, 15-44, 45-64, 65 and over). The mean stay at different ages had been taken from data previously published in the 1949 Hospital supplement; the rest of the material is based on cases discharged during 1950. Additional lines show the average stay in the two years 1949 and 1950 for the selected conditions. (The number of bed days were derived by adding together the days of care recorded for each case; they were not obtained from the distributions shown in Table 2.)

Variations in average stay by diagnosis

Differences in average stay between diseases likely to be dealt with in the same department are considerable in some cases (e.g. abortion and uterovaginal prolapse; 8 and 20 days respectively). On the whole, marked differences between diagnoses are maintained irrespective of sex, age, social class, or the hospital concerned. Prima facie, comparisons between one department and another should take into account the relative proportion of "long-stay" and "short-stay" cases in the departments concerned.

Table 1 in this volume and Table H2 in the 1949 Supplement suggest, however, that many conditions, though aetiologically different, have similar requirements in respect of length of hospitalisation: e.g., peptic ulcer 22 days; cholecystitis and cholelithiasis 21 days. Only one or two broad diagnostic groupings within departments may be needed for more exact duration of stay comparisons, provided they are realistically chosen to distinguish conditions with unusually short and unusually long bed-stay requirements. The operation performed and whether the admission was for observation or diagnostic investigation may be more relevant to certain duration of stay comparisons than the principal diagnosis.

Variations in average stay by sex

There does not appear to be any consistent pattern in the differences in average stay between the sexes for the same disease, and more often than not it is usual to find that the figures are almost identical.

Differences may become apparent where the nature or the severity of the condition is not the same for each sex, or where the diagnostic group is a broad one comprising several varieties each affecting males and females in different proportions. (e.g. hernia, prolapsed intervertebral disc, peptic ulcer.)

At individual hospitals, however, the shortage of accommodation for females may necessitate discharging patients earlier than usual for all conditions. In other hospitals the same may be true for males. On a national scale, however, there is likely to be some tendency for such shortages to balance out as between the sexes.

Variations in average stay for the same condition by age of patient

Among adults of different ages treated for the same condition, duration of stay tends, in most instances, to be longer at ages 45 and over than at younger ages, and there is often a further increase in the length of bed care required at ages 65 and over. These trends are in accordance with expectation. Advancing age brings a greater likelihood of associated illness, such as cardio-renal disorder, or bronchitis, which will prolong treatment, and also a greater liability to develop complications, such as post-operative chest disturbances.

Children have a longer stay than adults in several instances, but in others the average period in hospital is substantially shorter. From the medical and administrative point of view, however, the in-patient facilities needed for children are usually quite distinct from those for adults, even for what is nominally the same disease.

The important point which emerges from this table (and from Table H.2 in the 1949 Supplement) is that, for individual diseases, differences in length of stay in hospital between age groups are often more substantial than differences between the two sexes. In many situations it seems unnecessary to examine the average length of stay for each sex separately by diagnosis, provided the range of diseases tabulated is sufficiently comprehensive to distinguish the most important of the conditions which affect one sex more than the other as well as the conditions peculiar to each, and gives the number of male and female discharges by age.

Variations in average stay for the same condition by social class (1)

In a considerable proportion of cases insufficient information was provided on the discharge form to permit a social class assignment, especially among housewives and the elderly. Such cases included a number of emergency admissions of patients who were too ill for the usual interview with the records officer.

It was nevertheless decided to carry out a tabulation of average stay by social class within selected diagnoses, and the results are included in Table 1. It follows from what has just been said that any conclusions based on these figures cannot apply to the elderly or to whole-time housewives.

The mean stay in the three social class groups are remarkably similar throughout the range of diagnoses. The overall mean of the average periods of stay in days for all the conditions specified in Table 1, excluding bronchitis were as follows:-

I & II	III	IV & V
14.7	15.1	15.4

The slight upward gradient revealed by the aggregate amounts to less than one day as between classes I and II and IV and V. On this evidence, socio-economic circumstances do not appear to have

(1) For description of Social Classes see:- General Register Office; Registrar General's Statistical Review, 1949 Supplement on Hospital In-Patient Statistics, Page 9. H.M.S.O. price 15s. net.

any general or systematic influence on the length of time which National Health Service patients spend in hospital. The influence of socio-economic circumstances on average stay is often considerable for individual patients, but such instances would not seem to affect materially the figures for the social class groups.

A certain number of private patients will have been included in the enquiry though it is known that summary forms were not submitted for the majority of such patients. The bulk of the cases classified to social classes I and II were admitted either to the ordinary or amenity beds of the Health Service, so that no conclusion can be drawn from these figures as to any influence which hospital charges may or may not have on average length of stay.

Table 2: Distribution of discharges shown in Table 1
by days between admission and discharge

Table 2 for all hospitals combined shows how the discharges classed to each of the conditions distinguished in Table 1 were distributed according to the number of days between admission and discharge.

The range of each of these combined distributions tends to be wider than that of any single hospital distribution. The following typical example shows the percentage distribution for 'inguinal hernia without obstruction' in four hospital groups separately and in the four combined, together with the distribution for the aggregate of all participating hospitals in 1951. Discharges in the first five days of admission, together with discharges at 18 days or over, amounted to 25 per cent of the total for all hospitals combined; the corresponding percentages in each of the groups A, U, AA, and GG were 16, 31, 6 and 16.

Length of stay in days	Percentage distribution of discharges					
	Group A 258 cases	Group U 358 cases	Group AA 222 cases	Group GG 132 cases	A; U; AA; GG 970 cases	All Groups 6,117 cases
0-1	1	3	3	2	2	2
2-3	1	4	2	2	3	3
4-5	1	7	0	-	3	3
6-7	4	19	2	-	9	8
8-9	12	17	20	3	15	12
10-11	21	13	41	20	23	21
12-13	23	11	20	20	18	17
14-15	16	5	7	35	12	12
16-17	8	4	2	8	5	6
18-19	5	4	0	4	3	4
20-21	2	4	0	4	3	4
22 and over	6	9	1	4	6	9

Discharges in 1951 have also been tabulated by diagnosis on the lines of Table 2 to show the distribution in each participating hospital by days between admission and discharge. Most of the conditions shown in that table, together with some others, have been analysed, and the tables are available for reference at the General Register Office.

Average duration of stay in each of the years
1949, 1950 and 1951 for certain diagnoses

The average stay during 1949, 1950 and 1951 is shown in the following table for some of the conditions specified in Table 1; in some cases slightly different disease groupings were used in each year.

Diagnosis	Average length of stay in all participating hospitals combined		
	1949	1950	1951
Lobar pneumonia (490)	20.3	20.7	19.3
Rheumatoid arthritis (722.0)	57.2 ⁽¹⁾	64.2 ⁽¹⁾	67.1
Thyrotoxicosis (252)	19.7	22.2	22.5
Peptic ulcer (540; 541)	22.1	23.2	22.8
Cholecystitis and cholelithiasis (584; 585)	20.7	22.1	21.4
Haemorrhoids (461)	13.9	14.2	14.2
Hernia without obstruction (560)	13.8	13.9	13.7
Appendicitis (550-552)	12.7	12.9	12.7
Internal derangement of knee joint (734)	14.9	15.3	15.1
Displacement of intervertebral disc (735)	19.8	23.5	24.2 ⁽²⁾
Hallux valgus and varus (747)	14.8	14.3	14.6
Fibromyomata of uterus (214)	19.0	18.6	19.3
Cervicitis, etc. (630.0; 630.1)	9.3	9.0	8.1 ⁽³⁾
Disorders of menstruation (634)	8.6	8.5	8.2
Abortion (650-652)	8.5	8.3	7.9 ⁽⁴⁾
Uterovaginal prolapse (631)	20.5	20.6	20.5
Cataract (385)	15.3	15.3	15.5
Otitis media (391)	12.0	12.7	13.9
Mastoiditis (392; 393)	19.5	21.8	21.0
Sinusitis (471; 513)	10.0 ⁽⁵⁾	9.5	9.3
Hypertrophy of tonsils and adenoids (510)	4.1	4.2	4.1
Acute tonsillitis and pharyngitis (472; 473)	5.9	7.5 ⁽⁶⁾	6.9 ⁽⁶⁾

- (1) Rheumatoid arthritis (722.0) together with allied conditions (722.1)
- (2) Includes sciatica (363). Mean stay in 1949 for 735 and 363 combined was 19.6 days.
- (3) Excludes infective diseases of uterus other than cervicitis (630.1)
- (4) Includes only spontaneous or unspecified (650.0)
- (5) Excludes acute sinusitis (471)
- (6) Includes streptococcal sore throat (051)

The number of participating hospitals did not remain the same in each of the three years, and in 1949 a few of them had to be excluded from tabulation for reasons explained in the 1949 Supplement. These entries and withdrawals detract little from the validity of the figures, as the discharges involved were relatively few in relation to the total number handled each year. In 1949 and 1950 bed days were obtained by adding the actual numbers recorded (as for Table 1); but in 1951 they were computed from distributions similar to those in Table 2, but class intervals were in single days

up to 29. The bed days were derived by multiplying the discharges in each class-interval by the interval midpoint.

It is evident that the changes in average duration of hospital care for specific diseases in all the hospitals combined over a period of two years are relatively insignificant in comparison with the striking differences in length of stay for the same conditions in the same year between individual hospital groups.

THE TABLES FOR THE YEAR 1951

All summary forms received from the participating hospitals for 1951 have been tabulated, with the exception of forms relating to (a) deliveries and complications of pregnancy, childbirth and the puerperium (640-689) and (b) individuals who were not sick (Supplementary Classification, Y rubrics). Single livebirths in hospital have been tabulated separately in relation to birth-weight.

The diagnostic list used in Tables 4 and 5 is a condensation of the complete (4 digit) list in the International Statistical Classification. Common or interesting conditions are distinguished within the framework of a series of summary groupings. These groupings are based on the section headings which sub-divide the seventeen sections of the Classification. The residual aggregate within each summary grouping is shown for convenience; it may have little clinical significance. (The proportions in which the constituent rubrics are represented in the residual can be derived from Table H.1 in the 1949 Hospital Supplement.) It is possible to produce, by simple addition, from the list used in these Tables, the International "C" List of 50 causes for tabulating morbidity data.

The original working tables gave the distributions for each disease or injury distinguished in the classification. These detailed tables are available for reference at the General Register Office. There are also separate tabulations, in full diagnostic detail, which relate only to children under 15 and give for each condition: the distribution of discharges by length of stay and an age-analysis in finer age groupings - viz: (age last birthday) under 4 weeks; 4 weeks - 2 months; 3-5 months; 6-11 months; 1 year; 2 years; 3-4 years; 5-6 years; 7-8 years; 9-11 years; 12-14 years.

In studying these tables, one should keep in mind the limitations of the summary form used. It did not ask doctors to differentiate between discharges given the same final diagnosis according to whether the patient had been admitted for treatment or had been taken into the wards for detailed investigation in order to get a firm diagnosis or prognosis of his complaint, nor did it distinguish between the first, second or third etc., admissions to the hospital during the year for the same disorder.

The International Statistical Classification distinguishes cases where there was no complaint of sickness or injury (which it assigns to rubrics in the Supplementary Classification) from cases admitted with a complaint of sickness or injury. Very few in-patient admissions come into the former category. Those who are sick must be assigned to one or other of the specified diseases or injuries, which cover the whole range of morbid conditions, unless observation or investigation of the presenting sign or symptoms shows no need for further treatment or medical care, - e.g. forms marked 'N.A.D.'. The prescribed assignment for these cases is to category 793.

Any disease, injury, sign or symptom of definite character stated to be the final diagnosis of the primary condition was accordingly coded by the General Register Office as the primary condition, whether or not qualified by the words 'investigation only'.

In a proportion of summary forms, however, the only entry under 'final diagnosis' was a phrase such as 'For investigation', 'Investigation N.Y.D.', 'Barium X-ray examination', 'Renal Investigation'. Strictly speaking the rubric 793 is not appropriate to such cases, for it is not stated that the results of the investigation were definitely negative. These cases were generally coded to the Supplementary Classification in 1949 and 1950, and rubric 793 was restricted to instances where normal findings were reported. In 1951, however, the use of the Supplementary Classification was restricted to cases who were not sick, e.g., healthy mothers admitted with sick babies, blood and other tissue donors, routine follow-up examinations without mention of investigation or other procedure indicating continued treatment, relapse, or the development of complications. (These 'non-sick' cases have not been included in the tabulations). The group of cases mentioned above had in consequence to be accommodated in one or other of the disease or injury rubrics. It was decided to assign them to 793. The full title of this rubric 'Observation, without need for further medical care' is therefore too narrow in the context of this enquiry; 'Observation or Investigation, not otherwise specified' would be a more appropriate designation.

The increase in numbers for rubric 793 in 1951 compared with 1949 is mostly explained by the transfer of cases previously included among the special admissions, but summary forms where investigation was recorded in conjunction with a diagnosis qualified by the words 'not yet determined' or their equivalent were also classed to this rubric.

The number of cases admitted solely or mainly for investigation was therefore considerably higher than those classed to 793 - but the exact numbers are not known.

Table 4: Distribution by age, sex and diagnosis

Table 4 shows how discharges from (a) Teaching Hospitals and (b) Hospitals under Regional Boards were distributed in 1951 by diagnosis, age and sex; those among them at each age recorded as dying in hospital are shown separately.

The value of sex and age distribution data in hospital clinical practice was briefly discussed on pp.13-14 of the 1949 Hospital Supplement. Any changes which may have taken place in the last few years in the sex ratios or age distributions of individual diseases are generally unimportant in relation to the sampling error, and 1949 and 1951 figures may be combined with advantage when the numbers are small. The purpose of this tabulation is accordingly twofold: (a) to give additional sex and age figures to use in conjunction with those published in 1949 in respect of relatively rare but clear-cut diagnostic entities, where one year's experience does not yield many cases; (b) to supplement 1949 figures in instances where the numbers shown for any age or sex group within a disease seem excessively high for a chance fluctuation and might be due to the repeated hospitalisation of one patient; (c) to provide age-specific hospital mortality ratios.

**Table 5: Distribution by number of days
in hospital and diagnosis**

Table 5 classifies by diagnosis the discharges in 1951 from Teaching and Regional Board hospitals participating in the Enquiry according to length of stay in groups of days. The sexes are not distinguished, but the separate distributions for males and females are available at the General Register Office to those who wish to consult them. Deaths in hospital during each period of stay among the relevant discharges are also shown.

The class intervals for the 'days in hospital' groupings are broader than those shown in Table 2 and it will be evident that only approximate calculations of bed days can be made from these distributions.

The percentages discharged after one week or ten days, and the percentages remaining after 4 weeks, or 3 months, are useful comparative indices. Simplified 'Hospital Stay' tables on the lines of a life table can be derived by calculating how many out of every 100 admissions will still be in hospital at the end of each period. For acute and other conditions with an average stay of under 6-8 weeks, there will be little error in assuming that figures based on cases discharged over any given period will be practically the same as figures based on cases admitted during the same period.

**Tables 6a-6c: Single livebirths delivered during 1951
by weight at birth**

Table 6a shows how the 32,915 single livebirths in the participating hospitals during 1951 were distributed by weight in pounds at birth. The babies in each weight-group are classified according to whether they were discharged home, died in hospital, or were transferred to another hospital, and the distribution by days of stay in hospital is shown in each case. (This distribution, since it is designed primarily for hospital stay analyses, gives the numbers discharged or dying at or under 7 days, 28 days, etc., and not under 7 days, under 28 days.)

A per cent mortality ratio is given in Table 6a for each weight-group. This relates to all discharges, but the rate of mortality per 1,000 liveborn at different intervals of time can be calculated - for example at 28 days or under, as in the following table, which also shows the percentage of babies in each weight-group.

Weight group	Number of single livebirths	Percent distribution of single livebirths	Mortality per 1,000 livebirths 0-28 days (excluding transfers)
2½ lb weight and under	124	0.4)	814)
- 3 lb	84	0.3)	549)
- 3½ "	133	0.4)	414)
- 4 "	161	0.5) 7%	269) 160
- 4½ "	268	0.9)	119)
- 5 "	477	1.5)	83)
- 5½ "	897	2.9)	35)
- 6 "	1,895	6.1)	12)
- 7½ "	14,349	46.2)	6)
- 8 "	5,058	16.3) 93%	5) 6
- 9 "	5,805	18.7)	4)
- 10 "	1,498	4.8)	3)
Over 10 lb weight	304	1.0)	27)

Mortality from about 15 days onwards may be underestimated, for a few babies discharged home from about the 10th day onwards may have become ill and died before the 28th day. The number of such deaths is not known.

The average weight of single livebirths was 7.2 lb.

The risk of death decreased steadily with increasing weight up to about 7 lb.; then more slowly. Mortality was least among babies between 8 lb. and 10 lb., where deaths in the first 28 days were only 4 per 1,000. But mortality rose sharply again to 27 per 1,000 at weights over 10 lb. though there were only 304 such babies - 1 per cent of the total.

Among babies of over 10 lb., there will be some whose weight is high because of the presence of disease or congenital abnormality; these will be poor risks in any event, and the rate might be lower if they could be excluded. Many babies, however, have a very high birth weight because they are 'postmature', and owing to placental insufficiency the risk of anoxia during delivery may be greater. In addition, the risks of mechanical trauma at birth are always increased with large babies. The neonatal mortality rate of 27 among babies over 10 lb. is not far short of the rate of 35 which prevailed among babies between 5 lb. and 5½ lb.

Seven per cent of all single livebirths were 'premature', i.e. 5½ lb. or under, but 42 per cent of those 2,144 'premature' infants weighed between 5 and 5½ lb. i.e. they were only just below the arbitrary 5½ lb. level.

73 per cent of all infants dying within 48 hours were 'premature'; 69 per cent of those dying at or under 1 week of age, and 66 per cent of those dying at or under 4 weeks.

Tables 6a and 6b show separately the experience of participating hospitals in the Greater London area and in the North of England. The mortality rates in the first 28 days per 1,000 live-born in each of four weight groupings are compared in the following table, which shows the extent to which mortality rates in the northern hospitals were in excess.

Birth weight group	Mortality at 0-28 days per 1,000 live-born	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	548	593
Over 3½ lb.: not over 5½ lb.	54	86
Over 5½ lb.: not over 7½ lb.	4.7	8.2
Over 7½ lb.	4.2	5.0

Disparities between hospitals in their neonatal mortality rates are often due to differences in the proportion of maternities at various ages and parities admitted, and in the number of 'normal' cases dealt with in each age and parity group. The information which hospitals were asked to supply on the summary form used in 1951 was not sufficiently detailed to reveal the nature and extent of such differences. The majority of these hospitals were teaching units; the proportion of complicated or assisted deliveries in 1949 was 27 per cent in the London Teaching hospitals and 35 per cent in the Provincial Teaching hospitals.

Table 6a shows also that babies (and their mothers) were discharged home earlier from the 'North of England' group of hospitals, except for the few infants weighing less than 3½ lb. Excluding deaths and transfers, the proportions discharged before the 12th day were:

	Per cent discharged home by 12th day	
	Hospitals in Greater London Area	Hospitals in North of England
3½ lb. and under	17	7
Over 3½ lb.: not over 5½ lb.	29	44
Over 5½ lb.: not over 7½ lb.	60	73
Over 7½ lb.	58	73

TABLE I - Thirty-one selected diagnoses: Variations in average stay (in days) by year, sex, age, social class and hospital group - 1950 and 1949.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated and classified in different ways; number of discharges and average length of stay for each category displaying the range of variation in average stay within each diagnosis:

(a) between two years - 1950 and 1949: all participating hospitals combined

(b) between four age groups - 0-14, 15-44, 45-64, 65 and over: 1949 all participating hospitals combined

(c) between the sexes - 1950: all participating hospitals combined

(d) between three social class groups; I and II, III, IV and V: 1950, all participating hospitals combined

(e) between three aggregates of participating hospitals: 1950, London Teaching, Provincial Teaching and Regional Board Hospitals

(f) between the thirty-two individual hospital groups participating in the enquiry.

TABLE I

Category or Hospital Group	Medical					Medical or Surgical					Ophthalmological	
	Chronic rheumatic heart disease (410-416)	Coronary heart disease etc: (420)	Acute tonsill- itis and pharyng- itis, etc: (451, 472, 473)	Pneumonia (490-493)	Bronchitis, other than chronic (500, 501)	Thyro- toxicosis (252)	Peptic ulcer (540, 541)	Ulcer of stomach (540)	Ulcer of duodenum (541)	Chole- cystitis and chole- lithiasis (584, 585)	Cataract (385)	Strab- ismus (384)

1949: Numbers and Average Stay by Ages

All hospitals, total ✓	1,424	28.4	1,407	26.9	2,203	5.9	4,247	20.4	*	2,058	19.7	8,624	22.1	3,190	23.6	5,434	21.3	2,388	20.7	3,022	15.3	2,445	11.0
Ages 0-14	67	55.2	-	-	1,496	5.4	1,644	17.3	*	8	20.9	27	16.3	13	15.9	14	16.7	3	21.3	104	10.1	1,738	11.0
" 15-	859	26.0	75	27.4	644	6.9	923	19.2	*	1,223	18.5	3,478	20.3	976	20.9	2,502	20.1	568	18.0	220	13.0	649	10.6
" 45-	453	28.6	865	27.7	43	7.7	1,043	22.4	*	737	20.8	4,279	23.1	1,753	24.7	2,526	22.0	1,271	21.2	868	15.6	40	12.8
" 65 and over	43	31.5	454	25.4	5	6.0	624	27.3	*	85	26.1	813	24.6	438	25.3	375	23.8	536	22.3	1,820	15.7	13	12.8

1950: Numbers and Average Stay by Sex and by Social Class

All hospitals, total	1,867	29.4	2,071	29.7	1,727	7.5	4,434	22.1	1,134	27.9	2,397	22.2	19,207	23.2	3,500	25.0	5,707	22.1	12,857	22.1	3,068	15.3	3,010	10.7
Males	535	28.4	1,434	29.7	805	7.5	2,533	22.1	599	36.7	350	22.4	7,328	22.3	2,510	23.6	4,818	21.6	558	21.4	1,396	15.2	1,432	11.1
Females	1,332	29.8	637	29.5	922	7.5	1,901	22.1	535	18.0	2,047	22.1	1,879	26.7	990	28.5	889	24.6	2,299	22.3	1,672	15.5	1,578	10.3
Social class I, II	171	28.8	355	25.8	266	7.0	462	19.1	104	17.2	353	19.9	1,111	22.7	369	25.8	742	21.1	384	20.8	240	14.8	309	10.2
Social class III	705	26.7	726	29.1	794	7.2	1,735	21.8	417	31.7	1,014	20.8	4,417	22.4	1,508	24.2	2,909	21.5	962	21.1	800	14.3	1,451	10.2
Social class IV, V	334	27.0	301	34.0	379	7.9	1,114	20.6	293	18.6	469	20.3	2,474	23.2	1,001	24.2	1,473	22.6	516	21.3	515	14.9	634	10.5
Social class Not assigned	657	33.7	689	30.4	288	8.4	1,123	25.2	320	35.0	561	27.7	1,205	26.3	622	27.7	583	24.9	995	23.9	1,513	16.1	616	12.2

Excl. London Teaching:-

Social class I, II	113	27.6	237	20.7	156	7.8	370	19.1	77	17.0	245	16.8	846	21.5	277	25.1	569	19.7	313	21.1	169	15.0	216	9.6
Social class III	517	26.3	536	26.9	504	7.8	1,505	21.2	341	35.7	768	17.4	3,477	20.9	1,113	22.6	2,364	20.1	813	20.4	611	14.2	1,064	9.9
Social class IV, V	227	26.7	209	32.5	228	8.8	962	20.3	232	18.8	370	16.9	1,976	21.6	734	22.2	1,242	21.2	446	20.7	407	15.2	505	10.2
Social class Not assigned	324	37.0	454	28.5	115	7.9	772	27.4	194	48.0	257	21.1	807	24.1	421	24.8	386	23.4	685	23.7	982	16.3	248	13.0

* Not available in 1949
/ Includes discharges with age not stated
+ Excludes 051 in 1949

TABLE I - continued

Category or Hospital Group	Surgical										Orthopaedic and Traumatic													
	Varicose veins (460,462)	Haemorrhoids (461)	Hernia, all forms (560,561)	Inguinal hernia, without obstr'n (560.0)	*Appendic- itis (550-552)	Acute, without periton- itis (550.0)	Acute, with periton- itis (550.1)	Hyper- plasia of prostate (610)	Internal derange- ment of knee joint (734)	Hallux valgus and varus (747)	Prolapsed inter- vertebral disc (735)	Synovitis, bursitis and teno- synovitis (741,742)												
1949: Numbers and Average Stay by Ages																								
All hospitals, total ✓	2,741	12.5	1,891	13.9	8,831	13.8	5,367	13.5	10,497	12.7	5,649	11.6	1,305	13.6	2,047	26.4	751	14.9	914	14.8	1,209	19.8	865	8.3
Ages 0-14	5	7.4	11	12.3	2,009	9.3	1,218	10.0	2,444	12.7	1,455	11.5	387	17.9	2	28.0	25	15.6	26	13.4	2	31.0	153	13.0
" 15-	1,549	9.0	935	13.4	2,663	14.0	1,961	13.9	6,494	11.8	3,451	10.8	537	18.5	30	22.4	617	14.9	427	14.7	812	20.0	441	6.9
" 45	1,012	14.4	832	14.3	3,135	15.7	1,871	15.1	1,273	16.3	615	15.4	278	19.7	651	23.6	100	14.4	410	15.3	367	19.4	227	7.7
" 65 and over	166	33.9	109	16.6	1,000	16.6	307	16.3	253	18.9	109	18.0	103	19.1	1,353	27.9	4	14.2	46	12.3	15	23.4	41	10.1
1950: Numbers and Average Stay by Sex and by Social Class																								
All hospitals, total	2,865	13.0	2,072	14.2	9,393	13.9	5,757	13.3	10,607	12.9	5,916	11.5	1,532	19.7	2,310	27.7	1,004	15.3	802	14.3	1,135	23.5	959	9.2
Males	1,199	12.1	1,327	14.4	6,683	13.4	5,053	13.3	5,064	13.1	3,064	11.5	866	19.0	2,310	27.7	852	15.1	76	15.5	663	21.7	439	10.2
Females	1,666	13.6	745	13.9	2,710	15.3	704	13.0	5,543	12.8	2,852	11.4	666	20.7			152	16.7	726	14.2	472	26.1	520	8.4
Social class I, II	439	9.8	295	14.0	1,168	13.6	781	13.5	1,463	12.6	773	10.9	199	19.3	353	25.8	174	13.9	141	12.9	231	20.9	120	9.3
Social class III	1,249	11.0	999	13.9	4,411	13.5	3,001	13.1	5,057	12.8	2,800	11.7	719	18.9	794	26.8	538	15.6	347	14.5	507	23.9	431	9.3
Social class IV, I	586	11.4	480	14.1	2,204	13.9	1,411	13.6	2,073	13.0	1,122	11.5	309	19.9	486	28.0	204	15.8	157	13.1	240	23.0	216	10.0
Social class Not assigned	591	21.2	298	15.8	1,610	15.5	564	13.2	2,014	13.4	1,221	11.2	305	21.9	677	29.6	88	15.5	157	16.8	157	27.2	192	8.1
Excl. London Teaching:-																								
Social class I, II	267	10.6	233	13.4	820	13.1	523	12.9	1,194	12.5	668	10.9	181	18.7	280	24.8	94	14.1	52	11.0	153	19.7	66	8.9
Social class III	853	10.9	795	13.4	3,320	13.0	2,210	12.5	4,326	12.8	2,467	11.6	654	18.2	645	26.1	354	13.7	135	13.4	338	22.5	261	9.9
Social class IV, V	415	11.4	406	13.6	1,754	13.4	1,115	13.2	1,807	12.9	985	11.2	286	19.5	398	26.8	147	15.1	81	12.0	191	21.3	134	9.7
Social class Not assigned	235	22.0	173	14.7	1,030	15.4	317	13.3	1,485	13.2	914	11.0	257	20.9	519	28.2	39	12.7	53	19.4	76	22.5	83	9.4

1950: Numbers and Average Stay by Hospital Groups

London Teaching Groups		1,095	13.9	465	16.4	2,469	15.2	1,592	14.6	1,795	13.3	882	12.1	154	25.9	468	31.9	370	17.5	481	14.8	377	27.4	415	8.7
Group A		241	12.4	63	17.1	328	12.9	216	11.2	233	12.1	135	10.5	27	18.6	62	31.3	11	8.0	1	2.0	48	7.0	60	5.7
Group B		189	8.4	51	16.2	436	15.9	288	14.9	190	15.4	97	13.3	31	28.8	92	36.9	63	23.3	21	20.2	68	37.9	38	12.3
Group C		50	10.7	26	15.0	97	18.4	61	18.4	100	12.4	42	10.6	6	26.3	12	33.6	1	123.0	-	-	-	-	8	7.9
Group D		118	33.7	39	19.8	209	20.9	137	20.7	169	15.8	98	12.9	31	25.8	41	41.0	18	26.0	22	24.7	38	39.8	37	10.2
Group E		116	13.3	69	19.7	309	16.6	191	16.0	294	12.3	128	11.6	17	18.2	75	24.6	39	8.1	21	12.7	67	34.0	28	14.4
Group F		50	12.2	37	13.1	142	16.3	93	15.5	117	14.7	43	13.3	7	31.6	41	25.8	29	14.9	28	10.0	26	24.1	46	6.0
Group G		85	6.0	51	10.6	305	12.9	198	12.8	305	11.0	71	10.7	14	28.1	62	26.3	21	16.3	8	19.4	34	28.4	56	7.8
Group H		242	14.2	127	16.7	390	16.3	250	15.9	290	15.0	214	13.4	12	39.5	77	37.0	32	13.1	8	12.2	36	21.7	74	4.5
Group I		1	5.0	1	4.0	247	9.4	158	9.4	95	12.2	53	10.3	9	27.3	-	-	1	35.0	-	-	1	7.0	6	27.2
Group J		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group K		-	-	-	-	6	23.7	-	-	1	8.0	1	8.0	-	-	-	-	-	-	-	-	-	-	-	-
Group L		2	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	155	17.9	372	14.4	59	21.4	61	11.7
Group M		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group N		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Group O		1	7.0	1	67.0	-	-	-	-	1	40.0	-	-	-	-	6	25.7	-	-	-	-	-	-	1	12.0
Provincial Teaching Groups		1,157	11.3	1,111	13.1	4,890	12.9	2,914	12.5	5,666	12.4	3,204	10.9	889	18.2	1,257	24.6	390	13.9	192	13.4	647	20.2	365	9.3
Group P		15	25.7	23	11.3	150	12.3	89	12.4	290	9.5	212	8.9	23	15.1	58	20.3	12	14.8	2	6.0	6	12.3	5	6.0
Group Q		138	8.7	76	11.4	426	9.3	260	9.2	545	9.4	297	7.5	137	13.9	165	21.3	18	13.4	4	8.8	66	18.0	51	6.4
Group R		104	13.0	89	14.0	366	15.0	204	15.3	728	13.7	416	11.6	155	19.9	90	33.9	6	17.0	2	16.0	35	27.9	19	12.2
Group S		245	8.6	193	15.6	898	14.5	595	14.1	723	14.0	412	12.8	77	21.4	243	20.0	61	14.1	24	11.9	82	26.0	62	9.2
Group T		90	9.3	156	11.1	516	15.4	267	14.9	1,019	13.0	656	11.9	151	19.6	191	25.0	59	12.6	47	7.6	117	10.0	61	6.2
Group U		136	12.6	103	10.7	627	11.6	320	10.9	709	10.8	439	9.0	146	17.7	123	27.1	44	11.4	14	9.0	95	19.3	35	9.6
Group V		80	11.1	213	11.5	1,006	9.7	651	9.8	600	12.4	301	11.4	125	16.9	159	25.7	101	14.5	43	13.7	137	19.6	49	9.6
Group W		100	14.6	91	15.3	341	15.2	135	13.8	555	12.4	288	11.0	38	19.6	102	22.8	37	14.2	13	11.2	83	28.8	12	13.8
Group X		249	12.7	167	15.1	560	15.2	393	14.3	497	14.0	183	12.4	37	20.6	126	30.5	52	15.7	43	23.1	26	24.2	71	12.4
Regional Board Group		613	14.5	496	14.6	2,034	14.9	1,251	13.6	3,146	13.6	1,830	12.2	489	20.7	585	31.0	244	14.2	129	14.0	111	29.7	179	10.2
Group AA		103	9.9	75	12.4	312	13.2	200	11.4	352	14.2	235	12.0	86	21.0	93	26.4	27	17.0	37	17.3	23	27.9	21	12.6
Group BB		22	12.3	49	12.9	219	13.4	135	12.4	417	11.6	269	10.9	37	19.3	58	45.4	21	16.9	10	10.6	16	31.9	33	6.5
Group CC		58	21.9	19	20.3	90	14.0	61	13.7	177	15.2	81	12.2	40	21.0	36	43.4	-	-	-	-	3	26.3	4	10.0
Group DD		193	11.4	164	14.8	727	14.1	455	14.3	1,144	13.3	689	12.7	147	17.7	186	27.3	122	12.7	38	11.8	8	22.4	47	6.6
Group EE		95	11.9	38	11.5	153	15.4	99	14.3	147	11.6	45	10.8	11	19.6	18	29.1	12	14.4	13	14.2	7	26.6	20	6.2
Group FF		47	32.5	50	15.7	226	20.6	118	15.1	244	13.2	131	12.2	34	19.6	57	32.5	14	17.5	5	12.0	34	31.6	6	7.3
Group GG		95	15.7	101	16.4	254	16.5	145	14.7	349	14.3	198	12.5	44	22.4	137	29.3	46	14.2	24	14.0	20	31.6	28	11.3
Group HH		-	-	-	-	53	11.3	38	16.8	316	16.2	162	12.5	90	25.5	-	-	2	18.0	2	17.0	-	-	20	26.0

* Includes 553. Other diseases of appendix in 1949

/ Includes discharges with age not stated

TABLE I - continued

Category or Hospital Group	Obstetrical		Gynaecological							Ear, Nose and Throat			
	Delivery, normal and complica- ted (660-678)	Uterine fibromyoma (214)	Other benign neoplasm of uterus (215)	Cervic- itis etc. (630.0, 630.1)	Disorders of men- struation (634)	Abortion (650-652)	Utero- vaginal prolapse (631)	Otitis media without mastoid- itis (391)	Mastoid- itis (392.393)	Chronic sinusitis (513)	Deflected septum, nasal polyp (514,515)	Hyper- trophied tonsils and adenoids (510)	
1949: Numbers and Average Stay by Ages													
All hospitals, total *	28,901 11.8	2,803 19.0	1,353 11.0	1,754 9.3	4,380 8.6	3,750 8.5	4,473 20.5	3,163 12.0	1,465 19.5	1,618 10.0	1,910 5.8	11,891 4.1	
Ages 0-14	6 10.3	1 24.0	-	10 7.6	18 7.1	1 1.0	1 4.0	2,199 11.4	864 20.4	589 9.8	145 6.8	10,079 3.6	
" 15-	28,716 11.8	1,501 18.6	729 11.6	1,375 9.2	3,194 8.3	3,697 8.5	1,511 19.6	729 13.3	475 17.6	733 9.7	1,222 5.9	1,666 6.3	
" 45-	102 12.4	1,268 19.4	568 10.2	332 9.7	1,113 9.6	39 7.8	2,402 20.7	196 13.6	102 19.6	264 11.2	446 5.5	111 8.1	
" 65 and over	-	29 20.2	54 11.0	29 11.6	44 8.2	-	550 21.9	29 14.1	19 26.0	20 11.6	79 4.1	12 13.2	
1950: Numbers and Average Stay by Sex and by Social Class													
All hospitals, total	32,289 12.0	3,024 18.6	1,616 10.6	1,826 9.0	6,028 8.5	4,048 8.3	4,827 20.6	3,073 12.7	1,485 21.8	1,888 9.6	2,492 5.7	18,072 4.2	
Males													
Females	32,289 12.0	3,024 18.6	1,616 10.6	1,826 9.0	6,028 8.5	4,048 8.3	4,827 20.6	1,656 13.0	820 22.4	1,030 9.5	1,673 5.9	8,925 4.2	
Social class I, II	3,835 12.2	494 18.4	237 10.7	251 8.6	716 8.8	509 8.2	575 20.2	330 11.5	122 20.4	248 9.6	324 6.4	2,015 4.2	
Social class III	16,171 11.9	1,347 19.0	677 10.5	800 8.9	2,688 8.1	1,901 8.2	1,691 19.6	1,333 12.6	685 21.2	905 9.5	1,278 5.7	8,397 3.7	
Social class IV, V	6,342 12.0	586 17.8	327 10.8	383 9.3	1,364 8.7	855 8.7	1,030 20.4	616 13.3	339 21.5	334 9.6	497 5.4	3,134 3.8	
Social class Not assigned	5,941 12.2	597 19.0	375 10.6	392 9.0	1,260 8.9	783 8.0	1,531 21.9	794 12.8	339 23.8	401 9.9	393 5.9	4,526 5.5	
Excl. London Teaching:-													
Social class I, II	3,066 11.9	381 17.9	190 10.0	221 8.3	576 8.9	449 7.7	507 19.5	234 11.0	101 18.2	171 9.2	231 5.5	1,416 3.6	
Social class III	13,687 11.7	1,087 18.5	555 10.5	682 8.8	2,208 7.9	1,748 8.2	1,514 19.1	972 12.2	587 20.4	656 8.7	985 4.9	6,351 3.3	
Social class IV, V	5,482 11.7	490 17.5	270 10.6	337 9.2	1,174 8.6	800 8.6	896 19.8	441 12.9	299 21.2	252 8.8	413 5.0	2,412 3.5	
Social class Not assigned	1,639 11.1	255 18.9	175 9.1	216 8.4	613. 8.0	454 7.6	822 20.8	411 11.2	220 18.4	237 8.3	265 4.9	1,661 3.9	

London Teaching Groups																							
8,415	12.9	811	19.8	426	11.7	370	9.8	1,457	9.2	597	9.1	1,088	23.6	1,015	14.0	278	29.1	572	11.6	598	8.0	6,232	5.6
537	15.1	105	17.1	48	11.8	17	9.3	161	9.7	53	10.2	140	21.3	12	7.5	6	12.8	10	9.5	3	5.3	85	7.6
662	13.9	141	24.5	101	13.3	36	8.6	169	8.9	44	9.3	127	27.4	145	18.0	32	23.8	33	12.6	104	8.3	355	7.9
562	14.5	67	21.6	41	11.8	47	13.1	103	9.9	22	8.5	89	26.0	131	13.1	14	23.1	35	11.1	25	8.1	300	7.2
1,046	12.4	79	19.6	24	9.4	43	6.1	227	7.7	125	10.0	116	20.9	115	12.8	26	26.5	125	11.6	107	7.6	1,133	7.2
850	11.5	213	19.0	119	11.3	81	10.7	364	10.0	146	8.9	319	24.6	68	14.3	21	33.3	60	17.3	55	8.9	562	7.3
473	12.0	46	20.1	17	13.6	10	13.1	63	11.0	27	6.7	49	26.0	86	15.9	3	28.7	38	16.3	79	10.6	325	8.6
567	11.6	72	14.8	27	8.2	55	7.9	141	8.3	71	7.5	94	19.8	119	11.2	45	17.1	123	10.6	53	5.4	1,029	3.4
1,374	14.1	85	20.4	47	11.3	80	10.5	227	9.1	58	8.7	153	22.6	163	13.1	77	18.0	106	8.2	151	7.5	1,123	5.6
-	-	-	-	-	-	-	-	1	39.0	-	-	-	-	175	14.7	53	62.2	37	10.4	17	6.8	1,273	3.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	24.7	3	24.7	2	16.0	1	4.0	1	3.0	-	-	1	19.0	-	-	-	-	-	-	-	-	-	-
2,343	12.5	-	-	-	-	-	-	-	-	51	10.3	-	-	-	-	-	-	-	-	-	-	-	-
Provincial Teaching Groups																							
14,772	11.8	1,782	17.8	973	10.3	1,094	9.0	3,651	8.1	1,743	7.8	3,062	19.4	1,553	12.0	973	19.9	1,045	9.2	1,643	4.9	8,171	3.5
1,634	12.0	61	13.7	29	5.8	41	4.7	161	7.1	144	8.2	53	16.4	51	7.2	30	15.2	61	7.3	89	5.5	718	2.9
1,157	12.2	175	14.7	97	9.2	76	8.4	224	7.0	254	5.3	305	16.8	198	9.4	76	13.8	248	9.4	165	6.0	812	4.2
19	12.7	110	16.5	37	15.4	154	9.1	135	10.0	313	8.0	134	23.3	92	9.1	95	23.4	60	9.6	78	8.3	220	5.9
1,784	12.5	452	21.0	271	10.9	167	9.3	563	10.2	258	8.1	607	22.6	211	13.4	163	26.2	102	13.5	113	8.0	2,139	3.0
1,516	8.7	114	12.6	54	6.8	65	3.4	410	4.6	69	4.3	206	15.3	216	11.4	14	13.4	114	6.9	64	3.2	203	5.0
1,357	12.0	229	17.0	142	9.9	179	6.0	442	7.0	100	9.2	432	18.7	362	12.1	101	21.8	88	8.2	363	3.5	939	2.8
1,509	13.0	199	17.4	79	11.5	94	12.5	374	9.6	206	8.7	428	18.5	230	11.6	168	21.6	114	8.1	318	3.5	1,656	2.3
3,450	11.3	250	18.0	139	9.3	160	8.4	708	7.4	269	8.2	436	18.5	131	18.0	8	22.8	43	10.7	59	8.3	136	6.7
2,346	12.8	192	19.5	125	11.8	158	14.2	634	9.5	130	9.7	461	20.5	62	12.8	318	16.3	215	9.3	394	4.9	1,348	5.3
Regional Board Groups																							
9,102	11.5	431	19.9	217	9.8	362	8.1	920	8.8	1,708	8.5	677	21.0	505	12.2	234	20.7	271	6.8	251	5.8	3,669	3.4
1,202	12.4	107	18.5	58	8.6	66	6.5	210	7.6	276	6.6	114	20.0	110	12.5	49	29.1	52	11.4	24	6.0	709	2.4
601	10.0	49	21.2	28	11.0	53	6.8	101	8.3	78	9.4	96	23.5	9	4.7	1	1.0	4	9.2	-	-	79	3.5
959	12.3	22	21.6	7	7.6	45	10.6	14	12.6	113	9.6	48	21.0	2	48.5	-	-	1	18.0	-	-	506	3.9
1,695	10.8	156	19.1	53	7.7	83	6.7	227	7.8	372	5.3	211	21.3	214	9.5	132	15.9	82	8.0	171	5.7	799	4.7
912	13.0	20	19.0	14	8.1	39	4.2	30	8.1	49	8.1	31	19.5	16	12.0	6	18.3	69	1.1	7	4.4	898	2.7
2,123	12.9	30	26.4	30	13.6	45	12.1	179	10.6	324	10.0	80	20.1	5	9.2	10	20.3	5	6.2	11	5.5	25	7.4
1,608	9.1	46	20.3	27	11.9	31	12.7	154	9.9	347	9.5	97	20.2	18	12.4	9	22.2	28	8.8	32	7.3	65	7.4
2	10.5	1	3.0	-	-	-	-	5	6.2	149	13.5	-	-	131	16.4	27	29.7	30	6.3	6	3.2	588	2.9

* Includes discharges with age not stated

TABLE 2 - Thirty-one selected diagnoses: distribution
by days of in-patient care - 1950.

Thirty-one selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: distribution of discharges classified to each condition in 1950 by days of in-patient care; (single days from 1-19, 10-day intervals from 20-99, and then by intervals of 100-, 200-, 400-, 600-, to 800 and over).

NOTE: This table provides data from which variance, standard error, etc., may be calculated for the average stays shown in Table 1. The distributions for 1950 are not available in any greater detail. The total patient-days used in computing the average stays for Table 1 were obtained by adding together individual days of care and not by calculation from the distributions.

TABLE 2

(82685)

Number of days in hospital	Medical					Medical or Surgical					Ophthalmological	
	Chronic rheumatic heart disease (410-416)	Coronary heart disease etc. (420)	Acute tonsill- itis and pharyng- itis, etc. (051,472, 473)	Pneumonia (490-493)	Bronchitis, other than chronic (500,501)	Thyro- toxicosis (252)	Peptic ulcer (540,541)	Ulcer of stomach (540)	Ulcer of duodenum (541)	Chole- cystitis and chole- lithiasis (584,585)	Cataract (385)	Strab- ismus (384)
Total discharges	1,867	2,071	1,727	4,434	1,134	2,397	9,207	3,500	5,707	2,857	3,068	3,010
1	84	207	64	214	19	317	316	140	176	45	53	51
2	50	54	72	71	23	48	142	62	80	29	136	50
3	28	43	225	64	31	45	134	64	70	35	120	54
4	36	43	292	69	40	34	142	49	93	40	161	58
5	40	43	144	92	57	32	152	48	104	56	91	74
6	33	46	153	113	58	31	157	60	97	58	63	179
7	46	44	207	146	66	37	138	48	90	67	95	372
8	48	40	116	172	66	48	162	60	102	59	44	216
9	60	35	95	172	76	37	173	53	120	66	45	351
10	39	50	69	188	69	56	208	73	135	79	66	225
11	55	54	46	160	47	58	294	87	207	72	69	325
12	50	42	43	191	48	80	308	98	210	84	138	213
13	50	37	31	167	52	50	259	85	174	117	236	271
14	71	38	20	172	52	50	357	97	260	146	374	265
15	59	38	24	157	36	56	272	85	187	113	169	63
16	53	36	20	143	31	48	288	89	199	124	157	43
17	49	32	12	151	33	55	275	92	183	113	135	34
18	47	36	12	144	18	60	277	91	186	129	114	38
19	43	24	9	128	27	65	260	107	153	102	90	24
20	317	324	40	854	151	545	2,485	912	1,573	731	499	71
30	185	226	20	407	56	313	1,279	548	731	340	114	19
40	145	250	5	180	40	158	596	281	315	139	55	5
50	93	130	2	117	17	73	278	141	137	55	21	4
60	46	85	2	62	14	45	121	69	52	22	10	1
70	42	35	1	18	9	26	58	22	36	17	3	3
80	36	26	2	18	.	11	29	13	16	7	2	.
90	14	19	1	13	3	7	11	5	6	1	1	.
100	47	23	.	36	8	11	28	17	11	8	6	.
200	.	6	.	7	3	1	6	2	4	1	1	.
400	.	.	.	2	.	.	1	1
600	1	2	.	1	3	2	.	1
800 and over	.	3	.	4
Not stated	.	.	.	1	2	.	1	1

Number of days in hospital	Surgical							Orthopaedic and Traumatic				
	Varicose veins (460,462)	Haemorrhoids (461)	Hernia, all forms (560,561)	Inguinal hernia, without obstr'n (560.0)	Appendicitis (550-552)	Acute, without peritonitis (550.0)	Acute, with peritonitis (550.1)	Hyperplasia of prostate (610)	Internal derangement of knee joint (734)	Hallux valgus and varus (747)	Prolapsed intervertebral disc (735)	Synovitis, bursitis and tenosynovitis (741,742)
Total discharges	2,865	2,072	9,393	5,757	10,607	5,916	1,532	2,310	1,004	802	1,135	959
1	156	35	217	84	82	38	11	37	31	10	96	136
2	185	33	223	107	82	38	8	34	10	8	30	100
3	177	37	168	62	93	61	9	44	10	13	37	92
4	195	29	152	73	126	72	19	38	9	13	22	65
5	184	16	172	82	297	224	23	54	8	26	20	59
6	162	27	290	160	468	336	25	41	22	35	23	38
7	227	50	414	243	939	628	68	49	31	73	33	68
8	173	57	418	270	1,101	733	80	36	20	15	25	35
9	197	87	596	414	1,162	749	75	41	12	16	20	32
10	200	138	810	574	1,250	782	91	35	13	11	24	36
11	159	221	830	595	949	494	94	46	42	25	22	25
12	124	210	698	483	644	334	65	46	68	32	22	30
13	100	172	603	403	462	211	78	55	109	91	29	37
14	84	217	702	492	452	192	74	76	163	133	27	40
15	39	131	401	244	275	126	53	75	69	37	21	25
16	39	101	354	228	240	95	64	74	65	57	38	19
17	44	82	308	188	212	94	48	81	64	32	35	14
18	27	75	268	153	195	81	59	67	42	36	27	14
19	26	40	193	106	155	80	29	48	30	21	22	5
20-	147	238	1,167	645	888	356	315	574	152	92	222	50
30-	82	42	257	107	288	118	111	312	18	18	155	22
40-	44	23	72	22	126	36	66	182	7	5	88	6
50-	23	2	33	9	53	17	29	96	4	1	29	3
60-	21	4	17	4	15	7	7	50	1	.	31	2
70-	17	2	6	3	23	8	11	43	1	.	11	2
80-	8	.	5	1	9	2	7	30	1	.	8	1
90-	7	1	6	3	8	1	6	10	.	.	4	1
100-	15	1	10	2	11	2	7	31	2	1	14	2
200-	1	.	1	.	2	1	.	3	.	1	.	.
400-	1
600-	1	.	1	1
800 and over	1	.	1	1
Not stated	.	1	1

TABLE 2 - continued

Number of days in hospital	Obstetrical		Gynaecological						Ear, Nose and Throat			
	Delivery, normal and complicated (660-678)	Uterine fibromyoma (214)	Other benign neoplasm of uterus (215)	Cervicitis etc. (630.0, 630.1)	Disorders of menstruation (634)	Abortion (650-652)	Utero-vaginal prolapse (631)	Otitis media without mastoiditis (391)	Mastoiditis (392.393)	Chronic sinusitis (513)	Deflected septum, nasal polyp (514.515)	Hyper-trophied tonsils and adenoids (510)
Total discharges	32,289	3,024	1,616	1,826	6,028	4,048	4,827	3,073	1,485	1,888	2,492	18,072
1	153	25	17	65	115	86	38	76	18	104	125	2,825
2	199	32	64	87	404	245	57	98	17	106	230	3,700
3	261	35	74	133	509	247	38	140	25	121	469	3,630
4	292	42	131	143	563	316	26	148	17	115	309	1,855
5	314	44	150	195	660	373	17	177	25	125	209	1,034
6	694	49	165	167	783	450	19	208	27	154	272	1,349
7	1,353	69	272	272	1,086	522	35	264	53	311	395	1,962
8	2,211	35	63	50	210	403	65	202	47	136	153	500
9	4,529	35	44	65	159	308	34	187	54	104	103	349
10	6,317	51	38	65	177	266	38	192	54	90	48	236
11	3,697	43	44	75	125	172	34	145	64	79	33	142
12	3,010	39	31	67	104	132	45	140	44	62	36	87
13	1,980	106	53	60	86	90	84	134	68	43	22	74
14	1,569	281	79	116	175	59	268	145	89	56	16	71
15	1,080	141	38	24	61	73	178	85	68	29	7	36
16	777	163	35	31	72	50	183	77	76	31	9	24
17	573	245	49	42	87	40	425	66	47	27	8	31
18	484	229	43	29	77	22	404	60	51	16	8	20
19	361	178	33	23	81	22	282	40	51	19	4	12
20-	1,685	909	149	91	374	116	2,045	292	321	94	25	76
30-	462	191	23	21	93	28	367	91	111	32	7	28
40-	161	51	13	2	15	15	94	48	70	12	1	12
50-	65	20	6	1	3	3	26	25	30	11	1	5
60-	21	6	1	1	5	3	13	12	19	4	1	4
70-	10	4	1	1	1	2	3	11	8	1	.	2
80-	12	.	.	1	1	1	6	6	8	1	.	.
90-	7	1	1	1	1	3	1	1	4	3	1	3
100-	9	1	1	.	1	1	1	3	15	2	.	4
200-	1	.	.	.	1	.	.	.	4	.	.	.
400-
600- and over
Not stated	2	1	1

TABLE 3 - Fifty-eight selected diagnoses: social class distribution of discharges - 1950.

Fifty-eight selected diagnoses arranged according to the hospital department or specialty in which they are mainly treated: percentage distribution by social class in 1950 for each diagnosis, of discharges where social class could be assigned, and the percentage of total discharges with occupational data unstated or not sufficiently specific to permit social class assignment.

Males and females shown separately for all hospitals combined, and for London Teaching Hospitals, Provincial Teaching Hospitals and Regional Board Hospitals.

NOTE: Distributions by social class for the discharges in 1949 relating to these diseases are given in Table H.3 of the Hospital In-patient Statistics Supplement to the 1949 Statistical Review. A description of the social classes, and a note on the limitations and defects of the material, will be found on pp.9 and 17-18 of the same volume.*

* The Registrar General's Statistical Review: Supplement on Hospital In-patient Statistics, 1949. H.M. Stationery Office, price 15s. 0d. net.

TABLE 3

Principal Diagnosis on Discharge	Hospital Group	MALES				FEMALES							
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned	% Distribution			
				Total	% Distribution								
					I&II	III	IV&V		Total		I&II	III	IV&V
All selected diagnoses	All hospitals	60,436	17	50,392	15.5	57.5	27.0	104,379	26	76,827	16.1	57.7	26.2
	London Teaching	15,825	25	11,813	18.8	57.7	23.6	27,835	49	14,100	19.7	56.7	23.6
	Provincial Teaching	31,208	13	27,112	14.9	56.2	28.9	52,562	17	43,385	16.7	57.0	26.3
	Regional Boards	13,403	14	11,467	13.7	60.4	25.9	23,982	19	19,342	12.1	59.9	28.1

Conditions mainly treated in Medical departments

Diabetes mellitus (260)	All hospitals	964	19	779	21.7	55.1	23.2	1,505	49	765	17.4	52.3	30.3
	London Teaching	212	23	164	24.4	57.9	17.7	325	63	120	19.2	51.7	29.2
	Provincial Teaching	565	16	475	22.5	52.6	24.8	873	43	498	17.9	52.8	29.3
	Regional Boards	187	25	140	15.7	60.0	24.3	307	52	147	14.3	51.0	34.7
Pernicious and other hyperchromic anaemias (290)	All hospitals	240	16	201	13.9	60.2	25.9	424	52	205	15.1	55.1	29.8
	London Teaching	40	15	34	14.7	55.9	29.4	74	66	25	24.0	44.0	32.0
	Provincial Teaching	174	15	148	14.9	60.1	25.0	272	44	151	15.9	57.6	26.5
	Regional Boards	26	27	19	5.3	68.4	26.3	78	63	29	3.4	51.7	44.8
Hypochromic (iron deficiency) and unspecified anaemias (291:293)	All hospitals	272	14	235	19.1	46.4	34.5	617	35	399	13.8	54.4	31.8
	London Teaching	86	21	68	16.2	45.6	38.2	166	51	81	17.3	55.6	27.2
	Provincial Teaching	156	10	141	19.1	48.2	32.6	346	27	254	12.6	55.1	32.3
	Regional Boards	30	13	26	26.9	38.5	34.6	105	39	64	14.1	50.0	35.9
Rheumatoid arthritis and allied conditions (722)	All hospitals	464	13	403	17.9	59.3	22.8	704	42	409	21.0	54.5	24.4
	London Teaching	178	19	145	17.9	59.3	22.8	247	49	125	24.0	56.0	20.0
	Provincial Teaching	187	9	170	20.0	59.4	20.6	297	36	190	20.5	52.1	27.4
	Regional Boards	99	11	88	13.6	59.1	27.3	160	41	94	18.1	57.4	24.5

Chronic rheumatic heart disease (410-416)	535	16	449	14.7	56.1	29.2	1,332	43	761	13.8	59.5	26.7
			153	19.0	51.6	29.4	502	60	200	14.5	54.5	31.0
			225	11.1	58.7	30.2	592	30	412	13.8	62.1	24.0
			71	16.9	57.7	25.4	238	37	149	12.8	59.1	28.2
Arteriosclerotic heart disease, including coronary disease (420)	1,434	21	1,139	26.0	52.6	21.4	637	62	243	24.3	52.3	23.5
			349	30.4	47.3	22.3	186	73	51	23.5	49.0	27.5
			541	27.0	52.3	20.7	286	53	134	25.4	50.0	24.6
			249	17.7	60.6	21.7	165	65	58	22.4	60.3	17.2
Hypertension with heart disease other than involving coronary arteries (440-443)	532	29	380	24.7	48.2	27.1	475	62	179	22.3	47.5	30.2
			107	24.3	55.1	20.6	179	74	47	27.7	48.9	23.4
			189	28.6	48.1	23.3	158	46	86	24.4	45.3	30.2
			84	16.7	39.3	44.0	138	67	46	13.0	50.0	37.0
Hypertension without mention of heart (444-447)	791	12	695	26.0	49.9	24.0	1,096	39	674	22.6	54.3	23.1
			173	31.8	50.9	17.3	340	48	178	24.7	54.5	20.8
			396	24.7	49.5	25.8	550	27	402	23.1	53.7	23.1
			126	22.2	50.0	27.8	206	54	94	16.0	56.4	27.7
Acute tonsillitis and pharyngitis including streptococcal sore throat (051:472:473)	805	18	661	15.3	58.4	26.3	922	16	778	21.2	52.4	26.3
			275	17.8	56.0	26.2	362	24	276	22.1	49.3	28.6
			186	14.0	60.8	25.3	259	13	225	25.3	51.1	23.6
			200	13.0	59.5	27.5	301	8	277	17.0	56.7	26.3
Lobar pneumonia (490)	1,062	16	891	12.6	54.2	33.2	728	32	496	10.5	54.6	34.9
			72	22.2	47.2	30.6	102	62	39	17.9	43.6	38.5
			358	14.0	53.4	32.7	298	30	210	11.0	56.2	32.9
			461	10.0	56.0	34.1	328	25	247	8.9	55.1	36.0
Other pneumonias (491-493)	1,471	19	1,188	15.5	51.6	32.9	1,173	37	736	15.5	50.0	34.5
			224	17.9	52.2	29.9	287	52	139	20.9	44.6	34.5
			513	16.0	48.1	35.9	440	29	313	15.0	44.1	40.9
			451	13.7	55.2	31.0	446	36	284	13.4	59.2	27.5
Acute bronchitis (500)	298	24	227	9.3	48.5	42.3	288	32	196	13.8	56.6	29.6
			50	14.0	36.0	50.0	73	47	39	20.5	46.2	33.3
			78	10.3	55.1	34.6	76	22	59	11.9	57.6	30.5
			99	6.1	49.5	44.4	139	29	98	12.2	60.2	27.6

TABLE 3 - continued

Principal Diagnosis on Discharge		Hospital Group		MALES					FEMALES				
				Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned		
						Total	% Distribution				Total	% Distribution	
							I&II	III					IV&V
Conditions mainly treated in Medical departments (continued)													
Bronchitis unqualified (501)	All hospitals	301	26	224	14.3	50.9	34.8	247	32	167	14.4	49.1	36.5
	London Teaching	65	42	38	13.2	65.8	21.1	64	42	37	18.9	40.5	40.5
	Provincial Teaching	112	9	102	17.6	47.1	35.3	93	24	71	14.1	52.1	33.8
	Regional Boards	124	32	84	10.7	48.8	40.5	90	34	59	11.9	50.8	37.3
Chronic bronchitis (502)	All hospitals	715	22	560	9.8	47.7	42.5	284	47	151	17.9	45.0	37.1
	London Teaching	151	22	118	9.3	47.5	43.2	87	53	41	24.4	34.1	41.5
	Provincial Teaching	270	19	218	13.3	51.4	35.3	94	27	69	15.9	47.8	36.2
	Regional Boards	294	24	224	6.7	44.2	49.1	103	60	41	14.6	51.2	34.2
Conditions which may be treated in either Medical or Surgical departments													
Nontoxic nodular goitre (251)	All hospitals	140	2	137	20.4	52.6	27.0	1,023	27	751	17.4	51.0	31.6
	London Teaching	54	4	52	23.1	50.0	26.9	373	43	212	20.3	59.0	20.8
	Provincial Teaching	77	1	76	14.5	56.6	28.9	551	17	456	16.7	46.9	36.4
	Regional Boards	9	-	9	55.6	33.3	11.1	99	16	83	14.5	53.0	32.5
Thyrototoxicosis with or without goitre (252)	All hospitals	350	5	333	19.5	61.0	19.5	2,047	27	1,503	19.2	53.9	26.9
	London Teaching	109	9	99	25.3	56.6	18.2	648	45	354	23.4	53.7	22.9
	Provincial Teaching	218	3	212	16.5	63.7	19.8	1,240	18	1,020	18.1	53.3	28.5
	Regional Boards	23	4	22	22.7	54.5	22.7	159	19	129	15.5	59.7	24.8
Bronchiectasis (526)	All hospitals	746	19	606	11.9	56.3	31.8	830	33	559	11.6	62.4	25.9
	London Teaching	286	33	191	17.8	61.8	20.4	339	52	163	16.0	63.2	20.9
	Provincial Teaching	329	10	297	9.1	57.6	33.3	367	21	290	8.3	62.4	29.3
	Regional Boards	131	10	118	9.3	44.1	46.6	124	15	106	14.2	61.3	24.5

(540)	London Teaching Provincial Teaching Regional Boards	672 1,325 513	7 8 10	623 1,216 463	11.9 12.6 11.2	54.9 52.5 56.4	33.2 35.0 32.4	283 468 239	54 36 40	131 301 144	13.7 16.3 16.0	40.5 46.2 52.1	45.8 37.5 31.9
Ulcer of duodenum (541)	All hospitals	4,818	6	4,515	14.3	57.0	28.7	889	31	609	16.1	54.8	29.1
	London Teaching Provincial Teaching Regional Boards	940 2,903 975	9 6 6	855 2,739 921	17.7 14.2 11.3	58.5 55.4 60.5	23.9 30.4 28.2	206 495 188	54 22 32	94 387 128	23.4 14.7 14.8	47.9 58.1 50.0	28.7 27.1 35.2
Cholecystitis and cholelithiasis including biliary colic (584:585)	All hospitals	558	15	477	27.7	51.8	20.5	2,299	40	1,385	18.2	51.6	30.2
	London Teaching Provincial Teaching Regional Boards	119 330 109	15 14 17	101 285 91	34.7 27.0 22.0	47.5 51.6 57.1	17.8 21.4 20.9	481 1,318 500	61 32 41	189 902 294	19.0 17.4 20.1	53.4 52.3 48.3	27.5 30.3 31.6

Conditions mainly treated in Surgical departments

Non-acute lymphadenitis including non- specific mesenteric adenitis (468.0-468.2)	All hospitals	454	22	354	12.4	61.3	26.3	419	26	311	14.8	63.7	21.5
	London Teaching Provincial Teaching Regional Boards	122 187 145	43 13 16	70 162 122	15.7 14.2 8.2	60.0 56.2 68.9	24.3 29.6 23.0	126 178 115	44 17 18	70 147 94	17.1 12.9 16.0	55.7 66.0 66.0	27.1 21.1 18.1
Varicose Veins (460:462)	All hospitals	1,199	6	1,123	15.9	59.3	24.8	1,666	31	1,151	22.6	50.6	26.8
	London Teaching Provincial Teaching Regional Boards	478 445 276	10 4 4	431 428 264	18.6 14.7 13.6	60.3 56.5 62.1	21.1 28.7 24.2	617 712 337	50 19 21	308 578 265	29.9 20.8 18.1	44.2 52.4 54.3	26.0 26.8 27.5
Haemorrhoids (461)	All hospitals	1,327	5	1,260	16.1	56.0	27.9	745	31	514	17.9	57.2	24.9
	London Teaching Provincial Teaching Regional Boards	278 727 322	8 3 6	255 702 303	18.4 14.8 17.2	58.4 55.4 55.1	23.1 29.8 27.7	187 384 174	55 23 24	85 296 133	17.6 18.2 17.3	64.7 55.4 56.4	17.6 26.4 26.3
Anal fissure and fistula: abscess of anal and rectal regions (574:575)	All hospitals	686	10	617	20.7	55.8	23.5	447	30	315	24.1	51.1	24.8
	London Teaching Provincial Teaching Regional Boards	182 366 138	19 7 7	148 340 129	23.0 18.2 24.8	56.1 55.6 55.8	20.9 26.2 19.4	149 223 75	48 20 21	78 178 59	37.2 21.3 15.3	48.7 55.1 42.4	14.1 23.6 42.4
Inguinal hernia without obstruction (560.0)	All hospitals	5,053	8	4,654	15.2	57.8	26.9	704	23	539	13.4	57.5	29.1
	London Teaching Provincial Teaching Regional Boards	1,431 2,530 1,092	12 6 7	1,260 2,377 1,017	19.2 13.8 13.6	58.8 56.0 61.0	22.0 30.2 25.5	161 384 159	47 15 21	85 328 126	18.8 11.9 13.5	58.8 57.3 57.1	22.4 30.8 29.4

TABLE 3 - continued

Principal Diagnosis on Discharge		MALES					FEMALES						
		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned				
				Total	% Distribution				Total	% Distribution			
					I&II	III	IV&V				I&II	III	IV&V
Conditions mainly treated in Surgical departments (continued)													
Other hernia of abdominal cavity without obstruction (560 rdr.)	All hospitals	1,049	12	918	13.8	57.8	28.3	1,537	33	1,037	14.4	53.0	32.6
	London Teaching	295	17	244	19.3	59.0	21.7	425	50	211	14.7	52.6	32.7
	Provincial Teaching Regional Boards	557 197	8 18	513 161	12.7 9.3	55.0 65.2	32.4 25.5	828 284	21 40	656 170	13.4 17.6	53.2 52.9	33.4 29.4
Hernia of abdominal cavity with obstruction (561)	All hospitals	581	24	442	18.6	52.7	28.7	469	59	193	15.0	49.7	35.2
	London Teaching	95	29	67	14.9	53.7	31.3	62	65	22	9.1	40.9	50.0
	Provincial Teaching Regional Boards	321 165	20 29	258 117	19.8 17.9	51.2 55.6	29.1 26.5	270 137	57 59	115 56	16.5 14.3	51.3 50.0	32.2 35.7
Acute appendicitis without mention of peritonitis (550.0)	All hospitals	3,064	17	2,551	16.0	60.6	23.4	2,852	25	2,144	17.0	58.4	24.5
	London Teaching	456	30	318	16.7	60.1	23.3	426	40	257	20.2	55.3	24.5
	Provincial Teaching Regional Boards	1,660 948	16 11	1,393 840	16.2 15.4	59.2 63.2	24.6 21.4	1,544 882	24 18	1,168 719	17.3 15.4	57.5 61.1	25.2 23.5
Acute appendicitis with peritonitis (550.1)	All hospitals	866	12	758	15.7	59.2	25.1	666	30	469	17.1	57.6	25.4
	London Teaching	81	21	64	15.6	62.5	21.9	73	42	42	19.0	59.5	21.4
	Provincial Teaching Regional Boards	513 272	11 13	457 237	15.8 15.6	55.6 65.4	28.7 19.0	376 217	30 25	264 163	18.2 14.7	53.4 63.8	28.4 21.5
Other and unqualified appendicitis, incl. chronic and subacute forms (551.552)	All hospitals	1,134	11	1,011	18.7	58.6	22.7	2,025	18	1,660	18.2	57.0	24.8
	London Teaching	245	16	207	28.5	56.5	15.0	514	26	378	23.0	57.1	19.8
	Provincial Teaching Regional Boards	547 342	13 4	476 328	18.1 13.4	56.1 63.4	25.8 23.2	1,026 485	15 15	871 411	18.6 12.9	54.8 61.6	26.6 25.5

Hyperplasia of prostate (610)	All hospitals	2,310	29	1,633	21.6	48.6	29.8
London Teaching	468	34	310	23.5	48.1	28.4	
Provincial Teaching	1,257	27	920	22.2	46.2	31.6	
Regional Boards	585	31	403	18.9	54.6	26.5	
Conditions mainly treated in the Traumatic and Orthopaedic Surgery department							
Fractured vault and base of skull; multiple and unqualified skull fractures, with or without head injury (N800:801:803:804)	All hospitals	854	27	620	11.8	56.1	32.1
London Teaching	122	34	81	10.0	48.1	42.0	
Provincial Teaching	546	30	381	11.0	54.9	34.1	
Regional Boards	186	15	158	14.6	63.3	22.2	
Concussion or other head injury (incl. scalp wounds) without skull fracture (N852-856)	All hospitals	1,675	24	1,272	9.0	59.4	31.6
London Teaching	210	27	153	12.4	51.6	35.9	
Provincial Teaching	1,035	26	764	8.5	57.7	33.8	
Regional Boards	430	17	355	8.7	66.2	25.1	
Fracture of ankle (N824)	All hospitals	188	10	169	16.6	55.0	28.4
London Teaching	61	20	49	22.4	63.3	14.3	
Provincial Teaching	96	6	90	15.6	55.6	28.9	
Regional Boards	31	3	30	10.0	40.0	50.0	
Fracture of tibia and fibula (N823)	All hospitals	690	18	565	10.8	58.1	31.1
London Teaching	132	30	93	20.4	54.8	24.7	
Provincial Teaching	394	14	339	9.1	54.9	36.0	
Regional Boards	164	19	133	8.3	68.4	23.3	
Fracture of femur (N820:821)	All hospitals	635	24	481	11.4	53.4	35.1
London Teaching	92	32	63	12.7	52.4	34.9	
Provincial Teaching	387	22	302	10.6	55.0	34.4	
Regional Boards	156	26	116	12.9	50.0	37.1	
Internal derangement of knee joint (734)	All hospitals	852	7	789	18.3	60.1	21.7
London Teaching	303	11	270	26.3	56.3	17.4	
Provincial Teaching	329	7	307	13.0	60.9	26.1	
Regional Boards	220	4	212	15.6	63.7	20.8	
						</	

TABLE 3 - continued

Principal Diagnosis on Discharge		Hospital Group	MALES					FEMALES						
			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned			Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned				
					Total	% Distribution				Total	% Distribution			
						I&II	III				IV&V	I&II	III	IV&V
Conditions mainly treated in the Traumatic and Orthopaedic Surgery department (continued)														
Displacement of intervertebral disc. (735)	All hospitals		663	6	623	17.2	53.0	29.9	472	25	355	34.9	49.9	15.2
		London Teaching	181	8	166	21.1	59.6	19.3	196	34	130	33.1	53.8	13.1
		Provincial Teaching	414	5	393	15.0	51.4	33.6	233	19	188	39.4	45.2	15.4
		Regional Boards	68	6	64	20.3	45.3	34.4	43	14	37	18.9	59.5	21.6
Hallux valgus and varus (747)	All hospitals		76	5	72	9.7	59.7	30.6	726	21	573	23.4	53.1	23.6
		London Teaching	33	9	30	3.3	73.3	23.3	448	23	347	25.4	54.8	19.9
		Provincial Teaching	30	3	29	13.8	41.4	44.8	162	20	130	18.5	50.8	30.8
		Regional Boards	13	-	13	15.4	69.2	15.4	116	17	96	22.9	50.0	27.1
Osteomyelitis and periostitis (730)	All hospitals		638	16	538	13.2	62.5	24.3	311	23	238	10.9	64.7	24.4
		London Teaching	156	16	131	17.6	64.1	18.3	85	36	54	9.3	70.4	20.4
		Provincial Teaching	366	16	306	11.8	61.1	27.1	176	20	141	12.1	62.4	25.5
		Regional Boards	116	13	101	11.9	64.4	23.8	50	14	43	9.3	65.1	25.6
Synovitis, bursitis and tenosynovitis (741.742)	All hospitals		439	10	396	12.4	59.8	27.8	520	29	371	19.1	52.3	28.6
		London Teaching	164	12	144	14.6	56.9	28.5	251	35	162	20.4	54.3	25.3
		Provincial Teaching	187	8	172	9.3	64.5	26.2	178	20	143	16.1	53.8	30.1
		Regional Boards	88	9	80	15.0	55.0	30.0	91	27	66	22.7	43.9	33.3

Conditions mainly treated in the Gynaecology department

Uterine fibromyoma (214)	All hospitals								3,024	20	2,427	20.4	55.5	24.1
		London Teaching							811	42	469	24.1	55.4	20.5
		Provincial Teaching							1,782	10	1,600	20.6	53.9	25.5
		Regional Boards							431	17	358	14.2	62.8	22.9

Other benign neoplasm of uterus (215)	All hospitals	1,616	23	1,241	19.1	54.6	26.3
	London Teaching	426	47	226	20.8	54.0	25.2
	Provincial Teaching	973	14	838	19.3	55.1	25.5
	Regional Boards	217	18	177	15.8	52.5	31.6
Cervicitis and other infective diseases of uterus (630.0:630.1)	All hospitals	1,826	21	1,434	17.5	55.8	26.7
	London Teaching	370	48	194	15.5	60.8	23.7
	Provincial Teaching	1,094	11	970	17.9	54.2	27.8
	Regional Boards	362	25	270	17.4	57.8	24.8
Disorders of menstruation (634)	All hospitals	6,028	21	4,768	15.0	56.4	28.6
	London Teaching	1,457	44	810	17.3	59.3	23.5
	Provincial Teaching	3,651	12	3,196	15.3	54.7	30.1
	Regional Boards	920	17	762	11.5	60.5	28.0
Abortion (650-652)	All hospitals	4,048	19	3,265	15.6	58.2	26.2
	London Teaching	597	55	268	22.4	57.1	20.5
	Provincial Teaching	1,743	16	1,470	17.1	56.1	26.8
	Regional Boards	1,708	11	1,527	12.9	60.5	26.6
Uterovaginal prolapse (631)	All hospitals	4,827	32	3,296	17.4	51.3	31.3
	London Teaching	1,088	65	379	17.9	46.7	35.4
	Provincial Teaching	3,062	20	2,447	17.7	50.6	31.8
	Regional Boards	677	31	470	15.7	58.9	25.3

Conditions mainly treated in the Obstetrics department

Delivery without complication specified as spontaneous or normal (6600)	All hospitals	13,688	14	11,715	13.7	61.7	24.6
	London Teaching	2,438	50	1,213	22.0	58.0	20.0
	Provincial Teaching	6,205	5	5,915	15.9	62.6	21.5
	Regional Boards	5,045	9	4,587	8.6	61.6	29.8
Delivery without complication, with type of delivery unspecified (660.6)	All hospitals	8,348	27	6,092	13.0	60.9	26.1
	London Teaching	3,468	58	1,440	14.6	61.9	23.5
	Provincial Teaching	2,765	4	2,648	16.1	59.9	24.1
	Regional Boards	2,115	5	2,004	7.8	61.6	30.6
Delivery, complicated or assisted (including delivery before admission) (660.1-660.5:660.7:670-678)	All hospitals	10,253	17	8,541	16.8	61.2	21.9
	London Teaching	2,509	42	1,460	20.0	61.0	19.0
	Provincial Teaching	5,802	5	5,497	17.9	61.0	21.1
	Regional Boards	1,942	18	1,584	10.2	62.1	27.7

TABLE 3 - continued

Principal Diagnosis on Discharge		MALES		FEMALES									
		Hospital Group	Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned		Total Discharges	% with Social Class not assigned	Discharges with Social Class assigned				
					Total	% Distribution			Total	% Distribution			
						I&II				III	IV&V	I&II	III
Conditions mainly treated in the Ear, Nose and Throat department													
Otitis media, without mention of mastoiditis (391)	All hospitals	1,656	24	1,266	13.4	59.0	27.6	1,417	29	1,013	15.8	57.8	26.4
	London Teaching	559	34	370	12.4	61.1	26.5	456	43	262	19.1	51.5	29.4
	Provincial Teaching	843	21	662	13.1	55.9	31.0	710	26	524	13.5	60.3	26.1
	Regional Boards	254	8	234	15.8	64.5	19.7	251	10	227	17.2	59.5	23.3
Mastoiditis, with or without otitis media (392.393)	All hospitals	820	19	668	10.2	60.5	29.3	665	28	478	11.3	58.8	29.9
	London Teaching	161	39	98	14.3	64.3	21.4	117	48	61	11.5	57.4	31.1
	Provincial Teaching	542	15	459	8.3	59.0	32.7	431	29	307	10.4	59.6	30.0
	Regional Boards	117	5	111	14.4	63.1	22.5	117	6	110	13.6	57.3	29.1
Sinusitis (471.513)	All hospitals	1,095	15	930	17.0	61.3	21.7	899	29	634	17.2	59.8	23.0
	London Teaching	342	18	279	19.4	62.0	18.6	252	43	144	18.8	60.4	20.8
	Provincial Teaching	593	16	500	17.8	57.6	24.6	506	26	373	16.4	60.3	23.3
	Regional Boards	160	6	151	9.9	72.2	17.9	141	17	117	17.9	57.3	24.8
Deflected nasal Septum (514)	All hospitals	1,101	10	990	16.1	60.8	23.1	395	25	298	13.4	61.7	24.8
	London Teaching	314	15	267	21.3	62.9	15.7	122	30	85	15.3	63.5	21.2
	Provincial Teaching	707	9	644	13.2	59.6	27.2	247	23	190	11.6	60.0	28.4
	Regional Boards	80	1	79	21.5	63.3	15.2	26	12	23	21.7	69.6	8.7
Nasal Polyp (515)	All hospitals	572	10	515	14.8	64.1	21.2	424	30	296	16.6	54.7	28.7
	London Teaching	88	12	77	18.2	66.2	15.6	74	45	41	22.0	48.8	29.3
	Provincial Teaching	381	9	346	15.6	61.0	23.4	308	30	216	16.7	54.6	28.7
	Regional Boards	103	11	92	8.7	73.9	17.4	42	7	39	10.3	61.5	28.2

Hypertrophy of tonsils and adenoids (510)	All hospitals	8,925	26	6,637	14.8	63.3	21.9	9,147	24	6,909	14.9	60.8	24.3
	London Teaching	3,179	45	1,752	17.9	61.9	20.2	3,053	47	1,615	17.6	59.6	22.8
	Provincial Teaching	3,898	13	3,382	13.7	62.1	24.2	4,273	15	3,652	14.7	60.5	24.8
	Regional Boards	1,848	19	1,503	13.6	67.6	18.8	1,821	10	1,642	12.9	62.5	24.6
Conditions mainly treated in the Ophthalmology department													
Strabismus (384)	All hospitals	1,432	20	1,139	12.6	60.7	26.7	1,578	20	1,255	13.2	60.5	26.3
	London Teaching	461	39	282	13.5	63.1	23.4	516	37	327	16.8	63.9	19.3
	Provincial Teaching	846	9	767	11.9	60.0	28.2	953	12	842	12.1	58.6	29.3
	Regional Boards	125	28	90	15.6	60.0	24.4	109	21	86	10.5	66.3	23.3
Cataract (385)	All hospitals	1,396	28	999	13.6	52.9	33.5	1,672	67	556	18.7	48.9	32.4
	London Teaching	344	29	243	16.0	53.9	30.0	555	77	125	25.6	46.4	28.0
	Provincial Teaching	948	28	678	12.5	52.8	34.7	970	62	365	17.3	48.2	34.5
	Regional Boards	104	25	78	15.4	50.0	34.6	147	55	66	13.6	57.6	28.8

TABLE 4 - All discharges other than maternity conditions: sex and age distribution for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:* classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distributions by sex and age (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

TABLE 4

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only									
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over

Teaching Hospitals

All discharges, excluding (a) deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	M	110,423	12,782	16,658	9,479	12,046	14,053	16,386	14,889	9,674	3,468	988
	F	121,293	8,873	13,808	12,540	15,769	20,048	20,723	14,767	10,259	3,692	814
	M	4,454	333	83	109	190	360	730	998	994	540	117
	F	3,323	249	69	85	144	268	525	687	763	467	66
Diseases, excluding (a) deliveries and complica- tions of pregnancy, child- birth and the puerperium	M	99,746	11,923	15,017	7,756	10,316	12,445	15,085	14,043	9,199	3,227	735
	F	115,961	8,288	13,162	11,964	15,278	19,506	20,056	14,141	9,655	3,232	679
	M	4,217	320	70	96	167	338	704	965	964	499	94
	F	3,149	241	65	79	136	264	515	670	734	391	54
Injuries and other effects (a) of external causes	M	10,677	859	1,641	1,723	1,730	1,608	1,301	846	475	241	253
	F	5,332	585	646	576	491	542	667	626	604	460	135
	M	237	13	13	13	23	22	26	33	30	41	23
	F	174	8	4	6	8	4	10	17	29	76	12

All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	M	27,784	3,810	4,531	2,248	2,574	3,066	3,498	3,488	2,896	1,604	69
	(a)											
	F	28,364	2,662	3,771	3,095	3,189	3,805	3,948	3,125	2,881	1,833	55
	(b)	2,509	131	30	28	77	143	280	509	709	590	12
	F	2,321	91	18	34	54	113	221	401	658	727	4
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	M	25,387	3,534	4,081	1,849	2,257	2,765	3,262	3,314	2,774	1,501	50
	(a)											
	F	26,881	2,497	3,593	2,927	3,094	3,647	3,777	2,965	2,685	1,647	49
	(b)	2,416	129	26	24	69	134	270	496	696	562	10
	F	2,227	88	15	31	52	113	214	393	634	684	3
Injuries and other effects of external causes	M	2,397	276	450	399	317	301	236	174	122	103	19
	(a)											
	F	1,483	165	178	168	95	158	171	160	196	186	6
	(b)	93	2	4	4	8	9	10	13	13	28	2
	F	94	3	3	3	2	-	7	B	24	43	1

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals											Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
I. INFECTIVE AND PARASITIC DISEASES (a)																							
(b)																							
Tuberculosis of respiratory system (001-008)	M	995	103	96	140	185	144	127	126	50	7	17	1095	35	51	212	326	209	149	78	25	7	3
	F	907	76	84	271	255	109	56	29	17	4	6	867	26	48	332	255	123	47	23	12	1	1
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004.005)	M	117	65	45	4	1	1	-	-	-	-	1	44	20	21	2	-	-	-	-	1	-	-
	F	110	56	46	6	1	-	1	-	-	-	-	33	11	18	3	1	-	-	-	-	-	-
Pleurisy specified as tuberculosis (003.0)	M	69	6	13	13	16	11	3	4	2	-	1	32	2	9	11	4	2	3	1	-	-	-
	F	43	-	7	21	8	3	2	-	1	-	1	31	-	7	13	2	6	2	-	1	-	-
Pleurisy with effusion without mention of cause (003.1)	M	109	6	10	19	9	15	12	27	9	1	1	61	1	5	11	9	8	10	10	3	3	1
	F	111	1	11	35	18	11	11	10	8	3	3	41	1	5	11	4	5	5	5	5	-	-
Pulmonary tuberculosis; other tuberculosis of respiratory system (001.002,006-008)	M	700	26	28	104	159	117	112	95	39	6	14	958	12	16	188	313	199	136	67	21	4	2
	F	643	19	20	209	228	95	42	19	8	1	2	762	14	18	305	248	112	40	18	6	1	-
Tuberculosis, other forms (010-019)	M	1144	177	230	186	230	144	99	50	16	5	7	201	26	40	36	36	26	19	11	4	2	1
	F	1414	134	242	364	280	172	111	65	25	12	9	249	29	41	49	59	30	23	8	10	-	-
Tuberculosis of meninges and central nervous system (010)	M	138	66	24	16	12	14	1	2	-	-	3	36	12	11	8	2	2	1	-	-	-	-
	F	136	43	35	31	14	6	5	-	1	-	1	34	9	5	9	6	2	1	1	1	-	-
	M	37	16	8	5	5	2	-	-	-	-	1	14	4	2	4	2	2	-	-	-	-	-
	F	31	9	7	8	3	2	1	-	-	-	1	13	4	1	3	2	2	1	-	-	-	-

Tuberculosis of bones and joints (inc. late effects) (012,013)	M	344	38	67	60	87	40	36	13	2	1	-	61	6	10	13	12	8	4	6	1	-	1
	(a)	386	32	79	104	68	48	31	18	3	1	2	58	4	7	15	14	10	2	3	3	-	-
	(b)	4	-	-	1	1	-	2	1	-	-	-	5	-	1	-	-	-	1	1	1	-	1
	F	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of skin and subcutaneous cellular tissue (014)	M	50	4	11	6	7	7	9	6	-	-	-	6	-	1	2	-	1	1	1	-	-	-
	(a)	104	8	14	28	11	11	14	10	3	3	2	13	1	2	1	5	1	1	2	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of lymphatic system (015)	M	283	53	104	44	35	20	15	7	3	1	1	29	5	14	4	4	1	8	-	-	1	-
	(a)	396	32	94	113	58	38	29	19	6	6	1	63	11	20	6	10	4	-	-	4	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of genito-urinary system (016)	M	224	1	11	34	74	47	26	18	9	2	2	43	-	1	4	16	10	7	2	2	1	-
	(a)	220	-	2	46	89	49	21	10	3	-	1	50	-	3	10	19	10	8	-	-	-	-
	(b)	9	-	-	3	1	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	M	85	7	12	23	12	16	9	4	1	1	-	22	3	3	5	1	3	4	2	2	1	-
	(a)	148	11	14	36	39	21	10	8	6	2	1	22	3	2	5	5	3	2	2	2	-	-
	(b)	4	-	-	-	-	1	-	1	1	1	-	4	-	1	-	1	1	1	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disseminated tuberculosis (019)	M	20	8	1	3	3	-	3	-	1	-	1	4	-	-	-	1	1	2	-	-	-	-
	(a)	24	8	4	8	1	-	1	-	3	-	1	9	1	2	-	-	-	1	-	-	-	-
	(b)	3	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-
	F	7	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and Gonococcal infection (020-029; 030-035)	M	486	5	11	13	92	66	112	157	70	17	3	59	2	1	3	5	12	10	14	10	1	1
	(a)	502	6	19	27	92	84	69	81	20	4	-	61	3	3	4	6	13	8	12	7	5	-
	(b)	32	1	-	-	-	2	3	11	12	3	-	8	-	-	-	-	1	1	3	2	1	-
	F	3	-	-	-	-	-	1	1	1	-	-	11	-	-	-	-	1	-	2	4	4	-
Syphilis and its sequelae (020-029)	M	461	5	11	12	26	62	107	155	64	16	3	56	2	1	1	5	11	10	14	10	1	1
	(a)	284	6	8	19	36	41	69	81	20	4	-	55	3	3	2	3	12	8	12	7	5	-
	(b)	32	1	-	-	-	2	3	11	12	3	-	8	-	-	-	-	1	1	3	2	1	-
	F	3	-	-	-	-	-	1	1	1	-	-	11	-	-	-	-	1	-	2	4	4	-
Gonorrhoea and its sequelae (030-035)	M	25	-	-	1	6	4	5	2	6	1	-	3	-	-	2	-	1	-	-	-	-	-
	(a)	18	-	-	8	6	3	-	-	-	-	-	6	-	-	2	3	1	-	-	-	-	-
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals										Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Infectious diseases commonly arising in intestinal tract (040-049)	M	206	52	33	17	50	29	16	4	3	-	2	223	142	39	6	8	9	5	4	1	1	1
	F	116	32	22	26	10	8	7	3	2	-	2	183	112	28	18	10	4	5	5	1	2	2
Dysentery, all forms (045-048)	M	160	41	22	10	48	23	9	3	3	-	1	142	100	22	1	6	5	2	2	3	1	-
	F	82	27	15	17	8	5	2	2	2	-	1	114	74	15	11	6	2	4	4	1	1	-
Typhoid and paratyphoid fever; other salmonella infections (040-042)	M	26	9	8	5	-	1	3	-	-	-	-	76	42	17	5	1	3	3	3	1	1	-
	F	22	5	4	7	1	1	3	1	-	-	-	68	38	12	7	4	2	1	1	-	1	-
Other infectious diseases arising in intestinal tract (043.044; 049)	M	20	2	3	2	2	5	4	1	-	-	1	5	-	-	-	1	1	-	-	-	-	-
	F	12	-	3	2	1	2	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
All other infective and parasitic diseases (036-039; 050-138)	M	1468	357	310	239	212	142	99	58	28	9	14	1025	494	292	88	58	42	12	16	7	1	
	F	1244	299	230	236	170	122	85	48	29	11	14	1027	441	280	116	64	30	20	19	12	1	
Scarlet fever (050)	M	33	9	19	3	1	1	-	-	-	-	-	223	103	110	7	1	1	1	-	-	-	
	F	18	7	6	2	1	1	-	1	-	-	-	229	84	134	9	-	1	-	-	-	-	
Streptococcal sore throat (051)	M	14	3	3	2	3	2	1	-	-	-	-	14	7	3	2	1	1	-	-	-	-	
	F	20	3	4	10	1	1	-	-	-	-	-	18	3	4	8	1	2	-	-	-	-	
Diphtheria (055)	M	5	3	1	-	-	-	1	-	-	-	-	17	6	7	-	4	1	-	-	-	-	
	F	2	-	-	1	-	1	-	-	-	-	-	13	2	7	3	-	-	-	-	-	-	

[illegible]

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Teaching Hospitals											Hospitals under Regional Boards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
All other infective and parasitic diseases - continued																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

11. NEOPLASMS

(82685)

Malignant neoplasms (140-205)	(a)	M	9105	106	132	175	392	776	1790	2624	2230	829	51	1420	6	9	14	38	105	231	390	444	183
			10532	113	88	142	465	1425	2514	2803	2185	715	82	1451	5	10	12	40	146	319	416	321	181
	(b)	F	1436	24	20	26	45	109	272	413	358	155	14	469	1	3	3	14	32	61	110	160	86
			1107	18	17	20	38	108	232	287	264	109	14	376	1	2	1	4	23	53	89	118	85
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a)	M	873	1	3	15	20	49	131	204	287	158	5	62	-	-	-	3	4	15	7	18	15
			427	-	2	9	20	55	94	99	103	42	3	38	-	-	1	3	6	4	11	8	5
	(b)	F	45	-	-	-	1	1	6	11	18	8	-	13	-	-	-	-	-	2	2	4	5
			28	-	1	-	-	4	6	7	6	4	-	8	-	-	-	-	1	1	1	1	4
Malignant neoplasm of stomach (151)	(a)	M	784	-	-	4	7	60	182	260	207	58	6	171	-	1	-	3	11	28	54	57	17
			466	-	1	5	7	36	78	146	149	41	3	100	-	-	-	-	5	16	29	35	15
	(b)	F	175	-	-	-	1	13	38	51	44	26	2	75	-	1	-	2	3	11	20	29	9
			114	-	-	3	1	7	24	28	29	19	3	45	-	-	-	-	2	5	13	13	12
Malignant neoplasm of large intestine and rectum (153,154)	(a)	M	1063	1	-	3	25	72	184	316	331	127	4	207	-	-	-	1	12	19	51	87	37
			979	-	1	1	20	94	188	295	274	97	9	232	-	-	1	5	16	39	62	65	44
	(b)	F	203	-	-	2	2	14	31	54	61	38	1	74	-	-	-	-	7	3	15	31	18
			156	-	1	-	4	11	18	37	61	22	2	77	-	-	-	-	4	9	13	25	26
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a)	M	1639	-	1	3	32	141	503	629	290	28	12	330	-	-	-	2	26	97	117	78	10
			279	-	-	3	14	36	71	90	53	10	2	58	-	-	1	-	4	14	15	19	5
	(b)	F	321	-	-	1	8	19	86	133	62	7	5	131	-	-	-	2	12	32	36	43	6
			56	-	-	-	3	14	11	13	13	2	-	28	-	-	1	-	-	5	6	13	3
Malignant neoplasm of breast (170)	(a)	M	47	-	-	-	2	2	9	13	14	7	-	4	-	-	-	-	-	1	1	2	-
			2414	-	-	4	70	430	701	611	444	136	18	302	-	-	1	6	46	85	89	46	29
	(b)	F	3	-	-	-	-	-	1	1	1	-	-	50	-	-	-	-	-	-	-	-	-
			131	-	-	-	1	13	36	40	26	13	2	-	-	-	-	-	5	11	13	11	10
Malignant neoplasm of cervix uteri (171)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			1646	1	-	8	84	289	463	464	261	63	13	158	-	-	-	15	27	42	40	23	11
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	1	-	-	-	-	-
			64	-	-	-	3	10	20	15	11	5	-	-	-	-	-	-	2	5	6	5	5
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			633	-	1	3	8	61	174	236	115	29	6	87	-	-	-	-	7	25	30	20	5
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			29	-	-	-	-	1	6	9	6	7	-	8	-	-	-	-	1	1	2	3	1
Malignant neoplasm of ovary, Fallopian tube, and broad ligament (175)	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			505	-	1	4	10	88	179	137	63	20	3	82	-	1	1	2	9	30	25	10	4
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			53	-	-	1	-	9	17	15	10	1	-	19	-	-	-	2	-	4	7	4	2

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Teaching Hospitals											Hospitals under Regional Boards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Malignant neoplasms - continued																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Malignant neoplasm of (a) M	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Lymphosarcoma and other neoplasms of lymphatic and haematopoietic tissues (200; 202,203; 205)	M	313	7	18	14	35	57	61	71	34	14	2	20	3	-	-	-	3	4	2	6	1	1
(a)	F	260	9	2	8	26	32	60	62	46	13	2	23	-	-	-	-	1	1	6	9	5	2
(b)	M	58	2	2	1	-	6	14	18	9	4	2	6	-	-	-	-	-	-	3	3	1	1
(b)	F	37	1	1	1	3	5	1	15	7	3	-	7	-	-	-	-	-	-	3	4	-	-
Malignant neoplasm of all other and unspecified sites (others in 140-205)	M	1836	37	12	20	70	142	344	556	462	183	10	218	3	-	-	-	11	23	30	54	70	24
(a)	F	1335	53	15	22	50	124	268	337	343	117	6	187	2	1	-	-	1	12	33	45	61	31
(b)	M	280	12	-	3	8	16	35	74	91	38	3	74	-	1	-	-	4	4	6	19	24	16
(b)	F	242	6	1	1	5	13	53	61	73	26	3	69	-	-	-	-	-	3	6	15	29	15
Benign and unspecified neoplasms (210-239)	M	2981	236	222	256	338	428	565	505	335	81	15	491	25	24	-	-	50	66	82	103	70	31
(a)	F	8598	296	247	626	1213	2483	2472	733	393	102	33	1368	26	34	-	-	211	382	412	124	65	19
(b)	M	85	6	3	4	10	10	28	14	6	3	1	30	-	1	-	-	7	3	7	4	4	4
(b)	F	80	4	3	4	6	7	24	15	11	4	2	33	-	1	-	-	4	3	9	5	8	2
Benign neoplasm of respiratory system (212)	M	147	14	17	10	30	28	17	19	10	1	1	12	2	1	-	-	3	5	1	-	-	-
(a)	F	102	7	14	13	13	20	17	9	8	1	-	8	-	1	-	-	2	2	-	1	-	-
(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of breast (213; 232)	M	9	-	1	1	-	1	6	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
(a)	F	425	-	-	84	111	122	71	22	9	1	5	67	-	-	-	-	14	23	15	6	2	-
(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign and unspecified neoplasm of ovary (216; 234)	M	1022	5	10	138	279	238	167	101	59	20	5	228	2	1	-	-	72	43	33	21	17	8
(a)	F	10	-	-	1	-	-	3	2	3	1	-	6	-	-	-	-	-	1	-	-	3	1
(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine fibromyoma (214)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	F	2606	-	-	12	205	1077	1175	97	30	6	4	452	-	1	-	-	22	182	214	22	7	-
(b)	M	14	-	-	-	-	1	6	4	-	2	1	4	-	-	-	-	-	-	4	-	-	-
Uterine polyp. (215 part)	M	-	-	-	17	80	289	409	135	44	7	2	162	-	-	-	-	21	53	56	23	4	2
(a)	F	983	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	M	735	1	-	38	201	299	160	22	11	-	3	101	-	1	-	-	30	32	26	3	1	-
(a)	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

III, IV ALLERGIC,
ENDOCRINE METABOLIC
AND NUTRITIONAL DISEASES;
DISEASES OF BLOOD

Allergic disorders (240-245)	(a)	M	618	107	154	41	69	68	79	61	29	5	5	206	46	32	17	15	20	35	25	12	4	-
			615	47	78	75	65	87	110	95	47	4	7	232	26	16	18	26	36	51	33	25	1	-
Asthma and Hay Fever (240,241)	(b)	M	21	2	1	-	-	-	9	7	3	-	-	13	1	-	-	1	1	2	5	3	2	-
			15	-	-	-	-	3	5	3	3	-	-	17	-	-	1	-	2	3	5	4	-	-
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a)	M	507	81	137	33	48	53	67	57	25	2	4	187	39	14	14	14	19	34	24	12	4	-
			531	40	67	56	57	80	96	82	44	4	5	207	18	12	12	24	35	49	32	24	1	-
Pernicious and other hyperchromic anaemias (290)	(b)	M	21	2	-	-	-	-	9	7	3	-	-	13	-	-	-	-	1	2	2	3	2	-
			15	-	1	-	-	3	5	3	3	-	-	16	1	1	1	1	2	2	5	4	-	-
Avitaminoses, and nutritional deficiency states (280-286)	(a)	M	111	26	17	8	21	15	12	4	4	3	1	19	7	5	3	1	1	1	1	-	-	-
			84	7	11	19	8	7	14	13	3	-	2	25	8	4	6	2	1	2	1	1	-	-
Steatorrhoea and sprue (286.0)	(b)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			6	-	-	-	1	1	2	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-
Avitaminosis, and other nutritional deficiency states (inc. malnutrition) (280-285; 286 rmdr.)	(a)	M	168	49	27	3	8	17	25	21	14	-	4	24	11	5	-	2	1	3	1	-	1	-
			181	61	28	5	8	30	17	16	9	-	7	33	14	4	2	1	1	2	3	-	6	-
Anaemias (290-293)	(b)	M	4	-	-	-	-	1	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
			6	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Pernicious and other hyperchromic anaemias (290)	(a)	M	96	28	19	1	3	11	19	9	6	-	-	16	8	5	-	2	1	1	-	-	1	-
			115	37	20	3	7	24	10	11	3	-	-	13	8	3	1	2	-	1	-	-	18	-
Pernicious and other hyperchromic anaemias (290)	(b)	M	3	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
			3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pernicious and other hyperchromic anaemias (290)	(a)	M	72	21	8	2	5	6	6	12	8	-	4	8	3	4	4	-	5	11	24	31	18	1
			66	24	8	2	1	6	7	5	6	-	7	20	6	4	7	1	29	37	25	56	37	-
Pernicious and other hyperchromic anaemias (290)	(b)	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
			3	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Pernicious and other hyperchromic anaemias (290)	(a)	M	567	70	46	28	16	55	71	114	132	2	33	104	6	4	4	-	5	11	24	31	18	1
			917	44	35	54	78	163	171	185	128	3	56	210	3	4	7	11	29	37	25	56	37	-
Pernicious and other hyperchromic anaemias (290)	(b)	M	20	-	-	-	-	2	2	3	8	-	4	8	-	-	-	-	-	-	-	-	-	-
			27	1	2	1	1	2	6	7	5	-	2	18	-	-	-	-	-	-	-	-	-	-
Pernicious and other hyperchromic anaemias (290)	(a)	M	190	-	-	3	5	26	30	56	58	-	12	44	-	-	-	-	5	7	15	9	8	-
			271	-	-	2	10	36	56	77	66	-	21	73	-	1	-	-	1	11	12	32	16	-
Pernicious and other hyperchromic anaemias (290)	(b)	M	5	-	-	-	-	-	-	-	3	-	2	5	-	-	-	-	-	-	-	-	-	-
			6	-	-	-	-	1	1	2	1	-	1	7	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals						Hospitals under Regional Boards															
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Anaemias - continued																							
Aplastic, non-regenerative, and leuko-erythroblastic anaemia (292.3-292.5)	M	100	1	18	8	1	5	13	17	31	6	-	12	-	-	-	-	-	-	1	8	3	-
	(a) F	111	2	13	11	4	5	8	38	15	14	1	11	-	-	-	1	-	-	2	6	2	-
	M	8	-	-	-	-	1	2	2	1	2	-	2	-	-	-	-	-	-	1	1	1	-
	(b) F	9	-	2	1	1	-	1	2	2	-	-	3	-	-	-	1	-	-	-	1	1	-
Other anaemias (inc. anaemia unspecified) (291; 292 rmdr.; 293)	M	277	69	28	17	10	24	28	41	43	15	2	48	-	4	4	-	-	4	8	14	7	1
	(a) F	535	42	21	41	64	122	107	70	47	21	-	126	-	3	7	10	28	26	11	18	19	1
	M	7	-	-	1	-	1	-	1	4	-	-	1	-	-	-	-	-	-	-	2	3	-
	(b) F	12	1	-	-	-	1	4	3	2	1	-	8	-	-	-	-	1	1	1	2	2	-
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	M	2080	140	217	192	205	331	391	357	182	49	16	270	-	20	22	38	36	40	43	45	12	-
	(a) F	5412	85	187	460	930	1187	1092	800	542	101	28	691	-	13	63	71	119	119	117	125	44	3
	M	60	3	4	3	5	12	5	5	16	7	-	30	-	3	-	1	3	8	5	6	3	-
	(b) F	116	1	2	2	4	11	19	28	24	14	1	49	-	-	2	-	4	6	12	14	10	-
Non-toxic goitre (250,251)	M	151	-	2	6	23	52	35	27	6	-	-	9	-	1	-	3	-	3	2	-	-	-
	(a) F	1123	-	5	96	228	374	255	109	40	13	3	104	-	-	12	19	34	24	12	3	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	(b) F	5	-	-	-	1	-	-	2	2	-	-	2	-	-	-	-	-	-	1	-	-	-
Thyrotoxicosis (252)	M	339	-	1	20	52	73	105	69	18	1	-	21	-	-	-	7	5	2	5	2	-	-
	(a) F	1988	10	13	212	428	489	454	262	109	7	4	144	-	1	8	21	46	40	23	3	1	1
	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	15	-	-	-	2	-	2	8	2	-	1	2	-	-	-	-	-	-	2	-	-	-
Myxoedema, cretinism and other diseases of thyroid gland (253,254)	M	60	7	4	4	2	9	12	15	6	1	-	6	-	-	-	1	-	1	2	2	-	-
	(a) F	258	7	8	13	21	55	58	53	37	5	1	37	-	-	-	2	9	5	7	8	-	-
	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	2	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	4	-
Diabetes mellitus, unqualified (260,part)	M	455	6	52	42	47	57	85	86	55	21	4	101	-	5	8	10	17	16	15	22	5	-
	(a) F	709	6	56	49	101	72	93	154	142	31	5	212	-	8	16	11	14	26	48	62	22	1
	M	13	-	-	-	1	2	1	1	5	3	-	8	-	-	-	-	1	2	1	2	2	-
	(b) F	22	1	-	1	-	2	2	2	2	10	4	-	19	-	1	-	2	2	4	5	5	-

Diabetes mellitus with mention of complication (260 rmdr.)	(a)	M	296	1	11	27	17	38	48	61	70	19	5	66	-	3	5	8	7	8	15	15	5	-
	(b)	F	461 17 44	-	11 - 1	24 - -	39 1 -	30 3 5	54 2 6	112 1 8	142 8 15	43 2 9	5	98 13 14	-	-	6	2	6 1 1	11 3 2	19 3 2	41 4 7	13 1 1	-
Haemorrhagic con- ditions (inc. haemophilia and purpura) (295,296)	(a)	M	247	76	88	27	14	21	9	6	5	-	1	23	6	8	6	2	-	-	1	-	-	-
	(b)	F	123 8 3	23 1 -	32 2 -	9 1 -	10 - -	17 3 1	11 - 1	16 - 1	5 1 -	-	-	11 - 2	2	-	3	1	-	2 - -	2 - -	-	-	-
Remaining endocrine and metabolic diseases; other diseases of blood (270-277; 287-289; 294; 297-299)	(a)	M	532	51	59	66	50	81	97	93	22	7	6	44	5	3	3	7	7	10	4	3	2	-
	(b)	F	750 19 25	38 - -	62 2 1	57 2 1	103 3 1	150 4 3	167 1 8	94 3 6	67 2 4	2 2 1	10 - -	75 9 5	1	3	18	15 1 -	10 1 1	11 3 1	8 1 3	6 - -	2 - -	-

V. MENTAL, PSYCHO-
NEUROTIC AND
PERSONALITY
DISORDERS

Psychoses and Psychoneuroses (300-318)	(a)	M	1933	14	41	216	454	377	327	236	117	95	6	183	6	4	16	37	41	43	20	12	9	-
	(b)	F	2762 32 25	15 - -	42 - -	327 1 -	523 1 -	597 - 1	577 1 3	337 3 2	231 9 6	92 17 13	16	369 5 7	2	-	-	-	65 1 -	83 - 1	57 - -	30 1 3	10 3 3	-
Psychoses (300-309)	(a)	M	1070	3	10	116	252	169	159	169	99	92	1	93	-	-	11	17	18	16	14	10	7	-
	(b)	F	1315 31 22	2 - -	4 - -	112 1 -	195 - -	237 - 1	294 1 2	195 3 1	179 9 5	89 17 13	8	164 5 7	-	-	7	27 - -	25 1 -	42 - 1	33 - -	20 1 3	10 3 3	-
Psychoneurotic disorders (310-318)	(a)	M	863	11	31	100	202	208	168	117	18	3	5	95	-	4	5	20	23	27	6	2	2	-
	(b)	F	1447 1 3	13 - -	38 - -	215 - -	333 1 -	360 - -	283 - 1	142 - 1	52 - 1	3 - -	8	205 - -	2	-	34	47 - -	40 - -	41 - -	24 - -	10 - -	-	-
Disorders of character, behaviour and intelligence (320-326)	(a)	M	425	38	66	62	77	61	44	21	3	-	3	39	11	3	2	5	8	4	3	3	-	-
	(b)	F	257 4 2	64 3 1	41 - 1	48 - -	42 - -	32 - -	20 1 -	5 - -	5 - -	-	-	26 - 1	3	-	2	3 - -	4 - -	5 - -	1 - -	1 - -	1 - -	-
Mental deficiency (325)	(a)	M	110	65	22	11	6	3	3	-	-	-	-	17	8	2	1	2	3	-	1	-	-	-
	(b)	F	87 3 2	47 3 1	14 - 1	7 - -	10 - -	6 - -	2 - -	-	1 - -	-	-	12 - 1	2	-	-	1 - -	2 - -	1 - -	1 - -	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
		Teaching Hospitals										Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Disorders of character, behaviour and intelligence - continued																						
Personality and behaviour disorders: (a)	M	315	23	44	51	71	58	41	21	3	-	22	3	1	1	3	5	4	2	3	-	-
other conditions (b)	F	170	17	27	41	32	26	18	5	4	-	14	1	1	2	2	2	4	-	1	1	-
classified to 320-326 (320-324; 326)	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS

Vascular lesions affecting central nervous system (330-334)	M	828	9	5	19	35	65	163	199	206	86	40	414	2	1	4	8	15	44	84	141	110	5
(a)	F	715	17	6	10	22	46	124	187	184	92	27	622	2	2	5	8	22	73	143	199	165	3
Other diseases of central nervous system (340-357)	M	267	3	-	1	7	22	45	58	66	42	23	234	-	-	-	2	5	19	53	83	69	3
(b)	F	268	2	-	3	5	9	38	65	86	50	10	356	-	-	-	2	7	41	79	115	111	1
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340; 343)	M	1802	211	207	175	275	317	291	203	82	15	26	320	51	37	31	39	39	39	46	31	13	-
(a)	F	1692	164	160	248	267	293	294	167	65	17	17	316	30	27	38	45	45	37	36	36	22	-
Intracranial abscess and venous thrombosis; late effects of abscess and pyogenic infection (341,342; 344)	M	76	8	4	9	7	8	15	11	6	3	1	58	9	2	1	6	6	4	9	13	9	-
(b)	F	49	6	5	3	3	8	6	4	5	8	1	42	4	-	-	2	2	5	6	13	11	-
Cerebral paralysis (inc. spastic infantile)	M	158	54	20	7	17	21	26	9	1	-	3	58	26	11	3	6	3	3	1	1	-	-
(a)	F	144	56	15	16	16	17	10	10	1	1	2	35	16	9	3	1	2	2	2	2	-	-
Cerebral paralysis (inc. spastic infantile)	M	29	3	-	2	3	5	8	5	1	-	2	15	8	2	-	-	1	1	1	1	-	-
(b)	F	15	4	2	-	1	4	1	1	1	1	-	6	3	-	-	-	-	2	2	1	-	-
Cerebral paralysis (inc. spastic infantile)	M	136	35	17	25	16	15	14	8	3	-	3	14	5	3	3	2	-	1	1	-	-	-
(a)	F	75	14	12	20	8	9	4	6	-	1	1	12	-	4	-	1	2	1	1	1	-	-
Cerebral paralysis (inc. spastic infantile)	M	27	3	2	5	3	3	5	3	1	-	2	3	1	-	1	-	-	-	-	-	-	-
(b)	F	11	1	2	2	-	2	1	1	-	1	1	5	-	-	-	1	1	1	1	1	-	-
Cerebral paralysis (inc. spastic infantile)	M	178	30	57	13	9	8	17	22	15	5	2	60	8	11	4	1	4	8	15	15	8	-
(a)	F	177	38	37	32	9	12	20	12	7	7	3	60	5	6	1	5	3	13	15	10	-	-
Cerebral paralysis (inc. spastic infantile)	M	6	1	-	-	-	-	1	2	2	-	-	14	-	-	-	-	-	1	6	7	-	-
(b)	F	-	-	-	-	-	-	-	-	1	-	-	13	-	-	-	-	-	1	7	5	-	-

Epilepsy (353)	(a)	M	552	75	83	74	110	76	69	39	10	2	14	75	11	10	12	13	12	10	4	1	2	-
	(b)	F	456	44	70	100	75	66	63	21	9	2	6	83	9	6	22	13	13	12	1	6	1	-
Multiple sclerosis (345)	(a)	M	5	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-
	(b)	F	6	1	-	1	1	1	1	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-
Other diseases of central nervous system (350; 354-357)	(a)	M	297	-	1	30	75	117	44	24	4	1	1	37	-	-	2	7	8	5	10	5	-	-
	(b)	F	434	1	1	43	110	120	107	46	2	-	4	60	-	-	5	10	17	15	12	1	-	-
Diseases of nerves and peripheral ganglia (360-369)	(a)	M	481	17	29	26	48	80	121	101	49	7	3	76	1	2	7	4	13	17	20	9	3	-
	(b)	F	406	11	25	37	49	69	90	72	46	6	1	66	-	2	7	6	11	11	8	11	10	-
Trigeminal neuralgia (361)	(a)	M	9	1	1	1	-	-	-	1	2	3	-	16	-	-	-	2	3	2	5	3	1	-
	(b)	F	10	-	1	-	-	1	1	2	3	2	-	8	-	-	-	-	-	-	-	3	5	-
Sciatica (363)	(a)	M	424	44	10	13	23	65	80	108	61	18	2	57	9	1	2	8	9	9	10	8	1	-
	(b)	F	572	53	9	10	56	89	105	117	98	33	2	46	5	-	4	-	6	12	5	5	-	-
Erythroedema polyneuritica (365)	(a)	M	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	(a)	M	48	-	1	1	4	17	14	7	3	1	-	21	-	-	-	4	4	4	5	3	-	-
	(b)	F	63	-	-	4	17	23	13	5	-	1	-	19	-	-	1	6	4	5	1	2	-	-
Diseases of Eye (370-389)	(a)	M	190	2	7	12	19	35	38	48	24	5	-	23	-	1	2	3	4	5	4	4	19	-
	(b)	F	214	7	9	6	32	47	43	42	23	4	1	15	1	-	2	3	1	4	4	-	-	-
	(a)	M	5315	317	1102	457	375	452	573	797	818	410	14	196	21	82	10	14	8	7	15	20	19	-
	(b)	F	5775	311	1008	345	259	360	615	943	1246	678	10	229	18	67	22	7	14	17	19	28	37	-
	(a)	M	11	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	(b)	F	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																						
		Teaching Hospitals											Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Diseases of Eye - continued																								
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lachrymal glands (370-372; 378)	M	218	58	31	17	18	17	18	28	18	12	1	6	2	-	1	2	-	-	-	-	-	1	-
	(a) F	401	65	27	23	23	50	81	64	46	21	1	22	3	2	6	1	3	1	1	3	2	-	
	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	M	950	33	64	84	110	199	171	152	101	35	1	19	1	1	5	4	2	3	1	1	1	-	
	(a) F	757	29	53	52	75	114	149	135	99	47	4	26	1	1	3	3	5	7	2	2	2	-	
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Strabismus (384)	M	1462	164	863	250	102	42	23	10	2	2	4	100	16	76	2	3	2	1	1	-	-	-	
	(a) F	1381	170	852	211	72	40	21	9	4	1	1	91	11	64	12	1	2	1	1	-	-	-	
	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cataract (385)	M	1264	18	45	20	26	47	130	297	426	251	4	42	-	2	2	2	4	2	2	9	10	11	
	(a) F	1663	9	19	8	13	40	119	368	655	429	3	50	-	-	1	-	-	2	2	9	19	19	
	M	4	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	4	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
Detachment of retina (386)	M	287	1	22	30	42	46	67	51	19	9	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) F	232	1	5	17	33	26	52	62	30	6	-	3	-	-	-	-	-	1	1	1	-	-	
	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glaucoma (387)	M	583	-	2	8	12	30	95	181	184	68	3	14	-	-	-	-	-	-	-	3	7	4	
	(a) F	852	1	2	4	5	41	124	218	321	135	1	21	-	-	-	-	1	2	3	3	12	12	
	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases and conditions of eye (380; 382; 383; 388, 389)	M	551	43	75	48	65	71	69	78	68	33	1	15	2	3	-	3	-	1	2	2	2	2	
	(a) F	489	36	50	30	38	49	69	87	91	39	-	16	3	-	-	2	3	3	3	-	-	-	
	M	2	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
	(b) F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Diseases of ear and mastoid process (390-398)	(a)	M	2247	509	622	263	269	252	204	90	27	3	8	323	115	109	29	21	19	14	11	4	1
	(b)	F	1987	388	510	273	273	263	144	82	38	8	8	283	86	96	35	21	21	13	5	6	1
Otitis media without mention of mastoiditis (391)	(a)	M	1211	385	368	130	115	98	78	24	7	2	4	184	93	64	8	7	4	2	5	1	1
	(b)	F	1008	297	286	135	85	84	61	34	16	5	5	164	70	62	10	7	6	5	2	2	1
Mastoiditis, with or without otitis media (392,393)	(a)	M	523	79	142	93	69	57	51	22	6	-	4	99	19	33	19	11	7	6	4	-	-
	(b)	F	384	49	129	70	43	39	27	17	8	-	2	68	11	21	14	8	9	3	1	1	-
Other diseases of ear and mastoid process; deafness (390; 394-398)	(a)	M	513	45	112	40	85	97	75	44	14	1	-	40	3	12	2	3	8	6	2	3	1
	(b)	F	595	42	95	68	145	140	56	31	14	3	1	51	5	13	11	6	6	5	2	3	1

VII. DISEASES OF THE CIRCULATORY SYSTEM

Rheumatic fever and rheumatic heart disease (400-416)	(a)	M	727	7	128	77	135	156	128	68	23	-	5	158	2	41	17	18	36	15	21	7	2
	(b)	F	1708	7	170	221	426	422	270	140	36	2	14	390	2	37	54	46	89	75	60	19	6
Rheumatic fever with and without heart involvement (400,401)	(a)	M	128	4	61	27	16	12	6	1	-	-	1	55	1	27	10	2	6	5	3	1	-
	(b)	F	149	4	72	23	19	14	12	2	2	-	1	58	2	21	15	4	5	8	1	2	-
Chorea (402)	(a)	M	61	3	54	2	-	-	1	-	1	-	-	11	-	11	-	-	-	-	-	-	-
	(b)	F	108	3	78	24	1	1	-	-	-	-	1	18	-	12	5	-	1	-	-	-	-
Chronic rheumatic heart disease (410-416)	(a)	M	538	-	13	48	119	144	121	67	22	-	4	92	1	3	7	16	29	10	18	6	2
	(b)	F	1451	-	20	174	406	407	258	138	34	2	12	314	-	4	34	42	83	67	59	17	6
Arteriosclerotic, degenerative and other heart disease (420-434)	(a)	M	2064	7	20	37	62	175	535	653	420	118	37	813	1	1	7	16	44	155	243	203	139
	(b)	F	1046	9	16	35	59	74	190	276	276	94	17	562	2	1	9	9	33	50	116	194	147
			411	1	2	5	10	25	84	120	120	32	12	295	-	-	2	3	8	37	64	98	81
			186	1	2	3	6	6	24	44	63	33	4	261	-	-	1	3	7	13	41	97	99

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.									
		Teaching Hospitals					Hospitals under Regional Boards				
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over
Arteriosclerotic, degenerative and other heart disease - continued											
Acute and subacute endocarditis (inc. bacterial endocarditis, unqualified) (430)	M	69	-	4	8	21	16	12	6	2	-
	(a) F	57	-	-	15	15	9	8	6	3	1
	M	15	-	1	1	2	3	5	3	-	-
	(b) F	9	-	-	2	1	2	1	-	2	1
Heart disease involving coronary arteries; arteriosclerotic heart disease; angina pectoris (420)	M	1205	-	-	2	9	76	333	422	267	71
	(a) F	458	-	1	-	3	13	65	146	175	49
	M	274	-	-	1	1	9	55	88	88	22
	(b) F	99	-	-	-	1	1	6	24	47	18
Other degenerative heart disease; other diseases of the heart (421; 422; 431-434)	M	790	7	16	27	32	83	190	225	151	47
	(a) F	531	9	15	20	41	52	117	124	98	44
	M	122	1	1	3	7	13	24	29	32	10
	(b) F	78	1	2	1	4	3	17	20	14	2
Hypertensive disease (440-447)	M	1056	2	6	17	52	178	293	287	156	51
	(a) F	1243	-	15	29	78	175	369	307	210	50
	M	119	1	-	-	3	12	21	39	24	17
	(b) F	66	-	-	4	2	6	13	11	20	8
Hypertensive disease with mention of heart (440-443)	M	422	-	-	1	2	25	83	147	112	42
	(a) F	417	-	-	1	7	28	96	128	120	35
	M	75	-	-	-	1	3	6	26	21	16
	(b) F	34	-	-	1	-	3	5	4	13	7
Hypertensive disease without mention of heart	M	634	2	6	16	50	153	210	140	44	9
	(a) F	826	-	15	28	71	147	273	179	90	15
	M	44	1	-	-	2	9	15	13	3	1
	(b) F	-	-	-	-	-	-	-	-	-	-

Diseases of arteries (450-456)	(a)	M	1121	2	6	17	42	143	266	342	220	76	7	243	1	-	1	6	3	9	24	53	77	75
	(b)	F	610	4	11	63	80	110	109	89	82	58	4	171	-	-	-	-	5	6	16	20	46	71
	(a)	M	64	-	-	1	3	5	8	14	17	15	1	86	-	-	-	-	1	1	5	15	31	34
	(b)	F	50	-	1	1	2	8	9	10	7	12	-	67	-	-	-	1	1	1	1	10	16	38
Peripheral vascular disease (453)	(a)	M	396	2	-	3	21	78	110	110	66	4	2	33	1	-	-	-	1	5	8	14	3	1
	(b)	F	273	3	7	40	61	62	56	28	13	3	-	23	-	-	-	4	3	3	9	3	3	-
	(a)	M	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a)	M	725	-	6	14	21	65	156	232	154	72	5	210	-	-	-	1	2	4	16	39	74	74
	(b)	F	337	1	4	23	19	48	53	61	69	55	4	148	-	-	-	2	2	3	7	19	43	71
	(a)	M	64	-	-	1	3	5	8	14	17	15	1	85	-	-	-	-	1	1	5	15	31	33
	(b)	F	49	-	1	1	2	8	9	9	7	12	-	67	-	-	-	1	1	1	1	10	16	38
Diseases of veins and other diseases of circulatory system (460-468)	(a)	M	2801	114	164	204	462	664	626	388	140	32	7	794	60	111	30	98	171	156	112	38	18	18
	(b)	F	2830	71	141	145	483	719	669	394	159	28	21	734	32	74	47	111	147	148	92	59	22	22
	(a)	M	20	-	-	1	1	2	4	3	7	1	1	18	-	-	-	1	1	3	6	3	4	4
	(b)	F	35	-	-	-	1	2	6	9	10	7	-	10	-	-	-	-	-	-	1	4	5	5
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a)	M	953	3	2	111	221	282	204	98	26	4	2	190	-	1	10	45	61	41	28	2	2	2
	(b)	F	1302	-	1	73	281	403	333	156	45	2	8	236	1	-	8	53	74	60	31	6	3	3
	(a)	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	(b)	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a)	M	83	-	-	1	9	18	17	16	17	5	-	23	-	-	-	2	4	3	4	5	5	5
	(b)	F	180	-	1	1	11	25	50	54	30	6	2	68	-	-	-	3	2	17	22	18	6	6
	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haemorrhoids (461)	(a)	M	1060	2	3	19	165	293	323	190	51	10	4	304	1	3	4	40	86	94	52	19	5	5
	(b)	F	610	2	2	21	91	175	173	100	37	6	3	151	-	1	4	24	44	46	17	13	2	2
	(a)	M	1	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	1	1
	(b)	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis, thrombo- phlebitis and venous embolism (463-466)	(a)	M	240	-	2	17	21	37	57	65	35	5	1	60	-	-	2	4	12	8	22	8	4	4
	(b)	F	313	-	2	8	52	72	71	56	36	11	5	91	-	-	4	13	16	14	16	20	8	8
	(a)	M	17	-	-	1	1	2	2	3	6	1	1	13	-	-	-	1	-	2	6	2	2	2
	(b)	F	29	-	-	-	1	1	4	7	10	6	-	10	-	-	-	-	-	-	1	4	5	5
Nonspecific mesenteric lymphadenitis (468.1)	(a)	M	135	27	86	14	4	1	2	1	-	-	-	137	28	95	8	2	1	3	-	-	-	-
	(b)	F	113	19	68	15	7	4	-	-	-	-	-	107	17	61	19	9	-	-	-	-	-	1
	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphadenitis, chronic or unqualified (468.0; 468.2)	(a)	M	233	77	70	24	25	21	4	6	3	3	-	62	30	10	2	5	3	5	4	2	1	1
	(b)	F	183	48	57	16	12	17	10	12	6	3	2	51	14	10	5	6	3	6	3	2	1	1
	(a)	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals											Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of veins and other diseases of circulatory system - continued																						
All other diseases of circulatory system (462-467; 468.3)	M	97	5	1	18	17	12	19	12	8	5	-	18	1	2	4	-	4	2	2	1	-
(a)	F	129	2	10	11	29	16	32	5	-	-	1	30	2	2	7	3	8	5	3	2	-
(b)	M	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-
(b)	F	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM																						
Acute upper respiratory infections and influenza (470-483)	M	1144	456	374	85	82	39	31	28	21	5	23	519	240	119	38	37	21	17	21	6	3
(a)	F	1129	301	311	281	88	48	29	25	15	6	25	580	168	82	169	55	41	23	22	2	4
(b)	M	15	2	-	1	2	-	4	4	2	-	-	11	-	1	-	1	1	-	2	-	-
(b)	F	11	1	-	-	-	2	1	3	2	2	-	11	-	-	2	1	2	1	1	2	-
Acute nasopharyngitis (common cold) (470)	M	60	23	18	4	6	4	1	1	-	1	2	18	7	5	2	-	3	-	1	-	-
(a)	F	100	14	11	53	11	4	1	2	-	1	3	68	10	3	42	10	3	-	1	-	-
(b)	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis (471)	M	40	5	3	5	9	12	3	2	1	-	-	9	-	6	2	1	-	-	-	-	-
(a)	F	43	3	9	8	6	9	2	4	-	-	2	9	-	8	-	1	-	-	-	-	-
(b)	M	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474; 475)	M	333	231	75	6	5	1	3	4	3	-	5	168	136	22	2	-	1	2	3	-	2
(a)	F	244	161	54	14	5	4	2	1	1	-	2	112	80	14	8	3	2	1	2	-	1
(b)	M	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (480-483)	M	146	4	4	26	34	12	19	18	14	4	11	115	15	15	9	13	12	12	16	5	1
(a)	F	222	5	4	91	43	17	16	15	12	5	14	153	5	14	41	19	25	16	17	2	3
(b)	M	11	-	-	1	1	-	4	3	2	-	-	9	-	-	-	-	1	-	6	-	-
(b)	F	10	-	-	-	-	2	1	3	2	2	-	11	-	-	2	1	2	1	1	2	-

Acute tonsillitis and pharyngitis (472; 473)	M	565	193	274	44	28	10	5	3	3	-	-	-	-	209	82	71	23	5	3	1	-	1
	(a)	F	520	118	233	115	14	8	3	2	-	-	-	-	238	73	43	78	11	6	3	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and bronchitis (490-493; 500-502; 763)	M	2839	746	256	90	122	222	413	479	337	123	51	1841	401	159	51	98	154	242	315	260	158	3
	(a)	F	1817	491	194	92	156	168	220	214	131	28	1435	294	117	56	91	103	156	216	237	164	1
	(b)	F	272	47	4	1	7	29	68	61	45	9	260	27	-	1	-	11	35	60	72	53	1
	(b)	F	189	52	2	-	10	16	28	48	30	2	204	23	2	-	3	2	14	37	49	74	-
Lobar pneumonia (490)	M	536	117	81	33	39	70	75	61	39	12	9	524	83	74	20	49	76	90	63	55	13	1
	(a)	F	357	69	45	27	47	42	39	33	17	7	340	68	41	19	34	34	46	40	36	22	-
	(b)	F	24	3	-	-	-	3	6	5	6	1	36	-	-	-	-	2	8	7	14	5	-
	(b)	F	17	3	-	-	2	-	5	6	1	-	16	1	-	-	1	-	1	5	6	2	-
Other and unspecified pneumonias (inc. pneumonia of newborn) (491-493; 763)	M	1227	426	99	39	58	85	134	161	134	69	22	688	201	62	26	36	42	55	118	90	57	1
	(a)	F	887	297	82	37	64	64	97	105	73	12	646	141	50	23	39	45	64	91	103	90	-
	(b)	F	177	41	3	1	5	13	35	40	33	5	144	26	-	1	-	5	13	30	37	31	1
	(b)	F	143	45	2	-	8	11	19	32	23	2	150	18	1	-	2	2	13	23	35	56	-
Bronchitis, acute or unqualified (500-501)	M	418	188	52	11	15	16	33	37	44	14	8	342	113	22	4	9	21	32	49	45	47	-
	(a)	F	364	123	47	23	25	29	35	28	26	7	322	84	25	14	17	18	29	49	51	34	1
	(b)	F	14	3	1	-	-	2	2	3	2	1	25	1	-	-	-	2	2	7	7	6	-
	(b)	F	14	4	-	-	-	1	1	5	3	-	17	4	-	-	-	-	-	1	3	9	-
Chronic bronchitis (502)	M	658	15	24	7	10	51	171	220	120	28	12	287	4	1	1	4	15	65	85	70	41	1
	(a)	F	209	2	20	5	20	33	49	48	15	2	127	1	1	-	1	6	17	36	47	18	-
	(b)	F	57	-	-	-	2	11	25	13	4	2	55	-	-	-	-	2	12	16	14	11	-
	(b)	F	15	-	-	-	-	4	3	5	3	-	21	-	1	-	-	-	-	8	5	7	-
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	M	10536	2097	5238	905	859	621	449	220	88	24	35	2532	423	1679	140	111	78	49	39	8	-	5
	(a)	F	9893	1583	5256	1318	479	331	151	79	16	33	2449	321	1735	192	63	64	39	18	11	2	4
	(b)	F	3	-	-	-	1	1	1	-	-	-	5	-	2	1	-	1	-	1	-	-	-
	(b)	F	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
Chronic tonsillitis (510 part)	M	1223	303	759	60	68	17	10	1	1	2	2	467	76	343	27	16	3	1	-	-	-	1
	(a)	F	1426	208	887	184	38	21	4	4	-	4	573	76	438	40	10	4	3	-	1	-	1
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	M	6552	1715	4035	350	259	130	42	5	-	1	15	1600	329	1175	48	25	13	2	5	-	-	3
	(a)	F	6633	1314	4021	775	158	53	9	3	-	16	1598	230	1205	101	22	21	10	5	1	-	3
	(b)	F	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonsillar abscess (quinsy) (511)	M	42	3	4	8	12	10	4	1	-	-	-	27	1	2	8	8	2	6	-	-	-	-
	(a)	F	45	-	8	16	6	2	1	-	-	2	19	-	3	9	-	4	2	-	-	-	-
	(b)	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age: (a) all discharges including deaths (b) deaths only.									
	Teaching Hospitals					Hospitals under Regional Boards				
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over
Diseases of upper respiratory tract and pharynx, other than acute infectious - continued										
Chronic or unspecified sinusitis (513)	M 955 F 811	M 43 F 32	M 294 F 253	M 135 F 140	M 155 F 122	M 124 F 105	M 113 F 84	M 67 F 46	M 12 F 21	M 3 F 2
	(a) M 955 (b) F 811	(a) M 43 (b) F 32	(a) M 294 (b) F 253	(a) M 135 (b) F 140	(a) M 155 (b) F 122	(a) M 124 (b) F 105	(a) M 113 (b) F 84	(a) M 67 (b) F 46	(a) M 12 (b) F 21	(a) M 3 (b) F 2
Deflected nasal septum (514)	M 973 F 366	M 2 F 4	M 55 F 24	M 294 F 122	M 276 F 89	M 195 F 71	M 110 F 43	M 29 F 7	M 8 F 3	M 1 F -
	(a) M 973 (b) F 366	(a) M 2 (b) F 4	(a) M 55 (b) F 24	(a) M 294 (b) F 122	(a) M 276 (b) F 89	(a) M 195 (b) F 71	(a) M 110 (b) F 43	(a) M 29 (b) F 7	(a) M 8 (b) F 3	(a) M 1 (b) F -
Nasal polyp (515)	M 482 F 381	M 2 F -	M 33 F 15	M 37 F 51	M 65 F 49	M 102 F 67	M 119 F 93	M 75 F 65	M 41 F 32	M 5 F 8
	(a) M 482 (b) F 381	(a) M 2 (b) F -	(a) M 33 (b) F 15	(a) M 37 (b) F 51	(a) M 65 (b) F 49	(a) M 102 (b) F 67	(a) M 119 (b) F 93	(a) M 75 (b) F 65	(a) M 41 (b) F 32	(a) M 5 (b) F 8
All other diseases of upper respiratory tract and pharynx (512; 516; 517)	M 309 F 231	M 29 F 25	M 58 F 48	M 21 F 30	M 24 F 17	M 43 F 34	M 51 F 35	M 42 F 19	M 26 F 16	M 12 F 6
	(a) M 309 (b) F 231	(a) M 29 (b) F 25	(a) M 58 (b) F 48	(a) M 21 (b) F 30	(a) M 24 (b) F 17	(a) M 43 (b) F 34	(a) M 51 (b) F 35	(a) M 42 (b) F 19	(a) M 26 (b) F 16	(a) M 12 (b) F 6
Diseases of lung and pleural cavity (518-527)	M 1667 F 1214	M 154 F 151	M 336 F 393	M 136 F 169	M 164 F 145	M 198 F 137	M 301 F 78	M 247 F 76	M 104 F 46	M 18 F 15
	(a) M 1667 (b) F 1214	(a) M 154 (b) F 151	(a) M 336 (b) F 393	(a) M 136 (b) F 169	(a) M 164 (b) F 145	(a) M 198 (b) F 137	(a) M 301 (b) F 78	(a) M 247 (b) F 76	(a) M 104 (b) F 46	(a) M 18 (b) F 15
Pleurisy (519)	M 92 F 57	M 2 F 1	M 7 F 4	M 15 F 14	M 13 F 14	M 14 F 8	M 16 F 11	M 15 F 4	M 6 F 1	M 2 F -
	(a) M 92 (b) F 57	(a) M 2 (b) F 1	(a) M 7 (b) F 4	(a) M 15 (b) F 14	(a) M 13 (b) F 14	(a) M 14 (b) F 8	(a) M 16 (b) F 11	(a) M 15 (b) F 4	(a) M 6 (b) F 1	(a) M 2 (b) F -
Empyema and abscess of lung (518; 521)	M 195 F 106	M 15 F 18	M 4 F 9	M 13 F 11	M 23 F 11	M 33 F 27	M 50 F 10	M 43 F 7	M 11 F 8	M 2 F 4
	(a) M 195 (b) F 106	(a) M 15 (b) F 18	(a) M 4 (b) F 9	(a) M 13 (b) F 11	(a) M 23 (b) F 11	(a) M 33 (b) F 27	(a) M 50 (b) F 10	(a) M 43 (b) F 7	(a) M 11 (b) F 8	(a) M 2 (b) F 4

[illegible]

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.												Hospitals under Regional Boards											
		Teaching Hospitals						Hospitals under Regional Boards						Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.		
Diseases of oesophagus, stomach, and duodenum (539-545)		M	7366	34	35	238	919	1655	2151	1496	656	117	65	1813	10	7	73	195	403	517	329	224	48	7	
		F	2237	16	16	90	218	409	585	479	326	88	10	624	6	7	35	55	113	158	108	103	37	2	
		M	256	4	-	-	5	34	56	65	64	21	3	105	-	-	1	2	9	15	32	36	10	-	
		F	54	-	-	-	2	3	3	14	16	13	3	29	-	-	-	-	1	3	3	12	10	-	
Ulcer of stomach or duodenum without perforation (540.0; 541.0)		M	5276	5	9	151	634	1226	1629	1096	434	70	22	1340	1	7	44	144	297	404	237	165	35	6	
		F	1418	1	6	43	143	284	385	318	189	44	5	459	1	1	15	39	86	122	88	78	28	1	
		M	154	-	-	2	3	21	37	39	40	10	2	64	-	-	1	-	5	9	23	22	4	-	
		F	34	-	-	-	1	-	2	12	11	7	1	23	-	-	-	-	-	3	3	10	7	-	
Perforated ulcer of stomach or duodenum (540.1; 541.1)		M	971	-	-	61	174	215	220	159	81	25	36	306	-	-	22	38	71	73	58	36	7	1	
		F	123	-	-	6	17	25	27	19	19	7	3	40	-	-	-	6	8	10	4	9	3	-	
		M	65	-	-	2	1	12	8	17	16	9	-	37	-	-	-	2	3	6	7	14	5	-	
		F	17	-	-	-	1	2	1	2	5	5	1	5	-	-	-	-	1	-	-	2	2	-	
Gastritis; indigestion N.O.S. and other disorders of stomach function (543; 544)		M	398	6	6	13	59	96	106	73	33	4	2	57	7	-	5	6	10	8	9	11	1	-	
		F	269	6	3	26	37	44	61	48	35	8	1	63	4	5	13	7	8	8	8	7	2	1	
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)		M	721	23	20	13	52	118	196	168	108	18	5	110	2	-	2	7	25	32	25	12	5	-	
		F	427	9	7	15	21	56	112	94	83	29	1	62	1	1	7	3	11	18	8	9	4	-	
		M	37	4	-	-	1	1	11	9	8	2	1	4	-	-	-	-	1	-	2	-	1	-	
		F	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (550-553)		M	3478	164	862	781	634	471	267	164	73	23	39	1466	73	427	304	270	171	116	60	33	10	2	
		F	3892	106	659	1305	760	510	270	149	75	25	33	1448	38	302	420	251	158	147	81	30	19	2	
		M	24	2	2	1	-	5	2	2	8	1	1	22	2	5	-	1	-	-	7	5	2	-	
		F	19	2	3	1	1	1	1	3	6	1	-	16	2	-	-	1	1	2	3	7	-	-	
Acute appendicitis without mention of peritonitis (550.0)		M	1996	71	499	506	385	249	137	71	31	16	31	899	39	292	194	154	106	60	33	16	4	1	
		F	1862	49	333	677	318	220	124	69	36	10	26	803	24	203	236	130	77	67	42	14	10	-	
		M	8	-	1	-	-	2	-	1	3	-	1	5	-	1	-	-	-	-	3	1	-	-	
		F	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	
Acute appendicitis with peritonitis (550.1)		M	469	61	88	70	61	61	43	45	30	5	5	219	26	60	32	29	21	16	18	12	5	-	
		F	360	33	65	46	47	45	45	41	25	10	3	171	8	40	27	12	25	21	22	10	5	1	
		M	16	2	1	1	-	3	2	1	5	1	-	15	2	4	-	1	-	-	3	4	1	-	
		F	15	2	2	-	1	1	1	1	6	1	-	14	2	-	-	1	1	2	3	5	-	-	

Appendicitis, other and unqualified, and other diseases of appendix (551-553)	(a)	M	1013 1670	32 24	273 261	203 582	188 395	161 245	87 101	39 2	12 14	5 -	4 -	474 2	6 -	59 -	157 -	109 -	56 -	59 -	17 1	6 -	4 1	1 -
Hernia of abdominal cavity (560-561)	(a)	M	5566 2223	941 332	446 167	348 45	547 157	868 332	1142 452	827 391	313 237	116 100	18 10	1462 547	201 48	70 20	106 17	151 29	245 93	296 81	223 82	116 104	53 73	1 -
	(b)	M	38 57	2 1	- -	- -	- -	- 2	2 3	8 17	13 18	- -	- -	21 22	2 -	- -	- -	- -	- -	1 1	2 3	8 9	8 9	- -
Inguinal hernia with- out mention of obstruction (560.0)	(a)	M	4302 579	670 72	373 75	320 32	472 81	744 123	908 97	585 70	182 23	37 4	11 2	1111 125	142 13	62 14	100 8	138 13	210 28	234 22	154 12	58 9	12 6	1 -
	(b)	M	-	-	-	-	-	-	-	1 -	2 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Inguinal hernia with obstruction (561.0)	(a)	M	257 34	41 1	3 -	6 -	11 2	12 4	38 8	52 8	50 8	42 2	2 1	101 21	13 -	1 -	2 -	2 1	6 4	9 4	18 1	29 5	21 6	- -
	(b)	M	13 1	1 -	- -	- -	- -	- -	- -	1 -	4 -	7 1	- -	9 2	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Femoral hernia with or without obstruction (560.1; 561.1)	(a)	M	259 557	2 6	6 6	5 5	13 29	41 100	81 151	65 109	28 90	17 57	1 4	92 200	1 -	2 -	- 3	7 6	13 37	23 28	25 31	12 56	9 39	- -
	(b)	M	6 24	- -	- -	- -	- -	- -	3 -	2 4	2 9	2 8	- -	3 12	- -	- -	- -	- -	- -	- -	1 6	2 6	1 4	- -
Umbilical hernia, with or without obstruction (560.2; 561.2)	(a)	M	313 454	158 214	35 80	1 2	6 15	16 34	29 41	39 40	24 16	5 10	2 -	59 84	31 33	2 4	- 1	- 3	5 12	8 9	6 11	3 7	4 4	- -
	(b)	M	5 12	- -	- -	- -	- -	- -	- -	7 -	1 -	4 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -
Other and unspecified hernia, with or with- out obstruction (Others in 560; 561)	(a)	M	435 599	70 39	29 6	16 6	45 30	55 71	86 155	86 164	29 100	15 27	4 1	99 117	14 2	3 2	4 5	4 6	11 12	22 18	20 27	14 27	7 18	- -
	(b)	M	20	1	-	-	-	2	-	6	8	3	-	7	-	-	-	-	-	-	2	2	1	3
Other diseases of intestines and peritoneum (570-578; 764)	(a)	M	2508 2546	568 350	148 92	141 223	268 293	354 386	356 382	320 386	248 294	81 119	24 21	837 820	273 179	54 36	43 82	66 85	97 98	96 98	83 76	81 101	43 62	1 3
	(b)	M	97 108	18 13	- 2	1 4	2 7	12 8	9 12	20 19	24 24	7 16	4 3	61 55	17 10	- -	1 -	2 2	1 3	7 8	10 8	12 12	11 12	- -
Intussusception (570.0)	(a)	M	168 80	155 71	6 4	- 1	1 1	- -	1 1	1 -	1 2	1 -	2 -	39 13	35 11	1 2	- -	- -	- -	- -	1 -	2 -	- -	- -
	(b)	M	3 4	2 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other intestinal obstruction; periton- itis; peritoneal adhesions (570 rmdr. 576; 577)	(a)	M	414 426	19 14	17 13	21 31	40 40	62 72	76 72	84 81	69 60	21 37	5 6	156 145	4 2	7 3	7 15	9 14	31 25	23 22	31 17	28 28	16 19	- -
	(b)	M	46 53	2 2	- 2	- 1	1 2	4 4	4 9	9 7	18 14	6 11	2 1	26 20	2 -	- -	- -	1 1	1 1	2 3	6 4	8 4	7 7	- -

TABLE 4 - continued

Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																							
Principal Diagnosis on Discharge and International Statistical Classification Number	Teaching Hospitals												Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Other diseases of intestines and peritoneum - continued																							
Anal fissure and fistula; abscess of anal-rectal regions (574; 575)	M	529	23	17	39	117	152	98	57	16	4	6	138	7	7	9	27	35	28	12	10	2	1
	F	324	9	6	32	68	94	51	49	9	3	3	71	-	5	12	16	21	10	3	4	-	-
Gastro-enteritis and colitis, (inc. diarrhoea of newborn) (571; 764)	M	406	273	10	27	18	14	27	13	14	4	6	276	195	24	11	12	7	11	6	6	4	-
	F	374	189	15	68	26	20	28	11	13	2	2	255	148	13	32	16	9	18	8	6	4	1
Diverticulitis (572.1)	M	181	-	-	-	1	12	40	39	68	21	-	63	-	-	1	-	2	12	18	15	15	-
	F	278	-	-	-	4	13	38	89	100	31	3	93	-	-	-	1	10	14	18	34	16	-
Ulcerative colitis (572.2)	M	153	2	4	19	28	45	29	17	6	1	2	26	-	-	4	4	8	6	3	1	-	-
	F	251	-	3	24	64	70	51	26	10	1	2	45	-	-	3	7	8	10	5	10	1	1
Constipation (573.0)	M	217	58	55	9	12	8	13	20	22	19	1	53	15	11	3	8	2	4	1	7	2	-
	F	244	36	42	31	16	13	32	20	30	20	4	83	13	9	15	9	7	10	5	7	7	1
Other diseases of intestines and peritoneum (Others in 570-578)	M	440	38	39	26	51	61	72	89	52	10	2	86	17	4	8	6	12	12	11	12	4	-
	F	569	31	9	36	74	104	109	110	70	25	1	115	5	4	5	22	18	14	20	12	15	-
Diseases of liver, gallbladder, and pancreas (580-587)	M	921	60	22	12	48	106	217	254	143	43	16	200	8	1	4	10	23	43	45	49	17	-
	F	2217	52	14	34	133	313	599	618	357	86	11	639	8	1	10	29	92	162	168	117	52	-
	M	77	9	1	2	3	8	11	19	14	6	4	30	2	-	-	3	2	5	3	9	6	-
	F	95	6	1	3	1	8	15	23	29	8	1	53	1	-	-	-	6	2	17	14	13	-

Cirrhosis of liver (581)	(a)	M	208	1	5	3	13	25	64	58	29	4	6	37	1	1	-	4	4	7	7	10	3
		F	200	-	2	7	7	20	63	55	42	2	2	26	-	-	-	7	7	3	5	7	4
	(b)	M	34	-	1	-	5	9	9	5	8	1	1	10	-	-	-	2	2	1	1	2	4
		F	32	-	1	2	1	-	10	9	8	1	1	-	13	-	-	-	1	-	4	6	2
Cholelithiasis and cholecystitis without mention of calculi (584; 585)	(a)	M	484	-	1	5	18	59	115	160	89	29	8	123	-	-	3	5	12	26	31	12	
		F	1734	-	3	20	102	263	493	497	278	73	5	527	1	1	7	25	75	134	149	34	
	(b)	M	22	-	-	-	2	7	2	7	6	3	2	11	-	-	-	1	-	-	1	5	37
		F	36	-	-	1	4	9	3	9	14	5	-	21	-	-	-	-	1	-	9	7	4
Other diseases of liver and gall- bladder; diseases of pancreas	(a)	M	229	59	16	4	17	22	38	36	25	10	2	40	7	7	1	1	7	10	7	5	2
		F	283	52	9	7	24	30	43	66	37	11	4	86	7	1	3	4	10	25	14	11	11
	(b)	M	21	9	-	2	-	1	-	3	3	3	2	1	9	2	-	-	-	4	1	2	-
		F	27	6	-	1	-	-	3	2	5	7	2	1	19	1	-	-	4	2	4	1	7

X. DISEASES OF THE GENITO-
URINARY SYSTEM

Nephritis and nephroses (590-594)	(a)	M	427	63	103	49	65	41	65	27	10	3	1	114	17	19	12	23	14	10	4	1
	(b)	F	350	40	79	54	51	46	33	33	13	1	-	115	13	21	11	15	16	17	8	1
Acute nephritis (590)	(a)	M	130	22	56	15	15	6	11	3	2	-	-	41	9	10	3	10	6	1	-	-
	(b)	F	92	17	26	17	11	12	3	5	1	-	-	41	9	16	8	3	4	-	-	-
Chronic and other nephritis; renal sclerosis (591-594)	(a)	M	297	41	47	34	50	35	54	24	8	3	1	73	8	9	9	13	8	9	4	1
	(b)	F	258	23	53	37	40	34	30	28	12	1	-	74	4	5	3	12	12	17	8	1
Other diseases of urinary system (600-609)	(a)	M	1644	107	113	106	200	266	288	278	205	70	11	467	18	17	26	52	81	92	68	40
	(b)	F	2041	110	152	207	309	332	353	302	217	51	8	496	25	39	58	84	70	61	61	25
Pyelitis; infections of kidney and cystitis (600; 605)	(a)	M	294	27	24	23	35	43	46	52	27	14	3	136	5	5	7	25	24	20	19	14
	(b)	F	677	61	65	110	115	96	69	70	68	19	4	259	17	30	43	40	30	18	34	14
Urinary infections, unqualified (609 part)	(a)	M	91	13	3	8	14	9	10	13	12	8	1	20	3	1	1	2	3	2	3	1
	(b)	F	138	36	33	11	12	11	12	14	6	2	1	23	6	3	1	2	3	6	1	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																							
		Teaching Hospitals											Hospitals under Regional Boards												
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.		
Other diseases of urinary system - continued																									
Calculi of urinary system (602; 604)	M	449	11	8	23	62	111	113	78	37	5	1	118	1	3	7	16	27	26	23	13	2	-		
	F	286	2	5	28	44	69	65	43	22	7	1	77	1	3	3	21	14	12	11	9	3	-		
(b) F	M	7	-	-	1	-	1	-	1	2	1	1	3	-	-	-	2	-	-	1	-	-	-		
	F	5	-	-	1	-	-	1	2	1	-	-	5	-	-	-	1	-	-	-	3	1	-		
Stricture of urethra (608)	M	259	6	18	4	19	30	52	48	60	20	2	72	3	2	-	2	11	6	19	18	11	-		
	F	25	-	-	1	1	3	6	6	6	2	-	1	-	-	-	-	-	1	-	-	-	-		
(b) F	M	4	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-		
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Caruncle of urethra (609 part)	M	5	2	-	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-		
	F	256	-	2	-	11	19	69	83	55	15	2	44	-	-	1	1	3	10	14	9	6	-		
(b) F	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other diseases of urinary system (601; 603; 606; 607; rmdr. 609)	M	546	48	60	48	70	73	66	87	68	23	3	120	6	6	11	7	15	20	28	15	12	-		
	F	659	11	47	57	126	134	132	86	60	6	-	92	1	3	10	20	20	16	12	8	2	-		
	M	10	1	-	-	-	-	2	2	2	2	1	5	-	-	-	-	-	2	-	1	2	-		
	F	11	1	-	1	-	-	1	3	4	1	-	1	1	-	-	-	-	-	-	-	-	-		
Diseases of male genital organs (610-617)	(a) M	3025	355	277	131	138	158	285	557	739	366	19	1001	91	51	38	18	45	77	181	314	185	1		
	(b) M	103	-	-	-	-	1	-	4	42	56	-	107	-	-	-	-	-	1	8	50	48	-		
Hyperplasia of prostate (610)	(a) M	1514	-	-	2	2	8	80	405	660	347	10	608	-	-	-	1	1	25	131	280	169	1		
	(b) M	99	-	-	-	-	-	-	4	41	54	-	105	-	-	-	-	-	1	8	48	48	-		
Hydrocele (613)	(a) M	424	81	28	37	27	52	90	81	23	3	2	125	23	5	9	5	20	19	31	9	4	-		
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Redundant prepuce and phimosis (615)	(a) M	616	227	213	50	47	32	19	12	11	4	1	136	58	34	15	5	6	5	4	4	5	-		
	(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Other diseases of male genital organs (611; 612; 614; 616; 617)	(a) M	4/1	47	36	42	62	66	96	59	45	12	6	132	10	12	14	7	18	28	15	21	7	-
	(b) M	4	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	2	-	-
Diseases of breast (620; 621)	(a) F	61	2	1	12	9	5	15	9	5	3	-	4	-	1	2	41	1	1	1	-	-	-
	(b) F	914	8	2	83	168	322	276	30	19	3	3	176	-	1	41	41	30	3	3	3	2	-
Chronic cystic and other diseases of breast (620; 621.1; 621.2)	(a) F	53	1	1	10	8	5	13	8	5	2	-	2	-	-	1	-	-	1	1	-	-	-
	(b) F	648	2	-	28	68	267	242	25	12	2	2	81	-	-	10	4	25	2	2	2	1	-
Acute mastitis not associated with lactation (621.0)	(a) F	8	1	-	2	1	-	2	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-
	(b) F	266	6	2	55	100	55	34	5	7	1	1	95	-	1	31	37	5	1	1	1	1	-
Diseases of ovary, Fallopian tube and parametrium (622-637)	(a) F	15901	16	86	1455	3713	4479	3732	1547	723	116	34	2877	12	20	343	753	604	206	103	19	1	-
	(b) F	27	-	-	-	-	4	10	3	6	4	-	6	-	-	-	-	2	-	-	2	1	-
Salpingitis and oophoritis, diseases of parametrium, and pelvic peritoneum (622-624; 626)	(a) F	652	8	9	148	231	171	56	19	4	1	5	200	1	4	56	73	50	3	1	-	-	-
	(b) F	6	-	-	-	-	1	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Cervicitis (630.0)	(a) F	1601	1	2	159	597	583	204	32	17	2	4	369	1	-	52	166	105	8	1	1	-	-
	(b) F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vaginitis and vulvitis (inc. trichomonal vaginitis) (630.2 part)	(a) F	349	3	13	31	58	59	68	78	31	6	2	41	2	5	6	4	2	7	7	5	3	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterovaginal prolapse (631)	(a) F	3981	-	1	9	238	950	1302	931	476	68	6	657	-	1	1	48	169	130	71	10	-	-
	(b) F	14	-	-	-	-	1	4	2	5	2	-	2	-	-	-	-	-	-	-	1	1	-
Malposition of uterus (632)	(a) F	520	-	1	63	310	124	19	1	-	-	2	103	-	-	12	56	29	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysmenorrhoea (634 part)	(a) F	752	-	5	255	254	118	19	-	-	-	1	118	-	1	70	30	13	-	-	-	1	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by sex and age; (a) all discharges including deaths (b) deaths only.																					
	Teaching Hospitals											Hospitals under Regional Boards										
	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of ovary, Fallopian tube and parametrium - continued																						
Bleeding specified as (a) F post-menopausal (634 part)	674	-	-	-	3	21	286	242	103	19	-	75	-	-	-	-	3	31	30	10	1	-
(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysfunctional bleeding (a) F and other disorders of menstruation (634 rmdr.)	3950	-	25	312	874	1590	1065	62	12	4	6	733	-	5	57	151	309	198	9	4	-	-
(b) F	3	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
Sterility, female (636)	915	-	-	107	621	184	2	1	-	-	-	137	-	-	18	98	20	-	-	1	-	-
(b) F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Cysts of ovary not classifiable to 235 (625 part)	91	-	1	32	37	16	4	-	1	-	-	31	-	-	8	15	7	1	-	-	-	-
(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of female genital organs (Others in 622-637)	2416	4	29	239	490	663	707	181	79	16	8	413	8	4	63	112	109	84	19	10	4	-
(b) F	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

XII. DISEASES OF THE SKIN AND CELLULAR TISSUE

Infections of skin and subcutaneous tissue (690-698)	M	917	177	160	122	108	117	95	79	34	18	305	63	57	34	28	41	34	32	7	8	1
(a) F	F	806	147	91	183	84	97	70	69	44	10	278	63	54	38	29	25	24	21	13	8	3
(b) M	M	3	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-
(b) F	F	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-

Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	(a) M	784	160	142	100	88	100	83	61	27	16	7	253	54	46	26	21	34	31	26	6	8	1
		663	131	74	156	62	75	56	57	34	7	11	229	50	39	33	24	24	19	18	11	8	3
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	(a) M	133	17	18	22	20	17	12	18	7	2	-	52	9	11	8	7	7	3	6	1	-	-
		143	16	17	27	22	22	14	12	10	3	-	49	13	15	5	5	1	5	3	2	-	-
Other diseases of skin and subcutaneous tissue (700-716)	(a) M	1487	161	123	197	208	214	231	193	118	34	8	371	42	36	47	33	46	56	47	36	27	1
		1617	109	163	250	210	206	266	218	136	50	9	361	24	28	50	32	44	74	47	42	18	2
Eczema and dermatitis (700-703)	(a) M	572	124	29	38	67	83	98	81	38	12	2	225	34	14	17	18	32	33	34	27	15	1
		377	62	25	40	34	46	67	52	36	13	2	146	18	14	21	6	16	31	21	16	3	-
Psoriasis (706.0)	(a) M	138	1	12	14	28	19	30	20	9	4	1	16	-	4	-	1	2	4	4	1	-	-
		161	2	35	34	31	8	20	20	8	3	-	17	-	3	3	3	1	2	1	2	1	1
Pemphigus; erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis (704; 705.1; 705.4; 710.0)	(a) M	75	3	6	6	8	14	9	14	10	5	-	13	1	3	1	-	2	3	-	1	2	-
		177	10	13	9	32	22	28	32	17	12	2	25	1	3	2	3	2	9	2	2	1	-
Chronic ulcer of skin (715)	(a) M	120	4	-	12	14	24	30	15	18	2	1	22	1	1	-	4	1	5	2	3	5	-
		93	3	3	5	5	16	25	13	15	7	1	37	1	-	-	-	1	9	6	15	5	-
All other diseases of skin and subcutaneous tissue (Others in 700-716)	(a) M	582	29	76	127	91	74	64	63	43	11	4	95	6	14	29	10	9	11	7	4	5	-
		809	32	87	162	108	114	126	101	60	15	4	136	4	8	24	20	24	23	17	7	8	1
	(b) M	5	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	1	-	-	1	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																				
		Teaching Hospitals										Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																						
Diseases of tendon, fascia and muscle (740-744)	(a) M	585	36	71	45	93	93	113	90	33	6	105	10	19	8	6	17	27	13	4	1	-
	(b) F	744	27	68	126	133	119	143	92	28	4	100	7	10	19	16	17	10	13	5	2	1
Myasthenia gravis and inborn defect of muscle (744.0; 744.1)	(a) M	56	12	15	8	1	11	3	4	1	1	2	-	1	-	-	-	-	1	-	-	-
	(b) F	105	5	8	17	20	19	20	7	8	-	1	-	-	-	-	-	-	-	-	1	-
Synovitis, bursitis and tenosynovitis (741; 742)	(a) M	335	21	48	28	68	58	53	36	18	1	74	10	16	4	5	11	17	9	1	1	-
	(b) F	522	20	52	101	90	81	93	67	13	2	84	6	10	17	15	13	9	10	2	1	1
Other diseases of tendon, fascia and muscle (740; 743; 744.2)	(a) M	194	3	8	9	24	24	57	50	14	4	29	-	2	4	1	6	10	3	3	-	-
	(b) F	117	2	8	8	23	19	30	18	7	2	15	1	-	2	1	4	1	3	3	-	-
Arthritis and rheumatism, except rheumatic fever (720-727)	(a) M	1119	50	109	66	111	203	232	225	99	17	307	5	49	20	26	43	56	63	22	23	-
	(b) F	1489	47	107	77	119	234	360	324	167	42	423	4	35	34	27	57	80	87	70	29	-
Rheumatoid arthritis and allied conditions (722)	(a) M	385	9	13	25	47	95	96	69	26	3	112	-	1	7	10	24	30	27	6	7	-
	(b) F	622	16	27	35	71	119	172	117	53	7	221	2	2	12	17	30	54	59	33	12	-
Osteo-arthritis (arthrosis) and allied conditions (723)	(a) M	367	-	4	7	23	53	81	123	62	12	54	-	-	1	3	4	10	19	9	8	-
	(b) F	519	1	4	-	11	65	136	175	92	33	81	-	-	-	-	5	16	17	30	13	-
	(b) F	5	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	1	1	-

Arthritis, other and unspecified (720; 721; 724; 725)	M (a) (b) F	177 143 1	28 18	34 19	11 15	21 13	26 15	30 26	20 19	4 15	2 1	1 2	42 19 3 1	1 1 1	9 6	4 1 1	4 1 1	101 86 1	76 85	47 39 2 1	16 23	3 3 2	3 1 1	- - -
Torticollis N.E.C. (726.2)	M (a) F (b)	40 46	8 8	17 24	3 6	5	4 2	3 2	- 3	1 1	- -	- -	9 6	3 1	5 5	1 -	1 -	2 6	5 -	1 -	- 1	- -	- -	- -
Acute and subacute rheumatism (727A; 727B)	M (a) F (b) M	70 56 2 1	3 2	35 27	12 13 1 1	6 4	5 6	4 2	2 -	3 1	- -	2 -	49 32	1 -	26 15	7 9	6 1	2 6	5 -	1 -	- 1	- -	- -	- -
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (rmdr. 726-727)	M (a) F (b) M	80 103	2 2	6 6	8 8	9 20	20 27	18 22	11 10	4 6	- 1	2 1	41 64	- -	8 7	1 12	2 8	12 15	3 7	7 9	4 3	- -	- -	- -
Diseases of bones and joints; musculoskeletal deformities (730-738; 745-749)	M (a) F (b) M	3207 2871 9 9	352 169 1	452 404	474 391	603 395 3 2	609 539	418 491 3 3	211 319 1 2	62 133 2	11 19 1	15 11	567 426 3 2	34 17	80 53	114 67	93 47	101 86	76 85	47 39 2 1	16 23	6 8 1	- -	- -
Osteomyelitis and periostitis (730)	M (a) F (b) M	502 233 4 2	60 34	132 71	68 34	69 28 3 1	76 28	50 10	23 12	15 9	2 5	7 2	111 55 1 1	11 9	35 17	22 14	10 4	7 3	8 3	9 1 1 1	8 3	1 1	- -	- -
Osteochondrosis and other diseases of bone (731-733)	M (a) F (b) M	272 242 2 2	34 11 1	56 50	46 31	35 26	24 41	23 27	35 37	16 14 2	3 5	- -	40 28 1	3 -	11 3	3 4	3 3	2 -	2 2	8 4	3 6	5 6 1	- -	- -
Internal derangement of knee joint (734)	M (a) F (b) M	712 128 1	- -	13 7	162 39	263 36 1	172 28	80 13	19 2	1 2	1 -	1 1	174 39	- -	3 5	54 15	49 7	45 6	16 4	6 2	1 -	- -	- -	- -
Loose bodies in knee joint (738 part)	M (a) F (b) M	77 38	- -	5 3	21 9	22 7	11 3	13 9	3 6	- -	2 1	- -	16 7	- -	1 -	5 1	4 1	1 2	4 2	1 -	- -	1 1	- -	- -
Displacement of intervertebral disc (735)	M (a) F (b) M	597 437 2 3	- -	- 1	34 43	106 103	220 163	147 93 2 3	70 22	15 8	- -	5 4	74 63	- -	1 -	3 9	17 8	25 24	22 18	4 4	2 -	- -	- -	- -

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals											Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Diseases of bones and joints; musculoskeletal deformities - continued																							
Hallux valgus and varus (747)	M	86	4	4	6	10	17	29	12	2	2	-	14	-	1	1	1	2	3	4	2	-	-
	F	767	2	29	61	93	161	209	152	56	3	1	120	-	3	6	9	30	39	22	10	1	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clubfoot (748)	M	422	201	144	40	15	13	7	-	2	-	-	43	10	16	10	1	4	1	1	-	-	-
	F	276	80	109	37	14	16	13	4	3	-	-	22	1	11	5	1	2	1	1	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other diseases of joint and musculoskeletal deformities (736-738 rmdr.; 745; 746; 749)	M	539	53	98	97	83	76	69	49	11	1	2	95	10	12	16	8	15	20	14	-	-	-
	F	750	42	134	137	88	99	117	84	41	5	3	92	7	14	13	14	19	16	5	4	-	-
	M	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(IV. CONGENITAL MALFORMATIONS)																							
Congenital Malformations (750-759)	M	3255	1524	1071	247	158	123	71	35	18	1	7	281	138	74	21	10	17	13	3	2	1	2
	F	2523	1134	612	242	200	147	99	51	30	2	6	207	84	24	29	22	25	13	4	4	1	-
	M	122	93	7	4	3	5	4	2	2	-	2	24	16	2	-	-	1	2	1	-	-	-
	F	72	57	5	1	2	3	2	-	1	-	1	16	9	-	-	2	2	2	-	-	-	-
Congenital malformations of nervous system and sense organs (750-753)	M	286	159	74	15	14	13	6	-	4	-	1	18	10	2	3	1	-	-	-	1	-	-
	F	279	151	76	15	12	7	11	2	3	-	2	26	16	3	2	-	3	1	-	1	-	-
	M	20	19	-	-	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-
Congenital malformations of heart (754.0-754.4)	M	396	135	170	50	17	18	4	1	-	-	1	17	10	5	1	-	-	-	1	-	-	-
	F	484	149	209	48	40	23	11	2	2	-	-	31	8	13	5	4	1	-	-	-	-	-
	M	44	35	2	3	-	3	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-	-
	F	28	21	5	1	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-

[illegible]

XV. CERTAIN DISEASES OF EARLY INFANCY

[illegible]

TABLE 4 - continued

Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																								
Principal Diagnosis on Discharge and International Statistical Classification Number			Teaching Hospitals										Hospitals under Regional Boards											
			All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Certain diseases of early infancy - continued																								
Nutritional maladjustment (772)	M	196	196	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
	F	134	129	-	-	-	-	-	-	-	-	5	52	51	-	-	-	-	-	-	-	-	-	1
(b) F	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Post natal atelectasis and asphyxia; birth injuries (760-762)	M	73	65	8	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
	F	51	39	8	1	1	1	-	-	-	-	1	13	10	1	-	1	-	-	-	-	-	-	-
(b) F	M	16	16	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
	F	18	17	-	-	-	-	-	-	-	-	1	5	5	-	-	-	-	-	-	-	-	-	-
Immaturity, conditions attributed to maternal toxæmia; ill-defined diseases (769; 773-776)	M	72	71	-	-	-	-	-	-	-	-	1	37	36	-	-	-	-	-	-	-	-	-	1
	F	46	45	-	1	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
(b) F	M	14	14	-	-	-	-	-	-	-	-	-	9	8	-	-	-	-	-	-	-	-	-	1
	F	8	8	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

XVI. SYMPTOMS SENILITY AND ILL-DEFINED CONDITIONS

Senility without mention of psychosis (794)	M	30	556	682	334	488	623	689	568	408	150	54	105	-	-	-	-	-	-	1	1	1	1	25	79
	F	28	393	608	577	608	738	739	494	331	123	45	187	-	-	-	-	-	-	3	43	12	29	140	-
	M	10	2	-	2	2	7	10	10	25	17	1	54	-	-	-	-	-	-	1	1	1	1	43	-
	F	12	2	-	-	3	5	9	8	18	7	2	125	-	-	-	-	-	-	2	29	93	-	-	-
Symptoms, and ill- defined conditions (780-792; 795)	M	4552	556	682	334	488	623	689	568	408	150	54	1090	112	144	109	110	144	153	145	104	66	3	-	
	F	4656	393	608	577	608	738	739	494	331	123	45	1176	94	117	182	166	149	138	150	111	67	2	-	
	M	76	2	-	2	2	7	10	10	25	17	1	49	2	-	-	-	3	-	6	16	22	-	-	
	F	54	2	-	-	3	5	9	8	18	7	2	38	-	1	-	-	-	1	5	12	19	-	-	
Convulsions; Jacksonian epilepsy (780.2; 780.3)	M	150	91	26	3	8	7	9	5	-	-	1	19	13	2	-	-	-	-	3	1	-	-	-	
	F	124	81	10	9	7	7	5	3	1	-	1	31	24	3	-	1	1	2	-	-	-	-	-	
	M	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals											Hospitals under Regional Boards										
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.
Symptoms, and ill-defined conditions - continued		36	-	-	3	5	4	6	4	8	6	-	12	-	-	-	-	1	-	4	2	5	-
			(a) M	1	-	1	1	1	3	6	7	2	1	-	10	-	-	-	-	-	3	3	4
Uraemia unqualified (792)		13	-	-	2	-	2	2	2	3	5	-	8	-	-	-	-	1	-	1	2	4	-
			(b) M	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	2	3	2	-
Other symptoms and ill-defined conditions (780-792 rmdr.; 795)		1558	176	281	121	166	222	239	194	106	29	24	254	23	35	22	28	40	50	34	17	3	2
			(a) M	135	242	171	194	307	336	194	116	26	12	300	17	27	56	36	47	36	40	23	18
Observation, without need for further medical care (793)		20	2	-	-	1	2	4	1	7	3	-	1	-	-	-	-	-	-	-	-	1	-
			(b) M	17	1	-	1	5	5	2	4	1	1	5	-	1	-	-	-	-	-	1	3
XVII. INJURIES		923	87	86	77	144	141	171	124	67	16	10	188	17	22	16	19	24	33	29	18	9	1
			(a) M	51	73	142	201	216	217	143	74	11	13	228	21	12	20	31	39	43	30	23	8
Fractures of skull and injuries to head		1141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			(b) M	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-
Fracture of face bones (802)		2847	214	482	535	443	385	291	208	123	70	96	739	71	149	168	85	94	70	47	28	18	9
			(a) M	154	168	161	87	93	117	85	101	74	33	296	38	48	52	22	28	28	29	25	25
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)		122	5	8	10	14	16	10	17	15	9	18	48	-	3	3	8	6	5	9	7	7	-
			(b) M	2	4	4	4	2	5	6	11	12	4	18	1	2	2	2	-	3	1	2	5
Fracture of face bones (802)		482	8	40	117	108	103	58	34	9	2	3	73	2	9	23	10	19	5	4	-	-	1
			(a) M	5	9	37	16	18	16	5	4	3	1	22	1	2	5	3	4	1	3	2	1
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)		114	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
			(b) M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)		742	76	119	111	90	86	76	64	34	28	58	192	26	32	37	20	23	14	21	11	5	3
			(a) M	41	45	25	15	19	25	17	20	14	18	64	9	9	12	6	2	7	8	7	4
Other fractures of skull; intracranial injuries (800; 801; 803; 804; 853-855)		239	5	8	10	12	14	9	17	11	5	16	41	-	3	3	8	5	4	8	6	4	-
			(b) M	2	4	3	3	2	5	5	7	8	3	16	1	1	2	2	-	3	1	2	4

Wounds of head: head injury unqualified (850; 851; 856; 904; 905)	(a)	M	565	64	126	77	78	71	45	45	45	28	30	20	9	133	13	32	20	16	15	18	6	5	7	1
	(b)	F	301	52	44	28	22	21	36	36	28	1	33	27	10	65	10	9	6	5	6	5	6	8	10	-
Concussion. unqualified (852)	(a)	M	1058	66	197	230	167	125	112	112	65	50	50	20	26	341	30	76	88	39	37	33	16	12	6	4
	(b)	F	419	56	70	71	34	35	40	40	35	44	44	30	4	145	18	28	29	8	16	15	12	8	10	1
Fractures of trunk; fractures of two or more limbs; internal injuries	(a)	M	815	16	56	109	136	154	117	117	112	64	64	28	23	165	6	13	19	16	27	23	23	17	20	1
	(b)	F	246	8	20	18	39	23	33	33	32	40	40	29	10	86	5	4	5	6	11	8	8	26	13	-
Fracture of trunk; dislocation of spinal column; injury to spinal cord (805; 806; 958)	(a)	M	207	2	4	30	50	43	29	29	33	11	11	3	2	32	2	-	4	5	7	1	9	1	2	1
	(b)	F	54	-	5	7	7	8	5	5	3	12	12	4	3	25	1	-	-	2	8	2	1	7	4	-
Fracture of ribs and sternum; injury to intrathoracic organs (807; 860-862)	(a)	M	217	1	6	17	23	50	44	44	39	21	21	11	5	54	1	3	5	3	10	12	4	11	5	-
	(b)	F	49	-	1	4	4	5	11	11	9	8	8	5	2	27	1	1	2	2	2	3	2	8	6	-
Fracture of pelvis; injury to pelvic organs (808; 867)	(a)	M	113	7	17	16	19	12	13	13	10	11	11	6	2	28	1	4	1	3	5	1	4	4	5	-
	(b)	F	41	1	1	2	8	3	7	7	6	4	4	8	1	10	1	-	1	1	-	1	1	4	1	-
Multiple fractures of trunk or two or more limbs, multiple or unspec. internal injury (809; 819; 828; 868; 869)	(a)	M	195	4	11	20	36	41	29	29	21	17	17	8	8	33	1	2	7	2	3	3	6	1	8	-
	(b)	F	87	6	7	2	13	7	9	9	12	16	16	12	3	23	2	2	2	1	1	2	4	7	2	-
Injury to intra- abdominal organs (863-866)	(a)	M	83	2	18	26	8	8	2	2	9	4	4	-	6	18	1	4	2	3	2	6	-	-	-	-
	(b)	F	15	1	6	3	1	-	1	1	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-

TABLE 4 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																					
		Teaching Hospitals										Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	M.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	M.S.
Other fractures, dislocations and sprains (excl. fractures of hand)	M	2510	142	374	369	393	400	326	223	151	87	45	531	32	123	78	62	66	43	47	41	39	-
	(a) F	1758	70	160	104	99	134	232	305	243	272	39	459	10	48	29	11	40	46	62	98	113	2
Fractures of thigh (820; 821)	M	28	-	-	-	-	-	1	3	2	22	-	12	-	-	-	-	-	-	1	2	9	-
	(b) F	69	-	-	-	-	-	1	7	12	46	3	48	-	-	-	-	-	-	1	14	32	1
Fractures of leg (823; 824)	M	452	63	57	37	27	45	43	59	61	53	7	123	17	16	6	6	12	12	12	16	26	-
	(a) F	656	24	17	10	4	5	37	122	206	214	17	188	5	9	-	1	4	8	14	56	91	-
Dislocations and sprains of knee (836; 844)	M	16	-	-	-	-	-	1	1	1	13	-	11	-	-	-	-	-	-	-	2	9	-
	(b) F	65	-	-	-	-	-	1	5	11	45	3	42	-	-	-	-	-	-	-	12	30	-
Other fractures, dislocations and sprains (excl. fractures of hand) (810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)	M	732	24	57	123	150	137	96	72	39	15	19	158	7	23	33	32	14	18	11	13	7	-
	(a) F	370	12	23	26	24	47	77	76	61	17	7	113	1	11	9	1	18	13	28	21	10	1
Burns, scalds	M	5	-	-	-	-	-	-	1	-	4	-	4	-	-	-	-	-	-	1	2	1	-
	(b) F	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Burns confined to eye (940)	M	152	1	3	34	42	49	14	2	4	1	2	16	-	2	7	3	2	1	-	1	-	-
	(a) F	28	-	3	10	3	5	1	4	2	-	-	5	-	2	2	-	-	-	1	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1174	54	257	175	174	169	173	90	47	18	17	234	8	82	32	21	38	12	24	11	6	-
	(a) F	704	34	117	58	68	77	117	103	74	41	15	153	4	26	18	9	18	25	19	21	12	1
	M	7	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	1	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
	M	613	171	87	75	86	81	54	36	7	3	13	148	61	33	17	15	5	8	3	3	2	1
	(a) F	356	141	66	29	24	20	18	21	13	20	4	106	41	15	5	8	7	12	7	3	8	-
	M	11	6	1	-	-	1	1	-	1	1	-	4	-	-	-	-	-	-	1	2	2	1
	(b) F	15	4	-	-	-	-	1	-	2	8	-	11	2	-	1	-	-	2	2	-	2	-
	M	198	5	21	34	54	40	28	14	1	-	1	8	1	2	3	2	-	-	-	-	-	-
	(a) F	20	6	3	1	2	5	1	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Burns involving face, head or neck with or without other parts (941; 946; 948)	(a)	152	57	18	17	15	20	10	14	2	7	1	54	16	13	8	7	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
--	-----	-----	----	----	----	----	----	----	----	---	---	---	----	----	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

TABLE 4 - continued

Distribution by sex and age: (a) all discharges including deaths (b) deaths only.																								
Principal Diagnosis on Discharge and International Statistical Classification Number		Teaching Hospitals											Hospitals under Regional Boards											
		All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	All Ages	0-	5-	15-	25-	35-	45-	55-	65-	75 and over	N.S.	
Other injuries and effects of external causes - continued																								
Effects of poisons (960-979)	M	270	55	13	27	45	26	34	23	16	5	26	104	26	6	9	15	13	14	6	7	4	4	
	(a) F	302	43	5	35	58	45	37	22	19	17	21	160	17	2	20	19	31	30	18	12	11	-	
	M	25	1	1	-	3	-	7	8	4	-	1	10	2	1	1	-	1	2	-	2	1	-	
	(b) F	16	1	-	-	3	1	1	1	1	2	4	3	7	-	1	-	-	2	1	1	2	-	
Misadventures and complications of medical and surgical procedures (997-999)	M	371	23	28	36	43	56	90	51	30	10	4	71	7	9	5	10	15	10	8	3	4	-	
	(a) F	310	7	12	35	46	56	74	50	18	6	6	60	3	5	11	7	11	11	7	3	1	1	
	M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 rmdr.)	M	252	26	38	35	37	30	31	27	19	5	4	68	12	10	6	8	9	8	8	5	2	-	
	(a) F	179	26	20	15	15	30	28	22	11	10	2	39	11	4	2	2	4	5	4	5	2	-	
	M	3	-	-	1	-	-	-	-	-	1	1	-	3	-	-	-	-	1	1	1	-	-	
	(b) F	9	-	-	1	1	1	1	2	-	1	2	1	1	-	-	-	-	-	1	-	-	-	

TABLE 5 - All discharges other than maternity conditions: distribution by in-patient days for diagnostic groups and selected diagnoses - 1951.

All discharges other than those assigned to Section XI of the International Classification:* classified in broad disease or injury groupings distinguishing the commoner diseases and injuries: distribution by in-patient days (a) for all discharges (b) for those among them stated to have died in hospital.

Teaching hospitals (London and Provincial combined) and Hospitals under Regional Boards shown separately.

NOTE: The diseases shown in this table comprise selection and amalgamation of titles from a larger table which details the same information for each fourth-digit rubric in the International Statistical Classification. Figures for any particular rubric can be supplied on request, or arrangements can be made for the full table to be studied at the General Register Office.

* Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision, 1948.

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only										
	Total Discharges	1-	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Teaching Hospitals											
All discharges, excluding (a)	231,716	13,407	25,798	45,644	33,173	23,587	34,758	18,648	22,295	9,973	4,433
deliveries, complications (b)	7,777	1,469	839	1,161	805	526	754	501	849	516	357
of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions											
Diseases, excluding (a)	215,707	11,138	22,781	42,132	31,349	22,521	33,277	17,856	21,272	9,315	4,066
deliveries and complica- (b)	7,366	1,308	772	1,107	777	504	730	491	833	500	344
tions of pregnancy, child- birth and the puerperium											
Injuries and other effects (a)	16,009	2,269	3,017	3,512	1,824	1,066	1,481	792	1,023	658	367
of external causes (b)	411	161	67	54	28	22	24	10	16	16	13

All discharges, excluding deliveries, complications of pregnancy, childbirth and the puerperium, and conditions classified by I.S.C. as special admissions	(a)	56,148	2,842	7,175	8,790	8,158	5,369	8,096	4,532	5,743	2,903	2,540
	(b)	4,830	856	499	668	468	273	428	271	427	334	606
Diseases, excluding deliveries and complications of pregnancy, childbirth and the puerperium	(a)	52,268	2,390	6,505	7,855	7,641	5,135	7,751	4,358	5,507	2,716	2,410
	(b)	4,643	791	471	648	451	264	418	264	416	322	598
Injuries and other effects of external causes	(a)	3,880	452	670	935	517	234	345	174	236	187	130
	(b)	187	65	28	20	17	9	10	7	11	12	8

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
	Teaching Hospitals											Hospitals under Regional Boards											
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
F. INFECTIVE AND PARASITIC DISEASES	(a)																						
Tuberculosis of respiratory system (001-008)	(a)	1902	34	82	171	159	99	216	144	329	313	355	1962	29	51	84	77	72	109	97	255	364	824
	(b)	73	10	6	11	16	3	10	3	7	2	5	136	9	10	14	8	7	10	7	13	11	47
Primary tuberculosis complex; tracheo-bronchial glandular tuberculosis (004-005)	(a)	227	1	6	14	19	3	24	11	46	36	67	77	1	1	1	3	1	5	8	12	9	36
	(b)	4	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Pleurisy specified as tuberculous (003.0)	(a)	112	-	1	4	5	6	21	5	32	20	18	63	-	-	1	2	2	3	5	21	19	10
	(b)	2	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Pleurisy with effusion without mention of cause (003.1)	(a)	220	3	3	20	16	12	30	29	50	38	19	102	-	1	5	6	6	13	9	25	29	8
	(b)	4	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Pulmonary tuberculosis; other tuberculosis of respiratory system (001,002,006-008)	(a)	1343	30	72	133	119	78	141	99	201	219	251	1720	28	49	77	66	63	88	75	197	307	770
	(b)	63	9	6	10	14	3	6	3	7	2	3	134	9	10	14	8	7	9	7	13	11	46
Tuberculosis, other forms (010-019)	(a)	2558	103	141	385	328	215	323	192	300	247	324	450	16	19	58	40	31	57	35	62	49	83
	(b)	103	4	11	10	8	8	16	1	14	15	16	46	-	2	9	3	1	1	4	7	12	7
Tuberculosis of meninges and central nervous system (010)	(a)	274	35	31	23	18	9	16	6	19	29	88	70	7	7	12	4	1	2	2	6	6	23
	(b)	68	1	9	4	6	3	11	1	8	12	13	27	-	1	7	3	1	-	1	5	5	4
Tuberculosis of bones and joints (inc. late effects)	(a)	730	16	30	108	56	47	71	61	90	89	162	119	1	2	9	9	7	8	8	16	21	38
	(b)	7	1	1	-	-	1	-	-	2	1	1	6	-	-	-	-	-	-	1	1	3	1

Tuberculosis of skin and subcutaneous cellular tissue (014)	(a)	154	4	9	26	21	18	23	14	18	16	5	19	1	-	3	4	1	2	3	1	2	2	1
Tuberculosis of lymphatic system (015)	(a)	679	24	34	140	161	89	98	36	52	29	16	92	1	6	20	17	8	17	5	12	5	1	-
Tuberculosis of genito-urinary system (016)	(b)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Tuberculosis of genito-urinary system (016)	(a)	444	19	28	66	43	27	77	53	77	45	9	93	4	2	10	5	10	23	11	14	7	7	-
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	(b)	14	1	1	4	1	1	3	-	3	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Tuberculosis, other organs (inc. intestines and mesenteric glands) (011; 017,018)	(a)	233	5	8	17	28	24	35	22	41	32	21	44	-	1	4	1	4	4	5	11	5	9	1
Disseminated tuberculosis (019)	(b)	4	1	-	1	-	2	-	-	-	-	-	6	-	-	1	-	-	-	1	1	2	1	-
Disseminated tuberculosis (019)	(a)	44	-	1	5	1	1	3	-	3	7	23	13	2	1	-	-	-	1	1	2	3	3	-
Syphilis and Gonococcal infection (020-029; 030-035)	(b)	10	-	-	1	1	1	2	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae (020-029)	(a)	783	35	57	104	120	73	143	76	120	41	19	120	12	5	8	10	11	12	13	25	20	4	2
Syphilis and its sequelae (020-029)	(b)	35	6	2	4	4	3	4	5	4	1	2	19	4	1	1	2	-	3	1	3	2	2	-
Gonorrhea and its sequelae (030-035)	(a)	745	33	53	95	116	71	134	72	114	38	19	111	11	5	8	9	9	12	11	22	20	4	2
Gonorrhea and its sequelae (030-035)	(b)	35	6	2	4	4	3	4	5	4	1	2	19	4	1	1	2	-	3	1	3	2	2	-
Infectious diseases commonly arising in intestinal tract (040-049)	(a)	43	2	4	9	4	2	9	4	6	3	-	9	1	-	-	1	2	-	2	3	-	-	-
Infectious diseases commonly arising in intestinal tract (040-049)	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms (045-048)	(a)	322	22	40	51	45	36	43	34	44	7	-	406	12	23	38	17	25	76	52	77	76	10	-
Dysentery, all forms (045-048)	(b)	2	1	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-	-
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(a)	242	12	25	42	39	27	37	26	31	3	-	256	8	17	20	10	18	63	41	39	37	3	-
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(b)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(a)	48	4	11	4	4	4	2	6	10	3	-	144	2	6	18	5	6	13	10	38	39	7	-
Typhoid and para-typhoid fever; other salmonella infections (040-042)	(b)	1	-	1	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-	-

TABLE 5 - continued

Distribution by in-patient days (a) all discharges including deaths (b) deaths only																							
Principal Diagnosis on Discharge and International Statistical Classification Number		Teaching Hospitals										Hospitals under Regional Boards											
		Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Infectious diseases commonly arising in intestinal tract continued																							
(a) Other infectious diseases arising in intestinal tract (043.044; 049)		32	6	4	5	2	5	4	2	3	1	-	6	2	-	-	2	1	-	1	-	-	-
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infective and parasitic diseases (036-039; 050-138)		2712 53	142 20	173 11	480 10	473 3	278 -	410 -	232 1	288 3	142 5	94 -	2052 27	34 11	36 3	196 5	346 4	374 -	456 1	199 -	241 -	106 1	64 2
(a) Scarlet fever (050)		51	4	2	5	22	13	3	1	1	-	-	452	3	-	7	27	192	147	40	33	3	-
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Streptococcal sore throat (051)		34	1	4	15	8	2	2	2	-	-	-	32	-	1	17	10	2	2	-	-	-	
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Diphtheria (055)		7	-	1	1	-	-	1	1	1	2	-	30	-	-	3	-	2	2	4	12	7	-
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Whooping cough (056)		114 5	14 3	9 1	17 -	16 1	16 -	21 -	5 -	14 -	2 -	-	247 7	5 2	7 -	11 2	19 1	16 -	37 -	30 -	71 -	40 1	
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Meningococcal infections (057)		134 13	19 10	2 2	6 -	18 -	17 -	31 -	17 -	16 1	8 -	-	80 6	5 4	1 1	-	5 1	11 -	28 -	14 -	12 -	3 1	
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Acute poliomyelitis (080)		172 5	8 1	23 2	21 1	29 1	6 -	23 -	20 -	19 -	14 -	9 -	84 2	2 -	2 1	3 1	6 -	1 -	20 -	16 -	18 -	9 7	
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Paralytic deformities and other sequelae of poliomyelitis (081)		448 1	4	15	47	36	33	79	44	77	46 1	67 -	73 -	-	2	13	4	3	8	13	7	15	
(b)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Acute infectious encephalitis (082)	108 4	3	5	20	16	12	21	12	14	5	-	98	1	-	1	8	16	39	16	12	3	2
Parkinsonism and other post-encephalitic conditions (083)	45	-	4	5	3	7	6	4	8	6	2	15	1	-	-	-	2	1	-	-	1	10
Measles (085)	138	29	9	22	44	12	16	4	2	-	-	351	5	8	38	142	58	54	17	13	8	8
Herpes zoster (088)	136	2	7	33	15	21	33	10	13	2	-	42	1	1	2	6	3	9	4	10	3	3
Mumps (089)	53	4	3	9	15	13	6	1	1	-	1	38	-	3	4	7	9	8	3	4	-	-
Infectious hepatitis (092)	201	4	11	21	34	18	44	25	28	13	3	81	-	-	4	19	9	12	16	14	5	2
Glandular fever (infectious mononucleosis) (093)	180	2	4	38	47	25	41	11	8	4	-	74	-	-	14	15	9	27	5	3	1	-
Rickettsial diseases (including typhus and Q fever) (100-108)	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (110-117)	41	1	1	15	14	4	5	-	1	-	-	8	-	-	3	-	2	2	-	1	-	-
Intestinal and other worm infestations (123-130)	204	7	22	61	44	13	14	23	15	4	1	36	-	1	12	9	2	7	2	2	1	-
Fungus infections (131-134)	163	13	15	42	30	18	6	7	21	7	4	32	2	1	11	5	2	5	1	1	3	1
Remaining infective and parasitic diseases (036-039; others in 050-138)	481	26	36	102	82	48	57	45	49	29	7	279	9	9	53	64	35	48	23	22	12	4
	18	4	4	5	1	-	-	-	2	2	-	5	2	1	2	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
		Teaching Hospitals												Hospitals under Regional Boards										
		Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
II. NEOPLASMS																								
(a)	(b)																							
Malignant neoplasms (140-205)	(a)	19637	497	986	2032	1927	1761	3354	2540	4131	1937	472	2871	125	182	262	267	227	499	364	539	280	126	
	(b)	2543	157	166	338	307	221	317	228	419	251	139	845	58	60	96	85	69	105	82	139	85	66	
Malignant neoplasm of buccal cavity and pharynx (140-148)	(a)	1300	24	86	159	204	124	177	112	240	144	30	100	2	8	18	18	12	11	10	13	3	5	
	(b)	73	2	7	8	11	8	7	3	9	10	8	21	1	1	3	3	1	2	3	1	3	3	
Malignant neoplasm of stomach (151)	(a)	1250	33	45	104	120	85	271	219	263	86	24	271	15	15	24	23	24	39	43	59	25	4	
	(b)	289	13	15	38	46	26	50	34	37	18	12	120	10	11	14	16	12	16	13	19	9	-	
Malignant neoplasm of large intestine and rectum (153,154)	(a)	2042	55	59	154	144	102	304	282	572	302	68	439	15	21	34	25	30	48	53	95	78	40	
	(b)	359	24	24	47	51	33	53	28	57	24	18	151	6	9	21	11	16	14	15	31	15	13	
Malignant neoplasm of bronchus and lung (inc. trachea) (162,163)	(a)	1918	52	73	186	205	141	318	259	465	185	34	388	32	23	52	38	31	52	40	79	30	11	
	(b)	377	27	19	66	44	30	41	38	59	40	13	159	23	9	22	15	11	18	7	30	14	10	
Malignant neoplasm of breast (170)	(a)	2461	46	74	144	210	222	573	425	536	187	44	306	4	11	12	27	31	88	45	47	26	15	
	(b)	134	8	15	10	14	5	12	8	29	20	13	50	2	4	2	4	7	6	2	6	5	12	
Malignant neoplasm of cervix uteri (171)	(a)	1646	10	50	273	123	354	254	194	289	84	15	158	5	8	12	23	4	47	23	25	10	1	
	(b)	64	5	4	6	5	5	5	7	14	10	3	24	4	3	2	1	1	3	3	3	4	-	
Malignant neoplasm of corpus, and of other or unspecified parts of uterus (172-174)	(a)	633	8	24	82	60	56	164	101	104	26	8	87	1	5	5	4	13	21	16	15	5	2	
	(b)	29	1	1	4	2	1	3	4	7	2	4	8	1	1	2	1	-	-	1	-	1	1	

Malignant neoplasm of (a) ovary, Fallopian tube, (b) and broad ligament (175)	505	16	30	44	24	33	151	77	83	38	9	82	11	8	1	2	7	15	12	20	4	2
	53	1	4	7	3	2	7	9	10	7	3	19	2	3	1	1	-	4	3	2	1	2
Malignant neoplasm of (a) other and unspecified (b) female genital organs (176)	209	1	6	23	19	17	18	15	48	54	8	32	-	-	2	2	1	6	2	10	5	4
	13	1	2	1	1	1	-	-	3	52	2	9	-	-	1	1	-	-	-	3	1	3
Malignant neoplasm (a) of prostate (b) (177)	326	5	13	40	39	28	58	47	56	32	8	149	3	12	8	13	13	28	18	32	14	8
	39	1	3	3	6	4	4	3	3	8	4	42	-	5	4	5	5	5	4	6	5	3
Malignant neoplasm of (a) bladder and other (b) urinary organs (181)	774	18	88	102	62	50	78	92	167	95	22	165	11	25	17	16	10	22	22	25	11	6
	91	5	6	11	6	12	10	10	14	11	6	26	-	2	3	1	1	3	5	6	3	2
Malignant neoplasm of (a) skin, bone and (b) connective tissue (190,191: 196,197)	1226	27	94	119	170	149	203	107	196	121	40	105	2	2	19	20	12	15	9	14	9	3
	59	3	5	5	2	7	5	5	11	9	7	13	1	-	2	-	1	-	1	1	6	1
Malignant neoplasm of (a) brain and other parts (b) of nervous system (193)	568	22	27	61	51	32	82	57	114	92	30	29	-	-	6	4	-	6	4	7	1	1
	144	13	13	24	18	7	20	13	17	11	8	12	-	-	3	3	-	3	1	1	-	1
Hodgkin's disease (a) (b) (201)	432	10	18	37	42	29	70	59	107	54	6	54	1	2	6	4	7	9	10	11	2	2
	66	3	7	5	10	5	1	7	8	15	5	10	-	-	-	1	1	3	3	-	-	2
Leukaemia and (a) aleukaemia (b) (204)	603	31	36	90	61	50	98	63	115	54	5	58	3	7	6	9	4	7	5	8	6	3
	136	15	6	30	15	14	8	13	20	14	1	25	2	5	4	6	-	2	2	2	1	1
Lymphosarcoma and (a) other neoplasms of (b) lymphatic and haema- topoietic tissues (200: 202,203: 205)	573	30	20	48	51	34	64	80	150	67	29	43	1	1	2	5	4	7	5	6	6	6
	95	4	3	6	5	10	8	9	32	9	9	13	1	1	-	2	1	-	2	2	-	4
Malignant neoplasm of (a) all other and (b) unspecified sites (others in 140-205)	3171	109	243	366	342	255	471	351	626	316	92	405	19	34	38	34	24	78	47	73	45	13
	522	31	32	67	68	51	83	37	89	41	23	143	5	6	12	14	12	26	17	26	17	8
Benign and unspecified (a) neoplasms (b) (210-239)	11579	471	1383	2435	1345	1250	2719	922	740	228	86	1859	71	270	359	197	195	438	156	130	28	15
	165	15	12	27	27	6	22	9	23	14	10	63	8	4	11	6	5	7	5	6	6	5

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Benign and unspecified neoplasms continued																						
Benign neoplasm of respiratory system (212)	249 1	10 -	74 -	70 -	22 1	11 -	22 -	15 -	16 -	4 -	5 -	20 -	- -	4 -	8 -	- -	1 -	3 -	1 -	3 -	- -	- -
Benign and unspecified neoplasm of breast (213; 232)	434 -	19 -	68 -	158 -	100 -	43 -	34 -	7 -	3 -	2 -	- -	68 -	3 -	12 -	25 -	12 -	2 -	7 -	2 -	3 -	2 -	- -
Benign and unspecified neoplasm of ovary (216; 234)	1022 10	11 1	25 1	67 5	109 1	179 -	450 1	102 -	70 -	7 -	2 1	228 6	5 2	8 -	5 -	24 1	45 -	95 -	15 1	26 -	4 1	1 1
Uterine fibromyoma (214)	2606 14	20 -	55 2	163 3	127 5	347 1	1251 -	420 1	199 1	23 -	1 1	452 4	4 -	16 -	39 1	15 1	48 -	199 2	82 -	43 -	5 -	1 -
Uterine polyp (215 part)	983 -	9 -	86 -	609 -	127 -	54 -	68 -	14 -	16 -	- -	- -	162 -	5 -	28 -	76 -	23 -	11 -	13 -	2 -	4 -	- -	- -
Other benign and unspecified neoplasm of uterus and female genital organs (215 rmdr; 217; 233; 235)	735 2	10 -	33 -	109 1	105 -	130 -	241 1	68 -	35 -	4 -	- -	101 -	- -	7 -	12 -	24 -	18 -	24 -	8 -	8 -	- -	- -
Benign neoplasm of bladder (219 part)	915 3	125 -	346 -	239 -	60 2	24 -	40 -	36 -	30 1	12 -	3 -	207 3	20 -	86 -	47 -	8 -	8 -	14 -	10 2	11 1	2 -	1 -
Benign and unspecified neoplasm of brain and other parts of nervous system (223; 237)	914 88	31 10	48 6	119 13	123 12	86 3	128 14	76 5	174 12	89 9	40 4	95 35	5 4	8 3	15 8	9 2	12 2	17 3	6 1	8 3	6 5	9 4
Haemangioma and lymphangioma	555 6	51 1	78 1	135 -	106 -	47 2	78 1	18 -	20 -	13 1	9 -	38 2	2 1	7 1	9 -	7 -	4 -	6 -	1 -	1 -	- -	1 -

Pilonidal cyst (221)	(a) (b)	339	11	9	15	29	70	117	39	35	13	1	49	3	-	3	4	3	18	8	8	2	-
Benign and unspecified neoplasm of skin, bone and connective tissue (220; 222; 225-227; 238)	(a) (b)	1348	89	198	402	243	136	134	55	55	26	10	211	16	33	53	39	29	21	10	8	2	-
Benign and unspecified neoplasm of all other and unspecified sites (others in 210-239)	(a) (b)	1479	85	363	349	194	123	156	72	87	35	15	228	8	61	67	32	14	21	11	7	2	-
III, IV. ALLERGIC, ENDOCRINE METABOLIC AND NUTRITIONAL DISEASES; DISEASES OF BLOOD																							
Allergic disorders (240-245)	(a) (b)	1233	60	75	222	217	159	187	120	127	47	19	438	19	31	86	90	61	76	38	32	12	4
Asthma and Hay fever (240,241)	(a) (b)	1038	44	51	178	189	145	162	100	112	40	17	394	18	26	73	71	52	73	36	29	12	4
Angioneurotic oedema, urticaria, allergic eczema and other allergies (242-245)	(a) (b)	195	16	24	44	28	14	25	20	15	7	2	44	1	5	12	9	9	3	2	3	-	-
Avitaminoses, and nutri- tional deficiency states (280-286)	(a) (b)	349	5	7	24	37	19	47	50	69	50	41	57	2	4	4	4	3	15	4	6	6	9
Stearorrhoea and sprue (286.0)	(a) (b)	211	1	4	6	21	11	22	25	48	41	32	29	-	2	-	2	2	8	-	3	5	7
Avitaminosis, and other nutritional deficiency states (including malnutrition) (280-285; 286 rmdr)	(a) (b)	138	4	3	18	16	8	25	25	21	9	9	28	2	2	4	2	1	7	4	3	1	2

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
		Teaching Hospitals											Hospitals under Regional Boards										
		Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Anaemias (290-293)	(a) (b)	1484 47	87 5	96 3	178 10	151 4	110 2	279 7	212 1	266 9	81 3	22 3	314 26	15 4	6 4	25 3	14 -	13 4	40 3	48 -	104 2	25 -	24 6
Pernicious and other hyperchromic anaemias (290)	(a) (b)	461 11	12 1	7 1	28 3	36 2	34 -	111 -	78 1	110 2	32 -	13 1	117 12	2 2	1 1	6 2	1 -	5 3	15 1	20 -	47 1	12 -	8 2
Aplastic, non-regenerative and leuko-erythroblastic anaemia (292.3-292.5)	(a) (b)	211 17	43 1	31 1	37 2	19 1	10 2	18 4	15 -	21 4	13 -	4 2	23 5	5 1	2 1	1 -	1 -	2 1	2 -	3 -	3 -	3 2	
Other anaemias (inc. anaemia unspecified) (291; 292 rmdr. 293)	(a) (b)	812 19	32 3	58 1	113 5	96 1	66 -	150 3	119 -	137 3	36 3	5 -	174 9	8 1	3 2	18 1	12 -	6 -	23 2	27 -	54 1	10 -	13 2
Endocrine and metabolic diseases; other diseases of blood (250-277; 287-289; 294-299)	(a) (b)	7492 176	503 42	364 17	820 25	1100 11	822 12	1247 21	889 8	1116 18	409 14	122 8	951 79	45 19	43 9	93 7	111 6	70 3	169 7	133 1	165 4	90 11	42 12
Non-toxic goitre (250,251)	(a) (b)	1274 5	24 -	29 -	131 1	381 2	249 -	253 1	119 1	80 -	6 -	2 -	113 2	6 1	2 -	18 -	29 1	13 -	21 -	10 -	14 -	- -	- -
Thyrototoxicosis (252)	(a) (b)	2327 16	302 2	104 -	154 2	165 2	196 4	390 2	362 -	478 1	157 2	19 1	165 2	3 -	7 -	9 -	9 -	12 -	32 1	43 -	39 -	11 1	- -
Nyxoedema, cretinism and other diseases of thyroid gland (253,254)	(a) (b)	318 4	23 1	27 2	38 1	47 -	32 -	62 -	30 -	40 -	16 -	3 -	43 5	- -	3 1	1 -	4 -	3 -	3 1	9 -	11 -	6 1	3 2
Diabetes mellitus, unqualified (260 part)	(a) (b)	1164 35	32 7	46 3	141 5	193 4	113 1	253 5	149 -	161 5	61 4	15 1	313 27	13 6	10 4	33 3	42 3	22 2	64 2	41 -	54 -	20 3	14 4

Diabetes mellitus with (a) mention of complica- (b) tion (260 rmdr.)	757 61	43 21	46 4	89 8	84 -	79 5	126 4	75 4	120 7	59 4	36 4	164 27	16 10	12 4	14 2	13 -	7 -	26 2	17 -	22 1	21 4	16 4
Haemorrhagic conditions (a) (including haemophilia (b) and purpura) (295,296)	370 11	8 3	26 2	76 2	57 -	37 -	54 2	28 -	45 1	26 1	13 -	34 2	- -	1 -	5 -	2 -	3 -	9 1	4 -	- -	5 1	5 -
Remaining endocrine and (a) metabolic diseases: (b) other diseases of blood (270-277; 287-289; 294; 297-299)	1282 44	71 8	86 6	191 6	173 3	116 2	209 7	126 3	192 4	84 3	34 2	119 14	7 2	8 -	13 2	12 2	10 1	14 -	9 1	25 3	17 1	4 2
V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																						
Psychoses and Psycho- (a) neuroses (b) (300-318)	4695 57	151 2	210 7	603 18	691 8	596 7	749 5	307 1	433 2	434 3	521 4	557 12	28 2	45 -	68 1	68 3	47 -	69 1	91 2	109 -	30 1	12 2
Psychoses (a) (300-309)	2385 53	73 2	79 7	270 17	354 7	357 7	384 4	122 1	205 2	226 3	315 3	257 12	9 2	11 -	16 1	22 3	16 -	38 1	56 2	68 -	13 1	8 2
Psychoneurotic (a) disorders (b) (310-318)	2310 4	78 -	131 -	333 1	337 1	239 -	365 1	185 -	228 -	208 -	206 1	300 -	19 -	34 -	52 -	46 -	31 -	31 -	25 -	41 -	17 -	4 -
Disorders of character, (a) behaviour and (b) intelligence (320-326)	682 6	49 2	57 -	91 1	96 1	80 1	85 1	33 -	62 -	52 -	77 -	65 1	6 -	6 -	8 1	16 -	4 -	11 -	4 -	8 -	- -	2 -
Mental deficiency (a) (325)	197 5	8 2	14 -	38 -	38 1	29 1	30 1	8 -	19 -	6 -	7 -	29 1	2 -	6 -	2 1	4 -	2 -	7 -	1 -	4 -	- -	1 -
Personality and (a) behaviour disorders: (b) other conditions classified to 320-326 (320-324; 326)	485 1	41 -	43 -	53 1	58 -	51 -	55 -	25 -	43 -	46 -	70 -	36 -	4 -	- -	6 -	12 -	2 -	4 -	3 -	4 -	- -	1 -

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number		Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
		Teaching Hospitals												Hospitals under Regional Boards										
		Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS																								
Vascular lesions affect- ing central nervous system (330-334)	(a)	1543	240	110	217	176	103	185	140	193	105	69	1036	135	75	113	90	43	108	59	144	101	163	
	(b)	535	216	67	90	40	24	24	25	19	10	20	590	126	67	84	65	21	41	16	33	42	90	
Other diseases of central nervous system (340-357)	(a)	3494	109	211	573	561	318	620	341	434	202	120	636	30	59	102	57	42	69	50	80	61	86	
	(b)	125	23	25	15	10	10	3	5	9	11	14	100	16	9	17	3	2	6	4	9	5	29	
Meningitis and encephalitis (except meningococcal and tuberculous meningitis) (340; 343)	(a)	302	18	18	10	36	19	56	40	63	29	13	93	11	4	8	3	12	19	8	20	5	3	
	(b)	44	9	8	5	4	4	2	2	4	3	3	21	9	3	5	-	1	1	-	1	1	-	
Intracranial abscess and venous thrombosis;(b) late effects of abscess and pyogenic infection (341, 342; 344)	(a)	211	13	14	14	30	10	27	22	42	27	12	26	5	1	7	2	1	3	-	3	3	1	
	(b)	38	10	11	3	3	2	-	1	2	4	2	8	3	-	3	-	-	-	-	1	1	-	
Cerebral paralysis (including spastic infantile) (351, 352)	(a)	355	3	14	59	43	35	63	36	55	20	27	120	1	7	15	10	4	9	8	14	21	31	
	(b)	10	-	4	1	1	2	-	-	-	-	2	27	1	-	6	2	1	3	4	2	1	7	
Epilepsy (353)	(a)	1008	52	95	259	173	86	142	66	84	34	17	158	7	26	44	25	11	14	12	10	4	5	
	(b)	11	3	1	3	1	-	-	1	1	-	1	4	1	-	1	-	-	-	-	1	-	1	
Multiple sclerosis (345)	(a)	731	9	26	98	113	80	165	84	94	43	19	97	-	5	12	5	6	7	13	17	12	20	
	(b)	3	-	-	1	-	-	-	-	-	1	1	16	-	4	1	-	-	1	-	-	-	10	

Other diseases of central nervous system (350; 354-357)	887 19	14 1	44 1	138 2	166 1	88 2	167 1	93 1	96 2	49 3	32 5	142 24	6 2	16 2	16 1	12 1	8 -	17 1	9 -	16 4	16 2	26 11
Diseases of nerves and peripheral ganglia (360-369)	996 5	43 1	32 1	205 1	184 -	113 1	155 -	68 1	101 -	29 -	16 -	103 5	5 1	7 -	19 2	14 1	6 -	13 -	13 -	15 -	7 1	4 -
Trigeminal neuralgia (361)	389 2	17 -	43 -	81 -	91 -	41 1	66 -	24 1	22 -	4 -	- -	12 -	- -	4 -	3 -	- -	1 -	2 -	2 -	- -	- -	- -
Sciatica (363)	111 -	15 -	6 -	17 -	14 -	10 -	15 -	9 -	15 -	9 -	1 -	40 -	3 -	- -	5 -	6 -	2 -	2 -	9 -	9 -	1 -	3 -
Erythroedema polyneuritica (365)	92 1	1 1	2 -	16 -	19 -	5 -	15 -	11 -	13 -	6 -	4 -	13 4	1 1	1 -	6 2	3 1	- -	1 -	1 -	- -	- -	- -
Other diseases of nerves and peripheral ganglia (360; 362; 364; 366-369)	404 2	10 -	31 1	91 1	60 -	57 -	59 -	24 -	51 -	10 -	11 -	38 1	1 -	2 -	5 -	5 -	3 -	8 -	1 -	6 -	6 1	1 -
Diseases of Eye (370-389)	11090 17	210 1	779 2	2171 1	2439 5	1896 2	1773 2	835 2	762 1	132 -	43 1	425 1	10 -	23 -	84 -	119 -	64 -	67 -	33 -	11 -	11 1	3 -
Conjunctivitis (inc. ophthalmia); blepharitis; inflammation of lacrimal glands (370-372; 378)	619 2	46 -	155 -	227 -	106 -	26 -	34 1	10 -	8 -	6 -	1 1	28 -	3 -	6 -	11 -	5 -	1 -	2 -	- -	- -	- -	- -
Corneal ulcer, keratitis, iritis and other inflammatory diseases of eye (373-377; 379; 381)	1707 -	17 -	73 -	314 -	324 -	186 -	310 -	188 -	207 -	63 -	25 -	45 -	- -	3 -	14 -	5 -	8 -	4 -	4 -	3 -	3 -	1 -
Strabismus (384)	2843 1	37 -	110 -	840 -	1062 1	544 -	181 -	50 -	17 -	2 -	- -	191 -	- -	8 -	33 -	96 -	35 -	12 -	4 -	3 -	- -	- -
Cataract (385)	2927 8	48 -	229 1	289 -	300 3	788 2	786 -	275 1	171 1	37 -	4 -	92 -	1 -	4 -	19 -	5 -	10 -	30 -	17 -	1 -	4 -	1 -
Detachment of retina (386)	519 1	1 -	11 -	39 -	20 -	17 -	67 -	129 1	184 -	45 -	6 -	3 -	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of Eye continued																						
Glaucoma (a) (b) (387)	1435 1	25 -	45 -	189 -	419 -	238 -	268 1	123 -	109 -	16 -	3 -	35 -	2 -	- -	2 -	6 -	6 -	12 -	5 -	1 -	1 -	-
Other diseases and conditions of eye (a) (b) (380; 382,383; 388,389)	1040 4	36 1	156 1	273 1	208 1	97 -	127 -	60 -	66 -	13 -	4 -	31 1	4 -	2 -	5 -	2 -	4 -	7 -	2 -	1 -	3 1	1 -
Diseases of ear and mastoid process (a) (b) (390-398)	4234 16	124 8	278 3	740 3	742 -	667 -	892 -	404 -	273 1	89 -	25 1	606 7	16 4	23 -	163 -	138 1	54 -	109 1	45 -	43 1	14 -	1 -
Otitis media without mention of mastoiditis (a) (b) (391)	2219 10	55 6	144 1	490 1	507 -	325 -	337 -	188 -	121 1	37 -	15 1	348 3	11 1	13 -	121 -	105 1	33 -	32 -	15 -	13 1	5 -	-
Mastoiditis, with or without otitis media (a) (b) (392,393)	907 5	14 2	34 2	70 1	96 -	149 -	278 -	115 -	99 -	42 -	10 -	167 2	1 1	5 -	20 -	15 -	15 -	54 1	25 -	22 -	9 -	1 -
Other diseases of ear and mastoid process; deafness (a) (b) (390; 394-398)	1108 1	55 -	100 -	180 1	139 -	193 -	277 -	101 -	53 -	10 -	-	91 2	4 2	5 -	22 -	18 -	6 -	23 -	5 -	8 -	-	-
VII. DISEASES OF THE CIRCULATORY SYSTEM																						
Rheumatic fever and rheumatic heart disease (a) (b) (400-416)	2435 182	119 29	112 22	211 24	235 17	162 11	350 18	302 12	479 26	327 17	138 6	548 88	25 17	25 12	43 16	39 6	31 6	82 7	50 7	112 4	96 3	45 10
Rheumatic fever with and without heart involvement (a) (b) (400-401)	277 18	4 3	7 -	12 3	13 1	8 1	38 2	21 1	56 4	72 2	46 1	113 11	2 -	1 1	6 3	5 1	3 1	6 -	7 2	29 -	37 -	17 3

Chorea (402)	(a) (b)	169	1	6	8	13	6	14	9	31	46	35	29	-	1	1	-	2	1	2	6	10	6
Chronic rheumatic heart disease (410-416)	(a) (b)	1989 164	114 26	99 22	191 21	209 16	148 10	298 16	272 11	392 22	209 15	57 5	406 76	23 17	23 10	36 13	34 5	26 5	75 7	41 5	77 4	49 3	22 7
Arteriosclerotic, degenerative and other heart disease (420-434)	(a) (b)	3110 597	191 146	166 87	270 91	283 58	219 44	405 34	358 35	731 55	379 25	108 22	1375 556	121 107	74 59	96 70	83 50	79 28	187 63	157 34	310 48	164 34	105 63
Acute and subacute endocarditis (inc. bacterial endocarditis. unqualified) (430)	(a) (b)	126 24	4 3	7 3	5 1	5 2	4 1	11 3	8 5	15 1	47 4	20 1	35 14	2 2	-	4 3	2 1	2 1	4 4	2 -	4 -	12 3	3 -
Heart disease involving (a) coronary arteries; (b) arteriosclerotic heart disease; angina pectoris (420)	(a) (b)	1663 373	119 102	82 51	128 57	136 41	109 34	195 21	185 18	448 27	221 12	40 10	461 184	49 44	28 22	31 21	26 17	33 18	57 24	44 10	128 16	50 6	15 6
Other degenerative heart disease; other diseases of the heart (421,422; 431-434)	(a) (b)	1321 200	68 41	77 33	137 33	142 15	106 9	199 10	165 12	268 27	111 9	48 11	879 358	70 61	46 37	60 46	55 32	44 9	126 35	111 24	178 32	102 25	87 57
Hypertensive disease (440-447)	(a) (b)	2299 185	50 21	74 18	212 41	258 21	222 6	423 16	337 21	503 23	181 11	39 7	900 237	39 35	50 26	94 41	60 17	69 17	121 18	124 19	173 18	94 17	66 29
Hypertensive disease with mention of heart (440-443)	(a) (b)	839 109	18 15	23 11	68 31	60 11	63 3	146 9	130 9	229 12	82 6	20 2	450 146	26 25	18 16	42 26	23 6	31 9	60 10	74 15	83 10	52 8	41 21
Hypertensive disease without mention of heart (444-447)	(a) (b)	1460 76	32 6	51 7	144 10	198 10	159 3	277 7	207 12	274 11	99 5	19 5	450 91	13 10	32 10	52 15	37 11	38 8	71 8	50 4	90 8	42 9	25 8
Diseases of arteries (450-456)	(a) (b)	1731 114	55 17	78 17	193 16	211 10	189 4	310 8	187 10	274 16	166 8	68 8	414 153	18 14	15 8	42 22	36 12	34 11	55 13	46 9	58 19	49 18	61 27
Peripheral vascular disease (453)	(a) (b)	669 1	15 -	26 -	76 -	109 -	97 -	136 -	77 -	81 1	42 -	10 -	56 1	1 -	2 -	6 -	11 -	10 -	8 -	4 1	9 -	3 -	2 -

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of arteries continued																						
Arteriosclerosis and other diseases of arteries (450-452; 454-456)	(a) 1062 (b) 113	40 17	52 17	117 16	102 10	92 4	174 8	110 10	193 15	124 8	58 8	358 152	17 14	13 8	36 22	25 12	24 11	47 13	42 9	49 18	46 18	59 27
Diseases of veins and other diseases of circulatory system (460-468)	(a) 5631 (b) 55	223 7	474 12	1166 8	1312 5	939 7	793 3	287 6	297 3	106 3	34 1	1528 28	48 5	149 5	259 2	374 6	283 1	182 2	69 2	100 2	46 1	18 2
Varicose veins N.O.S. or of leg, without ulceration or eczema (460 part)	(a) 2255 (b) 2	159 -	313 -	727 1	583 1	234 -	143 -	37 -	48 -	10 -	1 -	426 1	24 -	89 -	93 -	135 1	34 -	20 -	8 -	16 -	4 -	3 -
Varicose veins N.O.S. or of leg, with ulceration or eczema (460 rdr.)	(a) 263 (b) -	2 -	5 -	30 -	22 -	19 -	42 -	34 -	66 -	31 -	12 -	91 -	- -	1 -	7 -	4 -	2 -	16 -	9 -	27 -	18 -	7 -
Haemorrhoids (461)	(a) 1670 (b) 2	32 1	44 -	85 -	418 -	508 -	418 1	103 -	51 -	9 -	2 -	455 2	4 -	11 -	22 -	104 1	193 -	92 1	15 -	11 -	2 -	1 -
Phlebitis, thrombo-phlebitis and venous embolism (463-466)	(a) 553 (b) 46	8 6	19 9	72 7	65 4	74 7	106 2	81 5	80 3	39 2	9 1	151 23	6 5	6 4	13 2	16 4	5 -	19 1	22 2	40 2	19 1	5 2
Nonspecific mesenteric lymphadenitis (468.1)	(a) 248 (b) -	6 -	28 -	73 -	93 -	25 -	13 -	2 -	7 -	1 -	- -	244 -	7 -	25 -	92 -	79 -	25 -	13 -	2 -	1 -	- -	- -
Lymphadenitis, chronic or unqualified	(a) 416 (b) -	10 -	32 -	121 -	95 -	54 -	45 -	21 -	25 -	7 -	6 -	113 -	5 -	8 -	21 -	30 -	18 -	19 -	6 -	4 -	2 -	- -

All other diseases of circulatory system (462; 467,468.3)	226	6	33	58	36	25	26	9	20	9	48	2	9	11	6	3	7	1	1	2
	5	-	3	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM																				
Acute upper respiratory infections and influenza (470-483)	2273	109	449	954	400	119	115	58	49	17	1099	48	91	425	236	128	100	29	34	3
	26	13	4	4	3	-	-	1	-	1	22	12	3	4	1	-	-	-	-	2
Acute nasopharyngitis (common cold) (470)	160	16	42	59	25	8	4	4	1	1	86	5	27	34	8	4	5	2	1	-
	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute sinusitis (471)	83	1	3	27	22	8	10	5	6	1	18	11	-	2	2	1	2	-	-	-
	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Acute upper respira- tory infection, other or unqualified (inc. acute laryngitis and tracheitis) (474,475)	577	20	96	204	125	45	39	18	19	8	280	4	10	114	72	45	21	6	8	-
	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Influenza (480-483)	368	19	60	122	64	29	34	18	18	4	268	12	23	83	42	29	45	9	17	3
	21	12	3	2	2	-	-	1	-	1	20	11	3	3	1	-	-	-	-	2
Acute tonsillitis and pharyngitis (472,473)	1085	53	248	542	164	29	28	13	5	3	447	16	31	192	112	49	27	12	8	-
	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and bronchitis (490-493; 500-502; 763)	4656	226	218	634	796	517	916	503	561	232	3276	153	122	331	501	435	740	399	399	67
	461	183	69	69	36	12	32	18	19	11	464	144	71	67	49	20	36	17	17	29
Lobar pneumonia (490)	893	24	24	101	167	115	223	98	99	37	864	19	14	73	135	150	230	94	113	2
	41	19	9	5	1	1	4	1	1	-	52	18	8	10	5	3	3	-	1	1
Other and unspecified pneumonias (inc. pneumonia of newborn) (491-493; 763)	2114	148	96	269	352	241	385	221	258	117	1334	100	53	135	200	138	282	175	165	32
	320	133	51	55	24	8	18	11	10	7	294	98	38	44	30	12	23	12	10	19
Bronchitis, acute or unqualified (500,501)	782	27	56	182	156	84	119	55	68	31	664	18	33	97	118	94	142	68	52	19
	28	15	-	4	3	1	2	-	3	-	42	15	6	2	5	-	4	1	2	7

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Pneumonia and bronchitis continued																						
Chronic bronchitis (a) (b) (502)	867 72	27 21	42 9	82 5	121 8	77 2	189 8	129 6	136 5	47 4	17 4	414 76	16 13	22 19	26 11	48 9	53 5	86 6	62 3	69 4	18 4	14 2
Diseases of upper respiratory tract and pharynx, other than acute infectious (510-517)	20429 6	2983 1	6543 1	7956 1	1833 -	475 -	392 1	109 2	99 -	33 1	6 -	4981 7	216 4	3269 1	1141 -	239 2	42 -	43 -	14 -	15 -	-	2 -
Chronic tonsillitis (a) (b) (510 part)	2649 -	97 -	937 -	1270 -	225 -	62 -	40 -	7 -	9 -	2 -	-	1040 -	110 -	677 -	194 -	44 -	4 -	6 -	1 -	3 -	-	1 -
Hypertrophied (diseased) tonsils and adenoids (510 rdr.)	13185 1	2655 -	4621 1	4728 -	851 -	154 -	117 -	30 -	22 -	6 -	1 -	3198 2	16 -	2393 1	648 -	108 1	11 -	16 -	4 -	2 -	-	-
Peritonsillar abscess (a) (b) (511)	87 -	3 -	15 -	50 -	14 -	2 -	3 -	-	-	-	-	46 -	-	4 -	24 -	11 -	2 -	5 -	-	-	-	-
Chronic or unspecified sinusitis (a) (b) (513)	1766 3	101 1	204 -	594 -	410 -	173 -	166 -	54 1	44 -	16 1	4 -	362 1	74 -	125 -	80 -	48 1	17 -	8 -	5 -	-	-	-
Deflected nasal septum (a) (b) (514)	1339 -	29 -	222 -	821 -	198 -	43 -	17 -	6 -	2 -	1 -	-	61 1	3 1	2 -	42 -	8 -	2 -	1 -	2 -	1 -	-	-
Nasal Polyp (a) (b) (515)	863 -	64 -	376 -	305 -	70 -	16 -	17 -	5 -	8 -	2 -	-	85 -	7 -	35 -	36 -	2 -	3 -	2 -	-	-	-	-
All other diseases of upper respiratory tract and pharynx (512; 516, 517)	540 2	34 -	168 -	188 -	65 -	25 -	32 1	7 1	14 -	6 -	1 -	189 3	6 3	33 -	117 -	18 -	3 -	5 -	2 -	4 -	-	1 -

Diseases of lung and pleural cavity (518-527)	(a) (b)	2881 77	68 20	228 11	373 13	342 8	251 1	449 7	314 1	497 11	256 4	103 1	776 56	41 14	26 7	86 5	123 7	79 3	134 6	92 1	119 6	55 2	19 5
Pleurisy (519)	(a) (b)	149 -	4 -	8 -	26 -	21 -	24 -	25 -	13 -	17 -	10 -	1 -	88 1	- -	4 1	8 -	20 -	13 -	13 -	14 -	11 -	3 -	2 -
Empyema and abscess of lung (518; 521)	(a) (b)	301 11	6 2	15 1	20 3	25 1	12 -	37 2	39 1	88 1	45 -	14 -	112 8	4 3	- -	6 1	11 2	3 -	17 1	17 -	30 1	19 -	5 -
Pneumoconiosis and other pulmonary fibrosis of occupational origin (523.524)	(a) (b)	160 7	4 2	7 1	11 -	21 1	13 -	20 1	15 -	41 1	22 1	6 -	7 -	- -	- -	1 -	- -	- -	2 -	3 -	1 -	- -	- -
Other chronic interstitial pneumonia; emphysema without mention of bronchitis (525; 527.1)	(a) (b)	180 10	4 1	8 -	21 3	28 2	19 -	28 1	21 -	31 2	13 1	7 -	41 7	1 1	- -	2 -	4 1	5 1	11 2	7 -	6 1	4 1	1 -
Bronchiectasis; atelectasis, 1 year and over (526.527.0)	(a) (b)	1659 30	30 10	160 5	199 4	174 2	144 1	269 2	187 -	273 4	149 1	74 1	307 25	15 4	10 5	27 3	44 3	28 1	58 2	37 1	58 3	22 -	8 3
All other diseases of lung and pleural cavity (520; 522; 527.2)	(a) (b)	432 19	20 5	30 4	96 3	73 2	39 -	70 1	39 -	47 3	17 1	1 -	221 15	21 6	14 1	42 1	44 1	30 1	33 1	14 -	13 1	7 1	3 2
IX. DISEASES OF THE DIGESTIVE SYSTEM																							
Diseases of teeth and supporting structures (530-535)	(a) (b)	2934 -	228 -	1869 -	662 -	79 -	35 -	36 -	10 -	11 -	3 -	1 -	260 1	34 1	137 -	58 -	13 -	8 -	4 -	3 -	3 -	- -	- -
Dental sepsis and abscess; other inflammatory diseases of teeth and gums (531.532)	(a) (b)	402 -	16 -	170 -	159 -	24 -	16 -	8 -	4 -	4 -	1 -	- -	125 1	8 1	65 -	36 -	5 -	5 -	2 -	1 -	3 -	- -	- -

TABLE 5 - continued

Distribution by in-patient days (a) all discharges including deaths (b) deaths only																								
Principal Diagnosis on Discharge and International Statistical Classification Number			Teaching Hospitals										Hospitals under Regional Boards											
			Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of teeth and supporting structures continued																								
(a) Dental caries:			2532	212	1699	503	55	19	28	6	7	2	1	135	26	72	22	8	3	2	2	-	-	-
(b) unerupted teeth:			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
all other diseases of teeth and gums (530; 533-535)																								
(a) Diseases of tongue, buccal cavity, and salivary glands (536-538)			508	22	64	177	107	41	56	15	19	3	4	111	11	13	27	22	16	7	6	4	1	4
(b)			2	1	-	-	-	-	-	-	1	-	7	1	1	-	-	1	-	-	-	-	1	3
Diseases of oesophagus, stomach, and duodenum (539-545)			9603	404	555	357	999	1063	2059	1445	1781	399	41	2437	54	84	141	241	221	549	456	543	130	18
(a)			310	46	40	52	37	34	37	23	29	10	2	134	20	14	30	22	14	13	7	10	1	3
(b)																								
Ulcer of stomach or duodenum without perforation (540.0; 541.0)			6694	264	236	449	497	645	1563	1181	1508	320	31	1799	32	42	86	140	105	390	391	484	116	13
(a)			188	26	13	24	26	26	28	14	20	10	1	87	12	9	16	14	9	10	5	8	1	3
(b)																								
Perforated ulcer of stomach or duodenum (540.1; 541.1)			1094	19	29	58	262	279	234	103	85	21	4	346	8	6	18	62	93	100	24	26	6	3
(a)			82	16	21	19	9	4	5	4	4	-	-	42	7	5	13	7	5	3	-	2	-	-
(b)																								
Gastritis; indigestion (a) N.O.S. and other disorders of stomach function (543, 544)			667	40	92	161	138	61	83	42	42	8	-	120	8	14	22	18	10	28	8	9	2	1
(a)			-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
(b)																								
Other diseases of stomach and duodenum; diseases of oesophagus (539; 542; 545)			1148	81	198	189	102	78	179	119	146	50	6	172	6	22	15	21	13	31	33	24	6	1
(a)			40	4	6	9	2	4	4	5	5	-	1	4	-	-	1	1	-	-	2	-	-	-
(b)																								

Appendicitis (550-553)	(a) (b)	7370 43	69 13	123 4	1351 8	2969 8	1193 4	995 3	342 2	274 1	49 -	5 -	2914 38	15 4	51 2	372 11	1316 7	436 6	423 3	145 1	121 3	28 1	7 -
Acute appendicitis without mention of peritonitis (550.0)	(a) (b)	3858 9	19 1	64 1	912 2	1689 2	502 3	418 -	140 -	98 -	16 -	-	1702 7	4 -	17 -	266 2	855 1	244 1	198 2	70 -	44 1	3 -	1 -
Acute appendicitis with peritonitis (550.1)	(a) (b)	829 31	14 10	7 3	60 6	171 5	140 1	201 3	96 2	113 1	22 -	5 -	390 29	4 4	3 2	27 9	56 5	65 4	103 1	49 1	60 2	20 1	3 -
Appendicitis other and unqualified, and other diseases of appendix (551-553)	(a) (b)	2683 3	36 2	52 -	379 -	1109 1	551 -	376 -	106 -	63 -	11 -	-	822 2	7 -	31 -	79 -	405 1	127 1	122 -	26 -	17 -	5 -	3 -
Hernia of abdominal cavity (560-561)	(a) (b)	7789 95	169 27	345 12	978 27	2127 9	1671 2	1439 8	642 4	330 5	71 1	17 -	2009 43	61 13	76 5	137 11	667 4	522 4	366 1	93 1	65 3	18 1	4 -
Inguinal hernia without mention of obstruction (560.0)	(a) (b)	4881 4	76 -	154 -	574 2	1524 -	1178 -	882 -	340 1	133 1	14 -	6 -	1236 1	27 -	35 1	67 -	479 -	362 -	212 -	41 -	11 -	2 -	-
Inguinal hernia with obstruction (561.0)	(a) (b)	291 14	22 4	16 2	36 6	75 1	53 -	44 -	26 1	13 -	2 -	4 -	122 11	9 3	8 2	8 2	26 2	26 -	25 -	7 1	9 1	4 -	-
Femoral hernia with or without obstruction (560.1; 561.1)	(a) (b)	816 30	15 9	14 5	69 10	234 3	199 -	179 2	64 -	35 1	7 -	-	292 15	7 5	5 1	13 6	91 -	83 3	61 -	18 -	8 -	5 -	1 -
Umbilical hernia, with or without obstruc- tion (560.2; 561.2)	(a) (b)	767 17	26 6	117 2	203 5	156 2	89 -	89 2	53 -	28 -	4 -	2 -	143 4	9 1	21 -	27 1	28 1	22 1	25 -	3 -	7 -	1 -	-
Other and unspecified hernia, with or without obstruction (Others in 560.561)	(a) (b)	1034 30	30 8	44 3	96 4	138 3	152 2	245 4	159 2	121 3	44 1	5 -	216 12	9 4	7 1	22 2	43 1	29 -	43 1	24 -	30 2	6 1	3 -

TABLE 5 - continued

Distribution by in-patient days (a) all discharges including deaths (b) deaths only																							
Teaching Hospitals												Hospitals under Regional Boards											
Principal Diagnosis on Discharge and International Statistical Classification Number		Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
(a)	Other diseases of intestines and peritoneum (570-578: 764)	5054 205	264 60	468 25	819 32	816 23	573 7	829 18	447 5	511 17	234 9	93 9	1657 116	99 36	145 18	285 17	295 13	180 7	262 6	135 3	160 5	66 7	30 4
(a)	Intussusception (570.0)	248 7	9 1	49 2	56 2	64 1	24 -	24 -	7 -	11 -	4 1	- -	52 4	4 4	4 -	5 -	27 -	5 -	4 -	2 -	1 -	- -	- -
(a)	Other intestinal obstruction; peritonitis; peritoneal adhesions (570 remdr.: 576, 577)	840 99	58 32	55 15	101 15	113 11	124 5	171 5	83 2	90 13	29 1	16 -	301 46	25 18	18 7	45 8	52 6	44 2	52 3	23 -	27 -	8 1	7 1
(a)	Anal fissure and fistula; abscess of anal-rectal regions (574,575)	853 1	18 -	41 -	115 1	138 -	134 -	194 -	106 -	74 -	26 -	7 -	209 1	5 -	12 1	29 -	41 -	25 -	46 -	23 -	23 -	5 -	- -
(a)	Gastro-enteritis and colitis (inc. diarrhoea of newborn) (571: 764)	780 26	45 13	107 3	153 7	141 2	73 -	100 -	52 -	70 -	31 1	8 -	531 24	19 9	44 3	95 2	113 3	64 2	88 -	36 1	52 1	15 2	5 1
(a)	Diverticulitis (572.1)	459 15	24 4	18 2	87 3	80 -	59 -	81 1	39 1	52 1	15 1	4 2	156 19	16 3	15 4	16 2	21 2	12 2	21 2	24 2	20 1	6 -	5 1
(a)	Ulcerative colitis (572.2)	404 31	10 3	10 -	32 2	31 4	19 -	59 11	38 1	85 2	73 2	47 6	71 9	- -	4 -	9 2	9 1	5 1	3 -	5 -	6 -	21 4	9 1
(a)	Constipation (573.0)	461 1	44 -	95 -	111 -	82 -	30 -	52 -	25 -	16 -	6 1	- -	136 -	15 -	27 -	56 -	12 -	5 -	12 -	3 -	5 -	- -	1 -
(a)	Other diseases of intestines and peritoneum (Others in 570-578)	1009 25	56 7	83 3	164 2	167 5	110 2	148 1	97 1	113 1	50 2	11 1	201 13	15 2	21 3	30 3	20 1	20 -	36 1	19 -	26 3	11 -	3 -

Diseases of liver, gallbladder, and pancreas (580-587)	(a) (b)	3138 172	105 24	147 20	240 22	269 16	425 21	762 21	462 7	544 21	154 13	30 7	839 83	30 11	21 7	66 13	96 8	105 6	192 7	115 10	153 9	43 5	18 7
Cirrhosis of liver (581)	(a) (b)	408 66	58 8	65 8	40 9	36 6	29 9	54 4	23 2	58 7	34 7	11 6	63 23	5 1	3 3	7 1	5 4	3 1	13 3	12 3	8 3	2 1	5 3
Cholelithiasis and cholecystitis without mention of calculi (584, 585)	(a) (b)	2218 58	35 6	52 4	138 9	174 5	341 6	631 13	380 3	397 9	67 3	2 -	650 32	15 2	14 2	50 7	81 4	93 4	158 4	87 2	116 2	27 2	9 3
Other diseases of liver and gallbladder: (b) diseases of pancreas (580; 582 583; 586, 587)	(a) (b)	512 48	12 10	29 8	62 4	59 5	55 6	77 4	59 2	89 5	53 3	17 1	126 28	10 8	4 2	9 5	10 -	9 1	21 -	16 5	29 4	14 2	4 1
X. DISEASES OF THE GENITO-URINARY SYSTEM																							
Nephritis and nephrosis (590-594)	(a) (b)	777 105	32 14	28 11	74 18	72 9	57 6	115 10	98 5	152 18	96 12	53 2	229 60	10 8	7 3	15 9	22 7	14 5	35 9	16 4	56 8	36 5	18 2
Acute nephritis (590)	(a) (b)	222 9	5 3	5 -	17 -	18 1	17 1	35 1	31 -	49 1	35 2	10 -	82 8	2 1	4 2	2 -	4 1	1 -	12 1	8 -	26 2	19 1	4 -
Chronic and other nephritis: renal sclerosis (591-594)	(a) (b)	555 96	27 11	23 11	57 18	54 8	40 5	80 9	67 5	103 17	61 10	43 2	147 52	8 7	3 1	13 9	18 6	13 5	23 8	8 4	30 6	17 4	14 2
Other diseases of urinary system (600-609)	(a) (b)	3685 75	209 6	349 7	749 14	554 7	346 12	611 10	358 8	368 4	117 7	24 -	963 57	43 4	98 7	174 7	154 10	108 1	145 5	84 3	102 8	37 5	18 7
Pyelitis: infections of kidney and cystitis (600; 605)	(a) (b)	971 36	24 2	75 5	194 6	211 3	117 7	163 4	76 4	85 2	19 3	7 -	395 42	15 2	24 3	66 6	82 9	57 1	61 3	38 3	30 4	13 4	9 7
Urinary infection, unqualified (609 part)	(a) (b)	229 1	4 1	12 -	61 -	27 -	27 -	51 -	20 -	18 -	8 -	1 -	43 -	- -	2 -	6 -	9 -	6 -	9 -	3 -	5 -	2 -	1 -
Calculi of urinary system (602; 604)	(a) (b)	735 12	28 1	51 1	104 4	79 1	71 2	162 1	108 1	106 -	22 1	4 -	195 8	6 2	17 2	29 1	28 1	22 -	32 -	22 -	27 2	12 -	- -

TABLE 5 - continued

Distribution by in-patient days (a) all discharges including deaths (b) deaths only																							
Principal Diagnosis on Discharge and International Statistical Classification Number		Teaching Hospitals										Hospitals under Regional Boards											
		Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other diseases of urinary system - continued																							
(a)	(b)	284 4	47	51	56	41	19	30	17	16	6	1	73	7	15	21	6	3	5	4	9	1	2
			1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
(a)	(b)	261 1	4	23	144	45	25	13	5	2	-	-	45	-	13	19	5	3	2	3	-	-	-
			-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	1205 21	102	137	190	151	87	192	132	141	62	11	212	15	27	33	24	17	36	14	31	9	6
			1	1	3	2	2	3	5	3	1	3	-	6	-	2	-	-	-	1	-	2	1
Diseases of male genital organs (610-617)																							
(a)	(b)	3025 103	161	286	473	476	306	507	291	342	142	41	1001	43	72	146	141	87	158	111	140	76	27
			12	9	11	17	7	14	10	12	4	7	107	8	6	24	12	9	14	8	10	5	11
(a)	(b)	1514 99	33	66	82	97	142	369	248	305	133	39	608	12	24	41	41	37	126	101	125	75	26
			12	9	11	16	7	12	10	11	4	7	105	8	6	23	12	9	13	8	10	5	11
(a)	(b)	424 -	7	15	75	163	80	63	13	7	1	-	125	4	2	23	55	25	9	4	3	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	616 -	95	161	212	89	32	17	7	2	1	-	136	25	39	50	11	5	3	-	3	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	471 4	26	44	104	127	52	58	23	28	7	2	132	2	7	32	34	20	20	6	9	1	1
			-	-	-	1	-	2	-	1	-	2	-	-	1	1	-	-	1	-	-	-	-
Diseases of breast (620,621)																							
(a)	(b)	975 1	51	122	281	242	125	92	26	28	8	-	180	18	23	63	35	16	19	1	4	-	1
			-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	701 1	41	91	202	181	87	57	16	8	-	83	13	13	35	11	3	6	-	2	-	-	
			-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Acute mastitis not associated with lactation (621.0)	(a) (b)	274	10	31	79	61	38	35	10	10	-	-	97	5	10	28	24	13	13	1	2	-	1
Diseases of ovary, Fallopian tube and parametrium (622-637)	(a) (b)	15901	299	1480	5691	1594	1270	3535	1277	680	66	9	2877	137	377	857	332	216	615	231	97	10	5
		27	-	2	8	5	1	7	-	2	2	-	6	-	-	1	1	1	2	-	-	-	1
Salpingitis and oophoritis: diseases of parametrium and pelvic peritoneum (622-624; 626)	(a) (b)	652	12	22	107	132	87	170	52	60	5	5	200	4	8	31	44	30	49	18	13	3	-
		6	-	-	2	1	-	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Cervicitis (630.0)	(a) (b)	1601	28	139	868	184	193	146	30	10	3	-	369	57	54	145	67	19	18	6	3	-	-
		1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vaginitis and vulvitis (inc. trichomonal vaginitis) (630.2 part)	(a) (b)	349	11	46	122	92	28	33	8	7	2	-	41	2	10	8	4	2	9	1	2	2	1
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterovaginal prolapse (631)	(a) (b)	3981	40	64	98	129	284	2108	831	395	31	1	657	17	13	15	12	33	355	158	50	3	1
		14	-	1	3	2	1	3	-	2	2	-	2	-	-	-	-	1	1	-	-	-	-
Malposition of uterus (632)	(a) (b)	520	15	44	132	34	113	151	21	8	1	1	103	5	19	22	3	29	23	1	1	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysmenorrhoea (634 part)	(a) (b)	752	24	150	446	48	30	37	9	7	1	-	118	9	36	53	9	3	7	1	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bleeding specified as post-menopausal (634 part)	(a) (b)	674	5	105	403	66	27	44	14	9	1	-	75	2	19	33	8	6	5	2	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysfunctional bleeding and other disorders of menstruation (634 rmdr.)	(a) (b)	3950	53	449	2047	460	259	436	171	69	6	-	733	15	108	340	100	40	82	25	21	1	1
		3	-	-	1	1	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
Sterility, female (636)	(a) (b)	915	60	198	532	67	22	23	9	4	-	-	137	14	47	60	9	4	1	1	-	-	1
		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Cysts of ovary not classifiable to 235 (625 part)	(a) (b)	91	-	7	9	24	16	25	7	3	-	-	31	1	1	2	6	11	8	2	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Diseases of ovary, Fallopian tube and parametrium continued																						
Other diseases of (a) female genital organs (b) (others in 622-637)	2416 3	51 -	256 1	927 1	358 1	211 -	362 -	125 -	108 -	16 -	2 -	413 -	11 -	62 -	148 -	70 -	39 -	58 -	16 -	7 -	1 -	1 -
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE																						
Infections of skin and subcutaneous tissue (a) (b) (690-698)	1723 4	85 -	228 1	516 1	345 1	160 -	186 -	85 -	76 1	30 -	12 -	583 3	24 -	52 -	159 -	125 1	69 -	79 -	32 -	27 -	11 1	5 1
Boil, abscess and cellulitis, (inc. acute lymphadenitis) (690-694)	1447 3	60 -	189 1	458 1	296 1	139 -	153 -	69 -	58 -	20 -	5 -	482 3	11 -	38 -	140 -	115 1	56 -	64 -	23 -	20 -	11 1	4 1
Other local infections of skin, inc. infectious warts and molluscum contagiosum (695-698)	276 1	25 -	39 -	58 -	49 -	21 -	33 -	16 -	18 1	10 -	7 -	101 -	13 -	14 -	19 -	10 -	13 -	15 -	9 -	7 -	- -	1 -
Other diseases of skin and subcutaneous tissue (a) (b) (700-716)	3104 27	81 1	166 2	512 8	408 1	329 -	490 2	319 3	498 1	229 6	72 3	732 11	15 -	42 -	72 -	68 -	49 1	132 2	97 1	138 2	83 3	36 2
Eczema and dermatitis (a) (b) (700-703)	949 3	7 -	31 -	114 1	136 -	113 -	166 -	97 -	187 -	76 1	22 1	371 3	2 -	3 -	19 -	36 -	26 1	72 -	64 -	86 1	48 1	15 -
Psoriasis (a) (b) (706.0)	299 1	1 -	5 -	22 -	36 -	31 -	66 -	52 -	58 -	24 1	4 -	33 1	- -	1 -	1 -	- -	- -	6 -	12 -	5 -	6 -	2 1
Pemphigus; erythema multiforme; lupus erythematosus; scleroderma; dermatomyositis	252 16	3 -	5 1	28 7	30 1	20 -	28 -	32 3	51 1	39 3	16 -	38 4	1 -	2 -	2 -	3 -	1 -	6 2	5 1	10 1	6 1	2 -

Chronic ulcer of skin (715)	(a) (b)	213 1	3 -	7 -	20 -	17 -	15 -	26 1	22 -	66 -	27 -	10 -	59 1	- -	1 -	6 -	4 -	1 -	8 -	5 1	11 -	13 -	10 -
All other diseases of skin and sub- cutaneous tissue (others in 700-716)	(a) (b)	1391 6	67 1	118 1	328 -	189 -	150 -	204 1	116 -	136 -	63 1	20 2	231 2	12 -	35 -	44 -	25 -	21 -	40 -	11 -	26 -	10 1	7 1
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																							
Diseases of tendon, fascia and muscle (740-744)	(a) (b)	1329 16	150 7	228 1	363 2	155 1	138 1	144 3	49 -	65 2	26 1	11 -	205 2	17 -	31 -	50 1	21 -	23 -	24 -	14 -	12 1	9 -	4 -
Myasthenia gravis and inborn defect of muscle (744.0,744.1)	(a) (b)	161 16	8 5	7 1	15 2	24 1	12 1	30 3	18 -	25 2	16 1	6 -	3 -	- -	- -	- -	- -	- -	1 -	1 -	1 -	- -	- -
Synovitis, bursitis and tenosynovitis (741,742)	(a) (b)	857 -	127 -	195 -	244 -	91 -	95 -	71 -	14 -	14 -	4 -	2 -	158 -	17 -	26 -	36 -	16 -	17 -	19 -	11 -	7 -	7 -	2 -
Other diseases of tendon, fascia and muscle (740: 743,744.2)	(a) (b)	311 2	15 2	26 -	104 -	40 -	31 -	43 -	17 -	26 -	6 -	3 -	44 2	- -	5 -	14 1	5 -	6 -	5 -	2 -	4 1	1 -	2 -
Arthritis and rheumatism, (a) except rheumatic fever (720-727)	(a) (b)	2602 25	78 1	94 2	255 1	238 4	161 -	340 1	221 2	455 2	481 3	265 9	730 19	15 2	14 -	65 -	70 1	55 -	95 2	79 -	118 1	114 3	105 10
Rheumatoid arthritis and allied conditions (722)	(a) (b)	1007 11	13 -	14 -	59 -	68 1	45 -	142 -	104 2	250 2	179 1	133 5	333 13	2 -	3 -	33 -	13 1	28 -	37 1	27 -	71 1	59 3	60 7
Osteo-arthritis (arthrosis) and allied conditions (723)	(a) (b)	886 10	43 1	37 2	101 -	78 1	73 -	98 1	57 -	109 -	206 1	84 4	135 2	3 -	2 -	3 -	19 -	16 -	13 -	17 -	15 -	25 -	22 2
Arthritis, other and unspecified (720,721: 724,725)	(a) (b)	320 1	10 -	13 -	37 -	29 1	23 -	47 -	33 -	51 -	48 -	29 -	61 4	7 2	2 -	4 -	3 -	1 -	12 1	10 -	9 -	4 -	9 1

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																						
	Teaching Hospitals											Hospitals under Regional Boards											
	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	
Arthritis and rheumatism, except rheumatic fever continued																							
Torticollis N.E.C. (α) (b) (726.2)	86	2	9	19	19	8	10	8	7	3	1	15	1	2	3	4	1	2	-	1	-	1	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Acute and subacute rheumatism (α) (b) (727A, 727B)	126	-	1	5	16	9	11	10	21	36	17	81	-	-	4	7	3	14	12	15	18	8	
	3	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Lumbago, fibrositis and other muscular rheumatism; rheumatism chronic or unqualified (α) (b) (remdr. 726-727)	183	10	20	34	28	23	32	9	17	9	1	105	2	5	18	24	6	17	13	7	8	5	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diseases of bones and joints; musculoskeletal deformities (α) (b) (730-738; 745-749)	607	279	444	952	553	1086	1089	591	601	314	169	993	35	37	113	117	173	200	98	123	53	44	
	18	2	2	5	2	-	-	1	2	2	2	5	-	-	1	1	-	-	1	1	-	1	
Osteomyelitis and periostitis (α) (b) (730)	735	12	41	105	71	59	115	100	126	78	28	166	4	4	16	18	10	21	25	28	25	15	
	6	1	1	1	-	-	-	1	-	2	-	2	-	-	1	1	-	-	-	-	-	-	
Osteochondrosis and other diseases of bone (α) (b) (731-733)	514	14	63	78	57	64	72	37	48	43	38	68	1	3	8	5	5	6	10	9	5	16	
	4	1	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	
Internal derangement of knee joint (α) (b) (734)	840	30	16	55	46	367	213	69	38	6	-	213	2	5	17	15	84	73	11	6	-	-	
	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Loose bodies in knee joint (α) (b) (738 part)	115	-	9	23	9	33	25	7	9	-	-	23	2	3	2	3	4	5	4	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Displacement of intervertebral disc (735)	(a) (b)	1034 5	62 -	67 1	97 1	112 2	73 -	191 -	151 -	186 1	70 -	25 -	137 -	2 -	10 -	14 -	14 -	14 -	11 -	17 -	13 -	41 -	10 -	5 -
Hallux valgus and varus (747)	(a) (b)	853 -	10 -	18 -	177 -	64 -	282 -	189 -	74 -	34 -	4 -	1 -	134 -	7 -	1 -	26 -	8 -	8 -	28 -	43 -	11 -	10 -	- -	- -
Clubfoot (748)	(a) (b)	698 -	28 -	91 -	139 -	65 -	48 -	110 -	59 -	71 -	66 -	21 -	65 1	3 -	3 -	7 -	14 -	14 -	4 -	7 -	9 -	13 -	3 -	2 1
Other diseases of joint and musculoskeletal deformities (736-738 remdr; 745, 746; 749)	(a) (b)	1289 2	123 -	139 -	278 1	129 -	160 -	174 -	94 -	89 -	47 -	56 1	187 1	14 -	8 -	29 -	34 -	34 -	27 -	28 -	15 1	16 -	10 -	6 -
XIV. CONGENITAL MALFORMATIONS																								
Congenital malformations (750-759)	(a) (b)	5778 194	181 45	425 23	1031 36	944 18	749 7	900 20	495 13	559 14	329 12	165 6	488 40	31 9	44 3	77 8	77 8	102 4	54 3	63 1	38 5	39 3	17 1	23 3
Congenital malforma- tions of nervous system and sense organs (750-753)	(a) (b)	565 32	35 10	74 2	130 4	72 3	51 3	65 6	35 1	52 2	39 1	12 -	44 8	2 1	4 -	10 3	10 3	6 -	1 1	5 -	5 2	6 1	1 -	4 -
Congenital malforma- tions of heart (754.0-754.4)	(a) (b)	880 72	36 17	51 7	115 13	115 5	70 3	156 6	112 7	143 6	68 7	14 1	48 8	3 2	3 -	9 3	9 3	9 -	2 -	9 -	6 2	2 -	4 -	1 1
Cleft palate and harelip (755)	(a) (b)	950 2	8 -	33 1	149 -	205 -	222 -	201 -	73 1	42 -	13 -	4 -	18 -	- -	1 -	2 -	2 -	10 -	1 -	4 -	- -	- -	- -	- -
Congenital hypertrophic pyloric stenosis (756.0)	(a) (b)	323 4	1 -	38 1	102 -	72 2	40 -	36 -	10 -	18 1	6 -	- -	73 2	1 -	3 -	9 -	9 -	19 -	11 -	12 -	7 -	9 1	1 1	1 1
Undescended testicle (757.0)	(a) (b)	441 -	9 -	23 -	46 -	130 -	122 -	78 -	25 -	6 -	1 -	1 -	55 -	2 -	3 -	2 -	2 -	17 -	18 -	11 -	1 -	1 -	- -	- -
Congenital dislocation of hip (758.0)	(a) (b)	400 2	11 -	47 -	110 -	37 -	9 -	28 1	14 -	45 -	42 -	57 1	25 -	1 -	5 -	6 -	6 -	1 -	1 -	1 -	1 -	3 -	3 -	3 -

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis-charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Congenital Malformations continued																						
Other congenital (a) malformations of bone (b) and joint (758.1-758.6)	427 1	11 -	26 -	76 1	52 -	51 -	58 -	41 -	44 -	42 -	26 -	34 -	2 -	3 -	7 -	6 -	- -	2 -	1 -	5 -	1 -	7 -
Other congenital (a) malformations (b) (others in 750-759)	1792 81	70 18	133 12	303 18	261 8	184 1	278 7	185 4	209 5	118 4	51 4	191 22	20 6	22 3	32 2	34 4	20 2	19 1	17 1	13 1	7 1	7 1
XV. CERTAIN DISEASES OF EARLY INFANCY																						
Certain diseases of (a) early infancy (b) (760-762; 765-776)	763 81	93 52	80 8	148 12	121 -	67 3	91 2	48 2	65 2	40 -	10 -	281 38	32 23	32 9	52 2	36 1	27 -	23 1	20 1	37 1	17 -	5 -
Pemphigus neonatorum, (a) umbilical sepsis and (b) other sepsis of newborn (765-768)	49 4	5 3	11 -	14 1	6 -	3 -	2 -	3 -	2 -	1 -	2 -	19 3	1 1	1 1	5 -	4 -	1 -	3 -	1 1	2 -	1 -	- -
Haemolytic and (a) haemorrhagic disease (b) of newborn (770.771)	142 19	41 14	25 -	33 5	13 -	6 -	7 -	5 -	10 -	1 -	1 -	26 4	7 4	4 -	4 -	4 -	5 -	1 -	- -	- -	1 -	- -
Nutritional (a) maladjustment (b) (772)	330 2	6 1	24 -	72 -	75 -	34 -	58 1	24 -	25 -	10 -	2 -	136 2	4 -	13 -	34 -	24 1	10 -	16 1	14 -	19 -	1 -	1 -
Postnatal atelectasis (a) and asphyxia; birth (b) injuries (760-762)	124 34	26 22	15 5	19 4	13 -	17 1	11 -	4 2	11 -	7 -	1 -	32 17	12 11	8 4	3 1	- -	4 -	1 -	- -	3 1	- -	1 -

immaturity, conditions (a) attributed to (b) maternal toxæmia; ill-defined diseases (769; 773-776)	118 22	13 12	3 3	10 2	14 -	7 2	13 1	12 -	17 2	21 -	4 -	68 12	8 7	6 4	6 1	4 -	7 -	2 -	5 -	13 -	14 -	3 -
XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDI- TIONS																						
Senility without mention of psychosis (794)	58 22	2 -	5 2	2 -	2 -	2 -	3 1	2 -	5 2	7 1	26 16	292 179	9 6	16 11	23 18	21 10	8 3	19 12	11 6	21 10	20 10	144 93
Symptoms, and ill- defined conditions (780-792; 795)	9208 130	640 29	1426 20	2095 14	1574 14	903 11	1166 16	573 7	574 8	217 7	40 4	2266 87	177 18	346 18	542 10	352 9	199 4	271 6	148 2	172 2	35 4	24 14
Convulsions; Jacksonian epilepsy (780.2, 780.3)	274 1	11 1	36 -	79 -	40 -	25 -	34 -	14 -	23 -	10 -	2 -	50 1	2 -	6 1	18 -	10 -	5 -	4 -	1 -	3 -	- -	1 -
Acute heart failure, undefined (782.4)	82 36	13 12	7 5	3 1	7 4	4 2	8 3	14 2	14 1	9 3	3 3	126 58	10 10	12 10	9 6	10 6	7 2	21 4	16 2	15 2	8 4	18 12
Epistaxis (783.0)	400 1	44 -	109 -	127 -	66 -	22 -	23 1	7 -	2 -	- -	- -	94 -	10 -	25 -	42 -	8 -	3 -	3 -	2 -	1 -	- -	- -
Haematemesis; Melæna (1 year and over) (784.5; 785.8)	539 12	15 3	24 2	48 3	49 2	64 1	93 -	101 -	131 1	14 -	- -	127 2	- -	2 2	8 -	9 -	11 -	16 -	43 -	35 -	3 -	- -
Other symptoms refer- able to upper gastro- intestinal tract (784 remdr.)	329 -	23 -	59 -	98 -	51 -	22 -	33 -	20 -	15 -	8 -	- -	68 1	7 1	7 -	13 -	11 -	7 -	13 -	4 -	5 -	1 -	- -
Abdominal pain (785.5)	2621 2	244 1	560 -	651 -	516 -	230 -	247 -	97 1	60 -	12 -	4 -	789 1	70 -	176 1	244 -	138 -	57 -	56 -	16 -	30 -	2 -	- -
Pain referable to urinary system (786.0)	370 -	28 -	83 -	100 -	78 -	34 -	26 -	8 -	11 -	2 -	- -	140 -	11 -	26 -	33 -	27 -	23 -	15 -	3 -	2 -	- -	- -
Haematuria (789.4)	274 1	15 -	52 -	65 -	51 -	23 -	33 -	19 -	11 1	4 -	1 -	77 -	5 -	8 -	26 -	5 -	6 -	12 -	6 -	8 -	1 -	- -
Retention of urine (786.1)	233 14	20 1	37 1	40 1	23 2	18 1	42 5	20 1	23 1	9 1	1 -	58 3	6 -	8 -	8 1	5 -	6 1	7 -	5 -	10 -	1 -	2 1

TABLE 5 - continued

Principal Diagnosis on Discharge and International Statistical Classification Number	Distribution by in-patient days (a) all discharges including deaths (b) deaths only																					
	Teaching Hospitals											Hospitals under Regional Boards										
	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Dis- charges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Symptoms, and ill-defined conditions continued																						
Pain in back (a) (b) (787.5)	308 1	35	29	54	49	42	51	18	22	6	2	35	6	1	6	8	5	5	2	2	-	-
Pyrexia of unknown origin (a) (b) (788.8)	428	8	35	107	88	48	68	23	27	20	4	126	6	11	27	23	15	16	6	14	7	1
Uraemia unqualified (a) (b) (792)	59 25	8 4	11 7	9 6	8 2	1 1	7 2	8 1	4 1	2 1	1	22 15	5 5	4 4	2 1	4 3	1 1	2 1	2	2	-	-
Other symptoms and ill-defined conditions (a) (b) (780-792 remdr; 795)	3291 37	176 7	384 5	714 3	548 4	370 6	501 5	224 2	231 3	121 1	22 1	554 6	39 2	60	106 2	94	53	101 1	42	45	12	2
Observation, without need for further medical care (a) (b) (793)	2064 2	627	376	430 1	244	111	152	66 1	49	8	1	416 2	161 1	56	76	39 1	27	23	21	6	4	3
XVII. INJURIES																						
Fractures of skull and injuries to head (a) (b)	3920 176	766 101	1096 35	950 18	412 8	182 5	238 4	124 2	103 2	40 1	9	1035 66	152 41	234 14	322 5	136 3	64 1	65	23	31 2	5	3
Fracture of face bones (a) (b) (802)	596 2	102	144	168	67	33	35	20	16	11	-	95	24	26	22	13	5	3	1	1	-	-
Other fractures of skull; intracranial injuries (a) (b) (800,801; 803,804; 853-855)	981 149	127 88	139 32	199 14	157 6	87 4	114	71 2	59 2	19 1	9	256 57	45 38	19 11	47 2	46 3	31 1	35	11	17 2	4	1
Wounds of head; head injury unqualified (a) (b) (850-851; 856)	866 17	166 10	245 2	253 1	91 1	29 1	47 2	15	15	5	-	198 6	28 2	57 2	66 2	22	8	7	2	6	1	1

Concussion, unqualified (a) (b) (852)	1477	371	568	330	97	33	42	18	13	5	-	486	55	132	187	55	20	20	9	7	-	1
	8	3	1	2	1	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Fractures of trunk; fractures of two or more limbs; internal injuries	1061	84	105	192	141	98	123	78	132	69	49	251	39	21	46	22	26	29	14	22	21	17
	44	23	8	4	2	1	1	1	2	1	1	19	2	2	2	1	1	3	1	1	2	1
Fracture of trunk; dislocation of spinal column; injury to spinal cord (805,806; 958)	261	24	28	57	25	16	26	25	32	12	16	57	11	3	9	11	9	7	2	6	5	2
	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
Fracture of ribs and sternum; injury to intrathoracic organs (807; 860-862)	266	30	36	58	52	29	26	14	17	4	-	81	4	11	22	16	11	5	3	6	1	2
	11	6	2	2	1	-	-	-	-	-	-	5	1	1	1	1	-	-	1	-	-	-
Fracture of pelvis; injury to pelvic organs (808; 867)	154	9	11	25	13	11	18	11	32	19	5	38	4	1	4	3	3	3	6	4	7	3
	4	1	-	-	1	-	1	-	-	1	-	3	1	-	-	-	-	-	-	1	1	-
Multiple fractures of trunk or two or more limbs, multiple or unspecified internal injury (809; 819; 828; 868,869)	282	16	22	38	32	17	34	21	42	33	27	56	5	6	9	6	5	5	-	3	8	9
	19	12	2	2	-	1	-	1	-	-	1	9	2	1	1	1	1	1	-	-	1	1
Injury to intra- abdominal organs (863-866)	98	5	8	14	19	15	19	7	9	1	1	19	-	-	2	3	4	3	3	3	-	1
	6	2	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other fractures, dis- locations and sprains (exc. fractures of hand)	4268	341	533	799	445	346	506	279	412	360	247	990	64	103	161	109	105	59	117	124	95	5
	97	8	6	13	11	10	14	5	10	11	9	60	4	3	8	7	8	5	7	7	10	5
Fractures of thigh (820,821)	1108	26	56	88	50	43	111	89	196	240	209	311	9	11	24	15	23	18	49	75	80	4
	81	2	3	12	10	9	12	4	9	11	9	53	3	2	6	7	7	4	7	10	4	4
Fractures of leg (823,824)	1102	82	132	201	131	82	163	95	126	70	20	271	14	23	45	29	38	21	37	34	10	-
	9	4	2	-	-	1	1	-	1	-	-	5	-	1	2	-	1	1	-	-	-	-

TABLE 5 - continued

Distribution by in-patient days (a) all discharges including deaths (b) deaths only																								
Principal Diagnosis on Discharge and International Statistical Classification Number			Teaching Hospitals										Hospitals under Regional Boards											
			Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over	Total Discharges	1	2-	4-	8-	12-	15-	22-	29-	50-	92 and over
Other fractures, dislocations and sprains (exc. fractures of hand) continued																								
(a)			180	11	12	14	16	76	33	5	12	1	21	3	1	1	3	4	4	2	2	1	-	
(b)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(836; 844)																								
(a)			1878	222	333	496	248	145	199	90	78	49	387	38	68	91	62	22	40	18	29	14	5	
(b)			7	2	1	1	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	1	
(exc. fractures of hand)																								
(810-814; 818; 822; 825-827; 829-833; 835; 837-843; 845-848)																								
Burns, scalas			969	69	95	166	137	67	137	66	123	79	254	15	24	37	40	23	38	20	27	23	7	
(a)			26	8	5	5	2	-	-	-	2	-	15	6	2	1	2	1	1	-	1	-	1	
(b)																								
Burns confined to eye (940)			218	5	35	69	48	15	20	6	11	9	10	-	1	4	4	-	1	-	-	-	-	
(a)																								
(b)																								
(941; 946; 948)																								
(a)			239	22	24	35	29	16	34	20	32	17	78	6	10	10	10	5	18	5	5	8	1	
(b)			11	5	2	1	-	-	-	-	1	-	4	2	-	-	-	-	-	-	1	-	1	
Other burns (942-945; 947; 949)			512	42	36	62	60	36	83	40	80	53	166	9	13	23	26	18	19	15	22	15	6	
(a)			15	3	3	4	1	2	-	-	1	-	11	4	2	1	2	1	1	-	-	-	-	
(b)																								
Wounds, fractures and other injuries to hand (exc. burns) (815-817; 834, 883, 884; 886, 887; 903; 914, 915, 925, 926; 954; 996.4)			1144	263	325	307	93	30	51	19	28	5	221	51	52	56	30	11	8	8	4	1	-	
(a)																								
(b)																								

Other injuries and effects of external causes	(a)	4647	726	863	1098	596	353	426	226	225	105	29	1129	154	236	313	163	54	103	50	35	13	8
	(b)	66	21	13	14	4	4	5	2	-	3	2	27	10	7	4	3	1	-	1	-	-	1
Injuries to eye (870,871; 921; 930; 950)	(a)	793	29	77	190	147	87	128	67	53	14	1	36	1	5	10	5	1	11	1	-	1	1
	(b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury to face, mouth and neck (inc. injury to cranial nerve) (872-874; 879; 907; 910; 920; 951; 996.0)	(a)	658	101	157	186	76	44	45	20	17	8	4	205	39	43	78	25	4	9	2	4	-	1
	(b)	3	-	1	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
Wound, contusion, or superficial injury at sites other than hand, eye or face, (inc. nerve injury) (870-929 remdr. 950-959 remdr.)	(a)	1087	145	210	290	153	71	86	38	59	28	7	292	26	51	61	56	23	34	21	11	6	3
	(b)	5	-	-	1	1	-	1	-	-	1	1	5	-	1	2	-	-	-	1	-	-	1
Foreign body in digestive tract (935)	(a)	425	169	134	77	25	6	4	5	4	1	-	94	15	41	25	7	-	4	1	1	-	-
	(b)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Effects of poisons (960-979)	(a)	572	169	136	122	57	23	25	21	11	5	3	264	45	57	78	34	11	18	11	7	2	1
	(b)	41	16	8	9	2	3	1	1	-	1	-	17	10	3	1	2	1	-	-	-	-	-
Misadventures and complications of medical and surgical procedures (997-999)	(a)	681	44	95	136	95	81	99	48	54	25	4	131	11	18	38	23	9	17	8	5	1	1
	(b)	5	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified injuries and reactions to external causes (931-934; 936; 980-996 remdr.)	(a)	431	69	54	97	43	41	39	27	27	24	10	107	17	21	23	13	6	10	6	7	3	1
	(b)	12	4	2	1	-	1	2	1	-	1	-	4	-	2	1	1	-	-	-	-	-	-

TABLE 6 - Single livebirths in hospital; distribution by sequel and length of stay according to birth weight - 1951.

(a) Single livebirths: distribution by sequel and days of in-patient care within detailed birth weight categories. All participating hospitals combined.

(b) Single livebirths: distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the Greater London Area.

(c) Single livebirths; distribution by sequel and days of in-patient care within summary birth weight categories. Participating hospitals in the North of England (Newcastle, Manchester, Liverpool, Leeds and Sheffield hospital regions).

TABLE 6

(82685)

(a) All Hospitals combined

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital											
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	50-	92 and over
All birth weights	32,915		453	695	677	1,810	7,917	10,551	6,980	2,773	542	402	105	10
Transferred	251		38	48	41	20	19	25	22	15	5	15	3	-
Home	32,074		116	509	597	1,759	7,868	10,506	6,940	2,751	535	382	101	10
Died	590	1.8	299	138	39	31	30	20	18	7	2	5	1	-
5½ lb. and under	2,144		212	87	38	65	236	363	359	337	161	208	74	4
Transferred	43		13	2	2	3	4	4	6	1	1	6	1	-
Home	1,760		5	14	13	44	219	351	346	334	159	199	72	4
Died	341	15.9	194	71	23	18	13	8	7	2	1	3	1	-
Over 5½ lb.	28,909		191	552	596	1,635	7,148	9,611	6,360	2,265	344	173	28	6
Transferred	173		20	39	30	12	14	18	13	13	4	8	2	-
Home	28,558		99	466	554	1,615	7,120	9,587	6,336	2,247	339	163	26	6
Died	178	0.6	72	47	12	8	14	6	11	5	1	2	-	-
2½ lb. and under	124		65	15	6	7	4	3	4	3	1	5	9	2
Transferred	6		3	1	-	-	-	-	-	-	-	2	-	-
Home	19		-	-	-	-	1	2	3	2	-	1	8	2
Died	99	79.8	62	14	6	7	3	1	1	1	1	2	1	-
3 lb. and under, but over 2½ lb.	84		34	7	-	3	2	4	1	2	1	12	17	1
Transferred	2		2	-	-	-	-	-	-	-	-	-	-	-
Home	36		-	-	-	-	1	2	1	2	1	11	17	1
Died	46	54.8	32	7	-	3	1	2	-	-	-	1	-	-
3½ lb. and under, but over 3 lb.	133		33	12	6	3	6	3	6	6	6	30	22	-
Transferred	5		3	1	-	-	-	-	-	-	-	1	-	-

4 lb. and under, but over 3½ lb.	Total	Transferred Home Died	161	5 114 42	1 - 24	- - 6	- - 2	- 3 3	1 6 -	- 10 -	- 17 -	- 9 -	1 59 -	1 10 -	- - -
4½ lb. and under, but over 4 lb.	Total	Transferred Home Died	268	7 230 31	2 - 15	- - 9	- - 1	- 8 2	1 17 -	2 28 2	1 55 -	- 60 -	1 56 -	6 -	- - -
5 lb. and under, but over 4½ lb.	Total	Transferred Home Died	477	9 429 39	1 1 18	- 2 12	10 8 1	41 40 1	86 81 4	110 104 2	104 -	49 48 -	32 32 -	5 -	- - -
5½ lb. and under, but over 5 lb.	Total	Transferred Home Died	897	9 857 31	1 4 13	24 12 12	39 36 1	166 162 1	242 241 -	196 194 2	149 148 1	35 35 -	12 11 -	4 4 -	1 - -
6 lb. and under, but over 5½ lb.	Total	Transferred Home Died	1,895	15 1,857 23	3 5 10	4 22 3	97 96 1	449 445 3	570 566 3	462 458 1	206 204 1	24 24 -	10 9 -	4 4 -	- - -
7½ lb. and under, but over 6 lb.	Total	Transferred Home Died	14,349	77 14,181 91	9 46 36	17 215 28	813 799 5	3,685 3,670 8	4,850 4,838 2	3,085 3,077 3	1,008 1,001 2	162 159 1	78 77 -	15 14 -	3 3 -
8 lb. and under, but over 7½ lb.	Total	Transferred Home Died	5,058	26 5,007 25	2 19 8	11 89 9	299 297 1	1,242 1,240 -	1,722 1,720 -	1,106 1,102 4	371 366 2	58 57 -	20 19 -	6 6 -	1 1 -

TABLE 6 - continued

(a) All Hospitals combined - continued

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital										50- 92 and over
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-	
9 lb. and under, but over 8 lb.	5,805		35	108	136	323	1,410	1,939	1,254	477	72	47	2
Transferred Home	37		4	4	12	1	3	2	2	4	-	4	1
Died	5,743		21	98	120	321	1,405	1,937	1,251	473	72	42	1
	25	0.4	10	6	4	1	2	-	1	-	-	1	-
10 lb. and under, but over 9 lb.	1,498		12	35	35	86	308	451	372	162	22	15	-
Transferred Home	14		2	3	3	-	-	2	2	-	1	1	-
Died	1,478		8	31	32	86	308	448	369	162	21	13	-
	6	0.4	2	1	-	-	-	1	1	-	-	1	-
Over 10 lb.	304		6	11	5	17	54	79	81	41	6	3	1
Transferred Home	4		-	-	-	1	1	1	1	-	-	-	-
Died	292		-	11	5	16	52	78	79	41	6	3	1
	8	2.6	6	-	-	-	1	-	1	-	-	-	-
Birth weight not stated	1,862		50	56	43	110	533	577	261	171	37	21	3
Transferred Home	35		5	7	9	5	1	3	3	1	-	1	-
Died	1,756		12	29	30	100	529	568	258	170	37	20	3
	71	3.8	33	20	4	5	3	6	-	-	-	-	-

(b) Hospitals in the Greater London Area

All birth weights	11,753		114	97	69	350	2,218	3,964	3,164	1,394	221	134	25	3
Transferred Home	45		6	5	5	3	4	5	7	4	-	5	1	-
Died	11,561		39	67	54	338	2,201	3,949	3,147	1,389	221	129	24	3
	147	1.3	69	25	10	9	13	10	10	1	-	-	-	-

5½ lb. and under	Total	650		44	17	12	16	48	103	136	148	43	66	16	1
Over 5½ lb.	Transferred Home Died	15 555 80	12.3	1 1 42	1 1 15	1 5 6	1 11 4	1 41 6	1 98 4	3 130 3	1 147 -	- 43 -	4 62 -	1 15 -	-
	Total	10,708		58	72	53	309	2,110	3,748	2,918	1,195	170	64	9	2
	Transferred Home Died	25 10,635 48	0.4	4 35 19	3 62 7	3 46 4	- 307 2	3 2,101 6	4 3,742 2	4 2,907 7	3 1,191 1	- 170 -	1 63 -	- 9 -	-
5½ lb. and under	Total	98		31	10	5	3	5	5	7	5	3	14	9	1
	Transferred Home Died	5 42 51	52.0	1 - 30	1 - 9	- - 5	- - 3	- 3 2	- 4 1	- 6 1	- 5 -	- 3 -	3 11 -	- 9 -	-
	Total	552		13	7	7	13	43	98	129	143	40	52	7	-
Over 3½ lb. but not over 5½ lb.	Transferred Home Died	10 513 29	5.3	- 1 12	- 1 6	1 5 1	1 11 1	1 38 4	1 94 3	3 124 2	1 142 -	- 40 -	1 51 -	1 6 -	-
	Total	5,939		35	40	34	166	1,206	2,090	1,587	652	88	34	6	1
	Transferred Home Died	12 5,899 28	0.5	3 21 11	3 32 5	1 31 2	- 165 1	- 1,201 5	2 2,086 2	2 1,584 1	1 650 1	- 88 -	- 34 -	- 6 -	-
Over 5½ lb. but not over 7½ lb.	Total	4,769		23	32	19	143	904	1,658	1,331	543	82	30	3	1
	Transferred Home Died	13 4,736 20	0.4	1 14 8	- 30 2	2 15 2	- 142 1	3 900 1	2 1,656 -	2 1,323 6	2 541 -	- 82 -	1 29 -	- 3 -	-
	Total	395		12	8	4	25	60	113	110	51	8	4	-	-
Birth weight not stated	Transferred Home Died	5 371 19	4.8	1 3 8	1 4 3	1 3 -	2 20 3	- 59 1	- 109 4	- 110 -	- 51 -	- 8 -	- 4 -	- -	-
	Total														
	Transferred Home Died														

TABLE 6 - continued

(c) Hospitals in the North of England

Birth weight and discharge category	Total	Per cent of Total	Distribution in days of length of stay in the hospital										50-	92 and over
			1-	2-	4-	6-	8-	10-	12-	15-	22-	29-		
All birth weights	16,222		243	307	475	1,376	4,289	4,940	3,092	997	227	210	61	5
Transferred Home Died	142 15,752 328	2.0	24 46 173	25 204 78	23 430 25	11 1,347 18	11 4,265 13	13 4,922 5	12 3,072 8	9 983 5	4 224 1	8 198 4	2 58 1	- 5 -
5½ lb. and under	1,193		132	47	19	46	153	211	188	157	79	112	46	3
Transferred Home Died	25 966 202	16.9	12 2 118	- 6 41	1 5 13	1 32 13	3 144 6	3 206 2	3 181 4	- 155 2	1 78 -	1 109 2	- 45 1	- 3 -
Over 5½ lb.	14,567		93	245	435	1,258	3,993	4,630	2,852	816	138	91	14	2
Transferred Home Died	109 14,357 101	0.7	11 43 39	22 190 33	22 406 7	10 1,244 4	8 3,979 6	10 4,618 2	7 2,841 4	8 805 3	3 134 1	6 83 2	2 12 -	- 2 -
3½ lb. and under	201		83	17	7	10	6	3	4	6	3	28	32	2
Transferred Home Died	7 76 118	58.7	7 - 76	- - 17	- - 7	- - 10	- 3 3	- 2 1	- 4 -	- 5 1	- 3 -	- 26 2	- 31 1	- 2 -
Over 3½ lb. but not over 5½ lb.	992		49	30	12	36	147	208	184	151	76	84	14	1
Transferred Home Died	18 890 84	8.5	5 2 42	- 6 24	1 5 6	1 32 3	3 141 3	3 204 1	3 177 4	- 150 1	1 75 -	1 83 -	- 14 -	- 1 -

Over 5½ lb. but not over 7½ lb.	Total	8,355		55	135	237	709	2,350	2,640	1,658	433	83	46	9	-
	Transferred Home	57		6	9	8	8	5	7	5	4	2	2	1	-
	Died	8,230		22	103	225	698	2,341	2,632	1,650	427	80	44	8	-
		68	0.8	27	23	4	3	4	1	3	2	1	-	-	-
Over 5½ lb.	Total	6,212		38	110	198	549	1,643	1,990	1,194	383	55	45	5	2
	Transferred Home	52		5	13	14	2	3	3	2	4	1	4	1	-
	Died	6,127		21	87	181	546	1,638	1,986	1,191	378	54	39	4	2
		33	0.5	12	10	3	1	2	1	1	1	-	2	-	-
Birth weight not stated	Total	462		18	15	21	72	143	99	52	24	10	7	1	-
	Transferred Home	8		1	3	-	-	-	-	2	1	-	1	-	-
	Died	429		1	8	19	71	142	98	50	23	10	6	1	-
		25	5.4	16	4	2	1	1	1	-	-	-	-	-	-

APPENDIX A: List of hospitals participating in the Enquiry during the period 1949-1951, indicating by an asterisk those included in the tables for each year, and showing the age distribution of discharges from individual hospitals included in the tables for 1949.

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
LONDON TEACHING GROUPS											
The Royal Hospital of St. Bartholomew											
The Royal Hospital of St. Bartholomew	*	*	*	M	3,518	494	1,277	1,294	349	104	7
				F	3,614	356	1,846	1,040	273	99	5
The London Hospital											
The London Hospital		*	*								
The Royal Free Hospital		*	*								
The Royal Free Hospital		*	*								
University College Hospital		*	*								
University College Hospital		*	*								
The Hospital for Tropical Diseases		*	*								
St. Pancras Hospital, N.W.1.		*	*								
The Middlesex Hospital											
The Middlesex Hospital and Cancer Wing	*	*	*	M	3,489	467	1,337	1,264	310	111	9
				F	4,634	418	2,181	1,504	398	133	12
St. Luke's Hospital for Functional Nervous Disorders	*	*	*	M	109	-	60	44	5	-	-
				F	77	-	50	23	4	-	-
The Hospital for Women, Soho Square	*	*	*	F	1,395	1	943	400	46	5	4

Westminster Hospital

Westminster Hospital

St. Mary's Hospital, Paddington

St. Mary's Hospital, W.2.

Paddington Green Children's Hospital,
W.2.The Princess Louise Kensington
Hospital for Children

The Samaritan Free Hospital for Women

The Western Ophthalmic Hospital

St. Luke's Hospital for Advanced Cases

St. Thomas's Hospital

St. Thomas's Hospital

The General Lying-in Hospital

The Hospital for Sick Children

The Hospital for Sick Children

The Bethlem and Maudsley Hospitals

The Bethlem Royal Hospital for
Nervous and Mental Disorders

The Maudsley Hospital

*	*	*	M	2,517 3,352	383 355	981 1,892	850 813	215 215	88 77	12 26
*	*	*	M F	2,890 4,376	629 490	1,075 2,527	849 971	249 278	88 110	7 15
*	*	*	M F	522 382	521 374	- 3	1 4	- -	- 1	9 3
*	*	*	M F	498 407	496 406	1 1	1 -	- -	- -	- -
*	*	*	F	1,491	-	917	498	58	18	6
*	*	*	M F	369 444	87 97	94 55	99 104	68 109	21 79	- 1
*	*	*	M F	86 144	- -	9 20	33 75	31 33	13 16	4 3
*	*	*	M F	4,640 5,553	1,086 759	1,818 2,864	1,235 1,413	409 411	92 106	38 94
*	*	*	M F	1 1,000	- 1	1 997	- 2	- -	- -	- 8
*	*	*	M F	3,151 2,363	3,146 2,353	4 8	1 2	- -	- -	29 19
*	*	*	M F	365 556	30 18	236 353	86 164	12 18	1 3	- -

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)					
	Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.	
The Hospital for Diseases of the Chest									
The Hospital for Consumption and Diseases of the Chest	M	311	65	85	143	15	3	1	
The London Chest Hospital	F	198	70	84	39	5	-	1	
The Royal National Orthopaedic Hospital									
The Royal National Orthopaedic Hospital	M	513	28	328	136	18	3	6	
Country Branch Stanmore	F	931	21	516	350	38	6	7	
The National Heart Hospital									
The National Hospital for Diseases of the Heart	M	848	450	315	71	9	3	8	
The Royal Marsden Hospital	F	794	430	234	98	29	3	4	
Queen Charlotte's and Chelsea Hospitals									
The Royal Marsden Hospital	M	652	15	94	314	162	67	6	
Queen Charlotte's Maternity Hospital	F	590	10	130	271	125	54	20	
PROVINCIAL TEACHING GROUPS									
United Newcastle-upon-Tyne Hospitals	F	2,618	3	2,606	9	-	-	8	
The Royal Victoria Infirmary	M	11,353	1,887	4,441	3,683	1,010	332	28	
	F	9,724	1,206	4,253	3,117	892	256	10	

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

The Princess Mary Maternity Hospital

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)											
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.				
United Oxford Hospitals															
The Radcliffe Infirmary	*	*	*	M	4,386	1,101	1,706	1,040	374	165	9				
				F	6,655	795	3,983	1,299	397	181	14				
The Churchill Hospital				M	807	169	322	228	73	15	1				
The Oxford Eye Hospital	*	*	*	F	1,728	125	1,210	312	61	20	5				
United Cardiff Hospitals															
The Cardiff Royal Infirmary	*	*	*	M	3,432	843	1,134	1,057	291	107	1				
				F	2,817	527	1,108	905	224	53	2				
The Llandough Hospital	*	*	*	M	2,910	1,004	890	770	188	58	2				
				F	3,570	799	1,758	784	184	45	5				
The Lord Pontypridd Hospital	*	*	*	M	22	22	-	-	-	-	-				
				F	35	34	1	-	-	-	-				
United Birmingham Hospitals															
The Birmingham United Hospital				M	2,909	424	1,170	943	262	110	17				
The General Hospital	*	*	*	F	2,744	321	1,163	918	260	82	8				
The Queen Elizabeth Hospital	*	*	*	M	3,939	349	1,558	1,488	436	108	4				
				F	4,097	333	2,051	1,302	335	76	4				
The Children's Hospital	*	*	*	M	3,201	3,200	1	-	-	-	2				
				F	2,557	2,522	35	-	-	-	1				

The Midland Nerve Hospital	*	*	*	M	169 243	12 6	68 133	77 87	11 13	1 4	- -
The Birmingham and Midland Hospitals for Women											
The Hospital for Women	*	*	*	F	2,362	12	1,445	789	101	15	5
The Maternity Hospital	*	*	*	M F	9 2,385	6 5	1 2,348	2 30	- 2	- -	1 2
United Manchester Hospitals											
The Manchester Royal Infirmary	*	*	*	M F	4,789 4,213	400 269	1,918 1,925	1,903 1,525	452 395	116 99	14 17
St. Mary's Hospitals for Women and Children	*	*	*	M F	15 7,408	12 21	1 6,217	1 1,005	1 149	- 16	- -
The Manchester Royal Eye Hospital	*	*	*	M F	1,556 1,438	366 332	454 268	432 424	218 288	86 126	5 6
United Liverpool Hospitals											
The Royal Liverpool United Hospitals											
The Liverpool Royal Infirmary	*	*	*	M F	1,300 1,006	40 14	549 533	520 365	144 73	47 21	16 10
The David Lewis Northern Hospital	*	*	*	M F	1,740 1,415	123 58	791 731	652 483	139 114	35 29	4 5
The Royal Southern Hospital	*	*	*	M F	1,492 1,362	193 134	592 664	486 401	176 130	45 33	1 2
The Liverpool Stanley Hospital	*	*	*	M F	666 917	151 87	271 558	175 213	58 49	11 10	- -
The Women's Hospital											
The Hospital for Women											
The Samaritan Hospital for Women	*	*	*	F	2,185	3	1,401	672	91	18	-

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)							
				Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.
United Liverpool Hospitals (Contd.)											
The Liverpool Maternity Hospital	*	*	*	M F	4 2,912	4 1	- 2,895	- 16	- -	- -	- -
The Royal Liverpool Children's Hospital	*	*	*	M F	1,777 1,388	1,768 1,384	8 3	- 1	- -	1 -	3 1
The Liverpool Eye, Ear and Throat Infirmary	*	*	*	M F	1,000 919	331 304	371 288	192 176	71 103	35 48	15 17
St. Paul's Eye Hospital	*	*	*	M F	701 643	173 127	228 145	173 161	79 137	48 73	2 2
REGIONAL HOSPITAL BOARDS											
N.W. METROPOLITAN											
Hendon Hospital Management Committee											
Edgware General Hospital	*	*	*	M F	2,865 5,492	751 573	907 3,521	836 934	244 335	127 129	3 8
N.E. METROPOLITAN											
Enfield Hospital Management Committee											
Chase Farm Hospital	*	*	*	M F	2,493 3,829	494 371	786 2,306	707 692	327 281	179 179	7 16
WELSH											
Newport and East Monmouthshire Hospital Management Committee											
St. Woolos Hospital	*	*	*	M F	974 2,322	259 199	292 1,755	255 248	112 83	56 37	2 4

SHEFFIELD

Leicester No.1 Hospital Management Committee

Leicester Royal Infirmary

Leicester General Hospital

Loughborough General Hospital

Leicester No.2 Hospital Management Committee

Ashby-de-la-Zouch and District Hospital

Blaby Hospital

Bosworth Park Infirmary

Burley-on-the-Hill Auxiliary Hospital

Hinckley and District Hospital

Hinckley Isolation Hospital

Leicester Isolation Hospital and Chest Unit

Markfield Sanatorium and Isolation Hospital

*	*	*	M	5,944	1,610	1,971	1,465	598	300	109
			F	5,535	1,104	2,421	1,320	466	224	79
*	*	*	M	1,974	427	590	641	225	91	4
			F	3,968	337	2,601	690	263	77	9
*	*	*	M	661	164	258	152	63	24	-
			F	942	123	557	183	49	30	2
*	*	*	M	164	58	50	32	13	11	-
			F	393	47	263	64	15	4	-
*	*	*	M	101	93	7	1	-	-	-
			F	100	93	5	1	1	-	1
*	*	*	M	247	201	5	13	10	18	1
			F	724	210	470	7	16	21	1
*	*	*	M	354	27	153	125	45	4	-
			F	282	3	125	128	24	2	1
*	*	*	M	406	170	132	79	20	5	-
			F	493	125	219	109	30	10	-
*	*	*	M	106	87	15	3	-	1	-
			F	108	88	16	2	2	-	-
*	*	*	M	659	305	220	119	14	1	1
			F	625	309	281	27	7	1	1
*	*	*	M	211	70	108	32	-	1	2
			F	138	46	82	10	-	-	1

Hospital Group, showing name of each participating hospital within it	1949 tables	1950 tables	1951 tables	Age distribution of discharges in 1949 (excluding livebirths)					
	Sex	Total with stated age	0-	15-	45-	65-	75 and over	N.S.	
Leicester No.2 Hospital Management Committee (Contd.)									
Melton and District War Memorial Hospital	M F	379 424	119 95	120 185	89 94	33 32	18 18	- 1	
Melton Isolation Hospital									
Melton Mowbray Infirmary	M F	106 484	15 14	17 430	14 8	23 9	37 23	1 -	
Oakham Infirmary	M F	48 30	- -	- -	8 4	18 10	22 16	1 -	
Rutland Memorial Hospital	M F	176 221	59 39	57 98	34 60	20 20	6 4	1 2	
MANCHESTER									
North Manchester Hospital Management Committee									
Crumpsall Hospital	M F	3,081 6,127	19 21	1,063 4,234	1,186 1,098	565 518	248 256	70 132	
South Manchester Hospital Management Committee									
Withington Hospital	M F	3,194 6,436	45 25	1,140 4,298	1,182 1,245	523 563	304 305	4 6	
Daguley Sanatorium and Emergency Hospital	M F	166 214	- -	121 199	42 15	3 -	- -	- -	

Christie Hospital and Holt Radium Institute	*	*	*	M	426 427	13 14	86 102	207 215	89 79	31 17	- -
				F							
Manchester Babies' and Children's Hospital Management Committee	*	*	*	M	2,606	2,537	67	1	1	-	1
				F	2,163	2,071	92	-	-	-	2
Booth Hall Hospital for Children	*	*	*	M	926	785	108	25	8	-	-
				F	1,145	660	442	32	11	-	-
Monsall Isolation Hospital	*	*	*	M							
				F							

APPENDIX B: Numbers of patients by sex and age in different types of N.H.S. Hospitals, in England and Wales and in Hospital Regions, on Census night, 8th April, 1951, and rates per 100,000 population.

Information about the total number of patients, and their age distribution, in a hospital in England and Wales is not normally available. Such information can, however, be derived from a national census and has in the past been published in Census reports (see, for example, Tables 16 and 28 of the General Tables on the 1931 Census). Similar information will be published in the General Tables on the 1951 Census.

In view, however, of the significance of this information in relation to the organisation and cost of the National Health Service, a special tabulation has been undertaken from the 1951 Census records, in advance of the normal tabulation for the Census Report; and, in view of the relevance of this information to the consideration of hospital statistics generally, a summary of the information is given in the table below.

For Census purposes, a classification of institutions was used which is slightly different from that adopted for statistics of hospital beds in the Ministry of Health's "Hospital and Specialist Services Statistics, 1951"; but, so far as practicable, the figures in the table below have been brought into line with the classification used by the Ministry of Health. In doing this, each relevant Census schedule was re-classified according to the Ministry's classification; but some differences could not be adjusted, notably where an institution was used partly as a hospital and partly as a home for the aged. As a result the figures for patients in chronic and mainly chronic hospitals in the table below are about 13 per cent and 9 per cent respectively below the Ministry's figures of average bed occupation; this deficiency would be particularly marked in older age groups.

A further important difference between the figures in the table below and those of hospital beds arises from the inclusion in the Census figures of healthy new-born babies, whose cots are not included in the figures of hospital beds. As an approximation, since no sub-division of babies under four weeks is available, this difference can be allowed for by excluding babies under four weeks of age from the Census figures; to enable this to be done the numbers are shown separately and rates have been calculated excluding these numbers.

Numbers of patients, by Sex and Age, in N.H.S. Hospitals on Census night,
8th April, 1951, with rates per 100,000 Population

ENGLAND AND WALES

Type of Hospital	Number of Patients						Rate per 100,000 Population							
	Under 4 wks.	4 wks. - 14 yrs.	15 -44	45-64	65-74	75 and over	All Ages and over	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Teaching	602	1,370	2,788	2,923	1,014	525	9,722	9,120	38	30	60	74	87	43
	609	1,554	5,293	3,216	1,168	746	12,586	11,977	33	56	57	62	77	53
Non-Teaching*	6,063	14,794	25,445	20,612	11,617	11,771	90,302	84,239	299	276	421	848	1,960	401
	5,729	12,246	41,643	20,768	13,611	19,283	113,280	107,551	258	439	367	721	1,992	471
General	1,881	4,543	8,392	8,718	3,999	2,261	29,794	27,913	92	91	178	292	377	134
	1,692	3,413	13,345	8,706	4,357	3,126	34,639	32,947	71	141	154	231	323	144
Mainly General	1,724	2,348	4,903	5,908	3,524	3,468	21,875	20,151	47	53	121	257	578	97
	1,676	1,902	10,086	5,937	4,119	5,798	29,518	27,842	40	106	105	218	599	122
Mainly Chronic	253	211	652	1,297	1,423	2,139	5,975	5,722	4	7	26	104	356	27
	240	213	1,445	1,644	1,667	3,494	8,703	8,463	4	15	29	88	361	37
Chronic	43	203	446	1,281	1,819	3,235	7,027	6,984	4	5	26	133	539	33
	32	148	679	1,742	2,418	5,738	10,757	10,725	3	7	31	128	593	47
Convalescent	1	339	225	327	97	42	1,031	1,030	7	2	7	7	7	5
	-	240	363	478	198	135	1,414	1,414	5	4	8	11	14	6
Isolation	5	790	151	48	13	13	1,020	1,015	16	2	1	1	2	5
	3	715	168	29	16	19	950	947	15	2	1	1	2	4
Maternity	2,045	63	-	-	-	-	2,108	63	1	-	-	-	-	0
	1,978	79	4,640	11	-	-	6,708	4,730	2	49	0	-	-	21
Orthopaedic	-	994	742	249	34	18	2,037	2,037	20	8	5	2	3	10
	-	856	549	227	74	51	1,757	1,757	18	6	4	4	5	8
Tuberculosis (Chest)	-	968	7,260	1,209	66	7	9,510	9,510	20	79	25	5	1	45
	-	955	7,000	379	28	29	8,391	8,391	20	74	7	1	3	37

T.B. (Chest) and Isolation	{ M F }	27 32	1,031 973	1,252 1,433	517 245	112 52	48 24	2,987 2,759	2,960 2,727	21 21	14 15	11 4	8 3	8 2	14 12
Ear, Nose and Throat	{ M F }	- -	61 59	18 35	7 6	2 5	1 1	89 106	89 106	1 1	0 0	0 0	0 0	0 0	0 0
Children's (General)	{ M F }	24 19	2,184 1,760	11 33	- 5	- -	- -	2,219 1,817	2,195 1,798	44 37	0 0	- 0	- -	- -	10 8
Eye	{ M F }	- 1	76 54	54 56	71 58	37 42	32 26	270 237	270 236	2 1	1 1	1 1	3 2	5 3	1 1
Other Special Hospitals	{ M F }	60 56	891 803	1,326 1,788	980 1,300	491 635	507 842	4,255 5,424	4,195 5,368	18 17	14 19	20 23	36 34	84 87	20 24
Other Establishments	{ M F }	- -	92 76	13 23	- 1	- -	- -	105 100	105 100	2 2	0 0	- 0	- -	- -	0 0
Mental	{ M F }	- 2	307 172	21,325 18,935	25,591 34,599	9,222 16,613	4,015 10,281	60,460 80,602	60,460 80,600	6 4	233 200	521 611	670 882	671 1,064	288 354
Mental Deficiency	{ M F }	6 8	3,650 2,263	17,788 14,719	4,448 5,638	405 694	125 414	26,422 23,736	26,416 23,728	74 48	194 155	91 100	30 37	21 43	126 104
All N.H.S. Hospitals	{ M F }	6,671 6,348	20,621 16,235	67,346 80,590	53,574 64,221	22,258 32,086	16,436 30,724	186,906 230,204	180,235 223,856	417 342	733 850	1,093 1,135	1,622 1,702	2,739 3,176	858 982

^ Including healthy babies born in hospital.

* Excluding hospitals for mental illness and mental deficiency.

HOSPITAL BOARD REGIONS

Type of Hospital	Number of Patients						Rate per 100,000 Population							
	Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages and over	All Ages 4 wks. and over	4 wks. - 14 yrs.	15-	45-	65-	75 and over	All Ages 4 wks. and over
Region 1 Newcastle														
Teaching	{ M 24	60	175	136	43	18	456	432	17	28	43	48	49	30
	{ F 17	47	225	178	43	12	522	505	14	35	51	40	25	34
Non-Teaching*	{ M 346	919	1,831	1,237	585	562	5,480	5,134	258	290	389	659	1,535	358
	{ F 345	798	2,892	1,181	630	650	6,496	6,151	233	456	337	582	1,354	416
Mental	{ M -	35	1,425	1,548	537	198	3,743	3,743	10	225	487	604	541	262
	{ F -	11	1,044	1,650	638	331	3,674	3,674	3	165	472	590	689	248
Mental Deficiency	{ M -	116	749	145	4	-	1,014	1,014	33	118	46	4	-	71
	{ F -	70	646	208	11	5	940	940	21	102	59	10	10	63
All Hospitals	{ M 370	1,130	4,180	3,066	1,169	778	10,693	10,323	318	661	965	1,315	2,125	721
	{ F 362	926	4,807	3,217	1,322	998	11,632	11,270	271	758	919	1,222	2,078	761
Region 2 Leeds														
Teaching	{ M 28	56	116	135	50	17	402	374	16	19	39	51	42	26
	{ F 34	48	230	157	58	10	537	503	15	35	38	42	15	31
Non-Teaching*	{ M 433	1,079	1,580	1,364	852	880	6,188	5,755	316	253	389	875	2,153	397
	{ F 418	859	2,860	1,531	1,095	1,504	8,267	7,849	261	437	368	791	2,276	490
Mental	{ M -	11	1,681	2,105	726	286	4,809	4,809	3	271	602	745	699	331
	{ F -	8	1,509	2,713	1,270	608	6,108	6,108	2	231	652	917	920	381
Mental Deficiency	{ M 6	255	1,180	303	18	1	1,763	1,757	75	190	87	18	2	121
	{ F 7	165	867	364	43	7	1,453	1,446	50	133	87	31	11	90
All Hospitals	{ M 467	1,401	4,557	3,907	1,646	1,184	13,162	12,695	410	733	1,117	1,689	2,896	875
	{ F 459	1,080	5,466	4,765	2,466	2,129	16,365	15,906	328	836	1,145	1,781	3,222	992

Teaching	{M	31	123	146	173	59	14	546	515	25	16	37	46	26	25
	{F	30	127	237	169	54	22	639	609	27	26	34	34	29	29
Non-Teaching*	{M	516	1,256	2,252	1,665	1,007	1,085	7,781	7,265	255	251	359	786	2,004	358
	{F	488	952	3,380	1,602	1,025	1,519	8,966	8,478	201	378	319	645	2,023	403
Mental	{M	-	34	1,693	1,886	686	291	4,590	4,590	7	189	407	536	537	225
	{F	-	15	1,483	2,420	1,121	629	5,668	5,668	3	165	481	705	838	269
Mental Deficiency	{M	-	239	1,482	252	19	7	1,999	1,999	48	165	54	15	13	98
	{F	-	132	1,497	424	27	10	2,090	2,090	28	167	84	17	13	99
All Hospitals	{M	547	1,652	5,573	3,976	1,771	1,397	14,916	14,369	335	621	857	1,383	2,580	706
	{F	518	1,226	6,597	4,615	2,227	2,180	17,363	16,845	259	736	918	1,401	2,903	800

Region 4 East Anglia

Teaching	{M	19	33	57	71	30	61	271	252	20	18	45	58	233	35
	{F	25	29	140	79	54	72	399	374	19	48	45	83	190	51
Non-Teaching*	{M	150	400	654	522	378	535	2,639	2,489	247	208	328	726	2,044	349
	{F	127	257	1,049	567	420	700	3,120	2,993	166	356	319	647	1,848	411
Mental	{M	-	10	542	834	329	131	1,846	1,846	6	172	525	632	500	259
	{F	-	4	587	1,210	577	308	2,686	2,686	3	200	683	888	813	369
Mental Deficiency	{M	-	70	370	87	10	1	538	538	43	118	55	19	4	75
	{F	-	68	450	168	18	1	705	705	44	153	95	28	3	97
All Hospitals	{M	169	513	1,623	1,514	747	728	5,294	5,125	316	516	953	1,435	2,781	718
	{F	152	358	2,226	2,024	1,069	1,081	6,910	6,758	232	757	1,142	1,646	2,854	928

Region 5 N.W. Metropolitan

Teaching	{M	152	509	629	663	224	111	2,288	2,136	133	80	156	214	251	123
	{F	160	381	1,340	780	269	157	3,087	2,927	104	156	156	174	190	149
Non-Teaching*	{M	552	1,026	2,120	1,701	809	750	6,958	6,406	268	271	400	775	1,694	368
	{F	475	852	3,559	1,699	1,041	1,445	9,071	8,596	232	416	342	671	1,746	439
Mental	{M	-	-	1,733	1,894	594	313	4,534	4,534	-	221	445	569	707	260
	{F	-	3	1,506	2,538	1,221	764	6,032	6,032	1	176	508	788	923	308
Mental Deficiency	{M	-	345	1,441	663	108	29	2,586	2,586	90	184	156	103	66	149
	{F	-	123	1,100	771	172	114	2,280	2,280	33	128	154	111	138	116
All Hospitals	{M	704	1,880	5,923	4,921	1,735	1,203	16,366	15,662	491	756	1,157	1,661	2,718	900
	{F	635	1,359	7,505	5,788	2,703	2,480	20,470	19,835	370	876	1,160	1,744	2,997	1,012

* see notes on p.145.

HOSPITAL BOARD REGIONS - continued

Type of Hospital	Number of Patients						Rate per 100,000 Population							
	Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages and over	4 wks. - 14 yrs.	15- 45- 65- 75 and over	All Ages 4 wks. and over				
Region 6 N.E. Metropolitan														
Teaching	{ M F	25 32	84 69	244 385	302 259	88 87	768 869	743 837	25 21	38 57	90 68	97 70	64 58	52 54
Non-Teaching*	{ M F	424 438	1,059 894	1,799 3,081	1,706 1,613	995 1,186	7,019 8,879	6,595 8,441	309 275	284 460	511 423	1,101 959	2,637 2,610	458 539
Mental	{ M F	- -	- 2	1,246 1,017	1,472 2,148	568 1,022	3,496 4,776	3,496 4,776	- 1	197 152	440 563	629 827	535 919	243 305
Mental Deficiency	{ M F	- -	198 104	1,000 969	242 401	20 34	1,461 1,512	1,461 1,512	58 32	158 145	72 105	22 28	3 6	101 97
All Hospitals	{ M F	449 470	1,341 1,069	4,289 5,452	3,722 4,421	1,671 2,329	12,744 16,036	12,295 15,566	392 329	677 814	1,113 1,159	1,849 1,884	3,239 3,593	854 995
Region 7 S.E. Metropolitan														
Teaching	{ M F	33 33	117 82	176 351	181 174	88 56	624 726	591 693	33 24	28 52	52 41	82 36	58 34	40 41
Non-Teaching*	{ M F	471 406	1,174 1,006	2,101 3,374	1,626 1,804	960 1,087	7,232 9,223	6,761 8,817	332 298	333 497	462 426	894 691	1,796 1,735	453 523
Mental	{ M F	- 1	70 28	1,279 1,339	1,630 2,384	613 1,221	3,869 5,718	3,869 5,717	20 8	203 197	465 563	572 777	553 837	259 339
Mental Deficiency	{ M F	- -	116 93	1,262 938	434 401	22 29	1,836 1,474	1,836 1,474	33 28	200 138	124 95	21 18	4 15	123 87
All Hospitals	{ M F	504 440	1,477 1,209	4,818 6,002	3,871 4,763	1,683 2,393	13,561 17,141	13,057 16,701	418 358	764 884	1,103 1,125	1,569 1,522	2,411 2,621	875 990

Teaching	{M	116	217	448	429	147	97	1,454	1,338	44	46	83	96	138	61
	{F	110	182	861	436	165	174	1,928	1,818	39	85	69	72	134	74
Non-Teaching*	{M	693	1,824	2,860	2,275	1,264	1,276	10,192	9,499	372	297	442	824	1,813	432
	{F	681	1,431	4,620	2,324	1,575	2,372	13,003	12,322	304	456	368	692	1,830	499
Mental	{M	-	79	3,419	4,174	1,816	948	10,436	10,436	16	354	810	1,184	1,348	476
	{F	1	45	3,253	6,347	3,545	2,995	16,186	16,185	10	322	1,004	1,555	2,310	655
Mental Deficiency	{M	-	853	2,631	613	57	12	4,166	4,166	174	273	119	37	17	190
	{F	-	591	2,190	718	114	100	3,713	3,713	126	217	114	50	77	150
All Hospitals	{M	809	2,973	9,358	7,491	3,284	2,333	26,248	25,439	606	970	1,454	2,141	3,316	1,159
	{F	792	2,249	10,924	9,825	5,399	5,641	34,830	34,038	479	1,080	1,555	2,369	4,351	1,378

Region 9 Oxford

Teaching	{M	37	67	128	115	49	69	465	428	43	42	73	107	306	62
	{F	25	81	261	118	78	138	701	676	54	89	68	131	400	95
Non-Teaching*	{M	151	373	603	505	312	457	2,401	2,250	236	195	321	681	2,026	325
	{F	150	319	1,120	544	331	659	3,123	2,973	213	383	312	555	1,909	418
Mental	{M	-	15	588	757	311	133	1,804	1,804	10	191	480	679	590	261
	{F	-	11	558	1,119	534	331	2,553	2,553	7	191	642	895	959	359
Mental Deficiency	{M	-	97	368	60	8	10	543	543	62	120	38	17	44	79
	{F	-	61	529	189	10	15	804	804	41	181	108	17	43	113
All Hospitals	{M	188	552	1,687	1,437	680	669	5,213	5,025	351	548	912	1,484	2,966	727
	{F	175	472	2,468	1,970	953	1,143	7,181	7,006	315	844	1,130	1,598	3,311	985

Region 10 South Western

Teaching	{M	23	119	83	93	35	14	367	344	40	15	30	37	31	26
	{F	16	95	157	133	38	19	458	442	33	28	36	29	24	31
Non-Teaching*	{M	410	782	1,678	1,401	820	851	5,942	5,532	262	299	452	867	1,861	422
	{F	382	735	2,700	1,430	1,048	1,767	8,062	7,680	257	480	390	792	2,263	538
Mental	{M	-	3	1,209	1,763	693	290	3,958	3,958	1	215	569	733	635	302
	{F	-	2	1,304	2,697	1,366	790	6,159	6,159	1	231	735	1,032	1,011	432
Mental Deficiency	{M	-	326	2,289	505	48	20	3,188	3,188	109	407	163	51	44	243
	{F	-	241	1,794	571	80	51	2,737	2,737	84	318	156	60	65	192
All Hospitals	{M	433	1,230	5,259	3,762	1,596	1,175	13,455	13,022	412	936	1,214	1,688	2,571	993
	{F	398	1,073	5,955	4,831	2,532	2,627	17,416	17,018	375	1,057	1,317	1,913	3,363	1,193

* see notes on p. 145.

HOSPITAL BOARD REGIONS - continued

Type of Hospital	Number of Patients						Rate per 100,000 Population						
	Under 4 wks.	4 wks. - 14 yrs.	15-44	45-64	65-74	75 and over	All Ages and over	4 wks. - 14 yrs.	15- 4 wks. and over	45- 65- 75 and over	75 and over	All Ages 4 wks. and over	
Region 11 Wales													
Teaching	{ M 1	61	99	111	32	14	318	20	18	37	37	37	25
	{ F -	46	126	120	31	12	335	16	23	36	30	23	25
Non-Teaching*	{ M 417	970	1,805	1,158	615	543	5,091	323	334	383	709	1,420	401
	{ F 377	831	2,837	1,033	525	643	5,869	287	514	312	500	1,249	442
Mental	{ M -	13	1,522	1,728	568	235	4,066	4	281	572	655	614	320
	{ F -	3	1,046	1,774	726	381	3,930	1	190	536	691	740	296
Mental Deficiency	{ M -	102	489	134	36	31	792	34	90	44	41	81	62
	{ F 1	69	537	244	58	80	988	24	97	74	55	155	74
All Hospitals	{ M 418	1,146	3,915	3,131	1,251	823	10,684	381	723	1,036	1,442	2,152	808
	{ F 378	949	4,546	3,171	1,340	1,116	11,122	328	824	958	1,276	2,167	837
Region 12 Birmingham													
Teaching	{ M 33	153	145	179	68	18	596	29	15	37	55	34	26
	{ F 44	140	385	225	64	26	884	27	40	43	39	32	37
Non-Teaching*	{ M 520	1,352	2,503	1,873	1,119	1,219	8,586	253	256	392	902	2,313	372
	{ F 496	1,243	3,635	1,763	1,222	2,051	10,410	244	373	334	744	2,511	439
Mental	{ M -	33	1,914	2,244	801	353	5,345	6	196	469	645	670	247
	{ F -	40	1,673	2,912	1,513	939	7,077	8	172	552	921	1,150	314
Mental Deficiency	{ M -	477	1,741	350	15	6	2,589	90	178	73	12	11	120
	{ F -	331	1,343	519	39	6	2,238	65	138	98	24	7	99
All Hospitals	{ M 553	2,015	6,303	4,646	2,003	1,596	17,116	378	645	971	1,614	3,028	765
	{ F 540	1,754	7,036	5,419	2,838	3,022	20,609	344	723	1,027	1,728	3,700	889

Teaching	{M {F	41 34	35 18	142 260	157 209	45 82	21 17	441 620	400 586	7 4	16 28	30 34	32 40	37 19	19 25
Non-Teaching*	{M {F	631 617	1,276 1,070	2,104 3,997	2,288 2,556	1,357 1,704	1,212 1,938	8,868 11,882	8,237 11,265	268 232	238 423	442 412	959 826	2,165 2,139	397 485
Mental	{M {F	- -	1 -	1,786 1,544	2,160 2,940	628 1,198	241 590	4,816 6,272	4,816 6,272	0 -	202 164	416 473	444 581	430 652	232 270
Mental Deficiency	{M {F	- -	456 214	2,473 1,513	599 537	29 45	4 7	3,561 2,316	3,561 2,316	95 47	280 160	115 86	20 22	7 8	171 100
All Hospitals	{M {F	672 651	1,768 1,302	6,505 7,314	5,204 6,242	2,059 3,029	1,478 2,552	17,686 21,090	17,014 20,439	370 283	736 775	1,003 1,005	1,455 1,469	2,639 2,818	819 880

Region 14 Liverpool

Teaching	{M {F	39 49	236 209	200 335	178 179	56 89	17 20	726 881	687 832	91 84	45 72	81 70	98 107	74 52	69 76
Non-Teaching*	{M {F	349 329	1,304 999	1,555 2,539	1,291 1,121	544 722	465 822	5,508 6,532	5,159 6,203	501 400	354 545	588 434	952 864	2,014 2,125	515 566
Mental	{M {F	- -	3 -	1,288 1,072	1,396 1,747	352 661	109 283	3,148 3,763	3,148 3,763	1 -	293 230	635 679	616 792	472 732	315 344
Mental Deficiency	{M {F	- -	- 1	313 346	61 123	11 14	1 1	386 485	386 485	- 0	71 74	28 48	19 17	4 3	39 44
All Hospitals	{M {F	388 378	1,543 1,209	3,356 4,292	2,926 3,170	963 1,486	592 1,126	9,768 11,661	9,380 11,283	593 484	763 921	1,332 1,231	1,685 1,780	2,564 2,912	938 1,030

*A see notes on p. 145.

Census 1951

COUNTY REPORTS

These reports contain the definitive 1951 Census populations for Local Authority areas, wards, civil parishes, parliamentary constituencies and petty sessional divisions. Local populations are analysed by sex, age, marital condition, birth-place and nationality, numbers in full-time education, and social class.

The analysis of local housing conditions includes the number of dwellings, their size in rooms and size of households in occupation, and the household arrangements (viz. piped water, cooking stove, kitchen sink, watercloset, fixed bath) possessed by each household.

Anglesey and Caernarvonshire	20s. (20s. 4d.)	Kent	25s. (25s. 5d.)
Bedfordshire	15s. (15s. 3d.)	Lancashire	42s. (42s. 8d.)
Berkshire	17s. 6d. (17s. 10d.)	Leicestershire	17s. 6d. (17s. 10d.)
Brecknockshire and Carmarthenshire	20s. (20s. 4d.)	Lincolnshire and Rutland	27s. 6d. (27s. 10d.)
Buckinghamshire	17s. 6d. (17s. 10d.)	London	22s. 6d. (22s. 11d.)
Cambridgeshire and Huntingdonshire	21s. (21s. 4d.)	Merionethshire, Montgomeryshire and Radnorshire	21s. (21s. 4d.)
Cardiganshire and Pembrokeshire	20s. (20s. 4d.)	Middlesex	20s. (20s. 4d.)
Cheshire	25s. (25s. 5d.)	Monmouthshire	20s. (20s. 4d.)
Cornwall	20s. (20s. 4d.)	Norfolk	21s. (21s. 4d.)
Cumberland and Westmorland	20s. (20s. 4d.)	Northamptonshire	20s. (20s. 4d.)
Denbighshire and Flintshire	20s. (20s. 4d.)	Northumberland	20s. (20s. 4d.)
Derbyshire	21s. (21s. 4d.)	Nottinghamshire	17s. 6d. (17s. 10d.)
Devon	25s. (25s. 5d.)	Oxfordshire	17s. 6d. (17s. 9d.)
Dorset	17s. 6d. (17s. 9d.)	Somerset	21s. (21s. 4d.)
Durham	22s. 6d. (22s. 11d.)	Staffordshire	25s. (25s. 5d.)
Essex	25s. (25s. 5d.)	Suffolk	22s. 6d. (22s. 10d.)
Glamorganshire	20s. (20s. 4d.)	Surrey	21s. (21s. 4d.)
Gloucestershire	21s. (21s. 4d.)	Sussex	25s. (25s. 5d.)
Hampshire	25s. (25s. 5d.)	Warwickshire	20s. (20s. 4d.)
Herefordshire and Shropshire	22s. 6d. (22s. 10d.)	Wiltshire	20s. (20s. 4d.)
Hertfordshire	21s. (21s. 4d.)	Worcestershire	20s. (20s. 4d.)
		Yorkshire, East and North Ridings	27s. 6d. (28s.)
		Yorkshire, West Riding	37s. 6d. (38s. 2d.)

(Prices in brackets include postage)

Obtainable from
HER MAJESTY'S STATIONERY OFFICE
at the addresses shown on page four of the cover
or through any bookseller.